

「超高速ネットワークを利用したアジア遠隔医療プロジェクト」TEMDEC (Telemedicine Development Center of Asia)活動報告：第10巻

清水，周次
九州大学病院

中島，直樹
九州大学病院

<https://doi.org/10.15017/1517924>

出版情報：「超高速ネットワークを利用したアジア遠隔医療プロジェクト」 TEMDEC活動報告．10，2014-03．TEMDEC事務局
バージョン：
権利関係：


3) アンケート

#386 第36回 APAN 会議 腹腔鏡肝切除術 2013.8.20


The 36th APAN-HPB session

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | 8 | |
|-----------|---|----------------------|---|------------|---|-----------|---|---------------------|---|-----------|---|-----------------------|---|--------------|---|
| very good | 7 | very smooth | 4 | very small | 5 | very good | 6 | very easy | 6 | very good | 6 | this system is better | 4 | yes | 5 |
| good | 7 | smooth | 7 | small | 7 | good | 6 | easy | 5 | good | 5 | similar | 3 | probably yes | 8 |
| poor | 0 | sluggish (slow) | 3 | big | 2 | poor | 2 | time-consuming | 1 | poor | 1 | DVTS is better | 1 | probably no | 0 |
| very poor | 0 | very sluggish (slow) | 0 | very big | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | do not know | 6 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the delay of the image




Q4. About the quality of sound




Q5. About the preparations




Q6. About the program



Q7. Is this system better than DVTS?



Q8. Would you like to use this system for your own activities?




#387 第36回 APAN 会議 肝静脈圧 2013.8.20


The 36th APAN-ILBS session

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | 8 | |
|-----------|---|----------------------|---|------------|---|-----------|---|---------------------|---|-----------|---|-----------------------|---|--------------|---|
| very good | 7 | very smooth | 8 | very small | 8 | very good | 3 | very easy | 3 | very good | 5 | this system is better | 9 | yes | 5 |
| good | 6 | smooth | 5 | small | 6 | good | 6 | easy | 5 | good | 9 | similar | 2 | probably yes | 8 |
| poor | 1 | sluggish (slow) | 1 | big | 0 | poor | 5 | time-consuming | 6 | poor | 0 | DVTS is better | 1 | probably no | 1 |
| very poor | 0 | very sluggish (slow) | 0 | very big | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | do not know | 2 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the delay of the image




Q4. About the quality of sound




Q5. About the preparations




Q6. About the program



Q7. Is this system better than DVTS?



Q8. Would you like to use this system for your own activities?




#388 第 36 回 APAN 会議 外科 1 2013.8.20


The 36th APAN-Surgery1 session

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|------------------------|--------------|-------------|-----------------------|-------------|-------------------------|-----------------|
| very good 10 | very smooth 4 | very small 9 | very good 5 | very easy 4 | very good 7 | this system is better 8 | yes 8 |
| good 14 | smooth 17 | small 13 | good 16 | easy 12 | good 17 | similar 5 | probably yes 14 |
| poor 1 | sluggish (slow) 4 | big 2 | poor 4 | time-consuming 6 | poor 0 | DVTS is better 1 | probably no 0 |
| very poor 0 | very sluggish (slow) 0 | very big 0 | very poor 0 | very time-consuming 0 | very poor 0 | do not know 10 | no 1 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the delay of the image




Q4. About the quality of sound




Q5. About the preparations




Q6. About the program



Q7. Is this system better than DVTS?



Q8. Would you like to use this system for your own activities?




#389 第 36 回 APAN 会議 胎児医療 2013.8.21

11 responses

[Publish analytics](#)


Summary

(1) About the resolution of image (Select one.)




| | | |
|-----------|---|-----|
| Very good | 4 | 36% |
| Good | 7 | 64% |
| Poor | 0 | 0% |
| Very poor | 0 | 0% |

(4) About the quality of sound (Select one.)




| | | |
|-----------|----|------|
| Very good | 0 | 0% |
| Good | 11 | 100% |
| Poor | 0 | 0% |
| Very poor | 0 | 0% |

(2) About the image movement (Select one.)




| | | |
|-------------|---|-----|
| Very smooth | 2 | 18% |
| Smooth | 8 | 73% |
| Slow | 1 | 9% |
| Very slow | 0 | 0% |

(5) About the preparations (Select one.)




| | | |
|---------------------|----|-----|
| Very easy | 0 | 0% |
| Easy | 10 | 91% |
| Time-consuming | 1 | 9% |
| Very time-consuming | 0 | 0% |

(3) About the delay of the image (Select one.)




| | | |
|------------|---|-----|
| Very small | 3 | 27% |
| Small | 7 | 64% |
| Big | 1 | 9% |
| Very big | 0 | 0% |


(6) About the program (Select one.)



| | | |
|-----------|---|-----|
| Very good | 3 | 27% |
| Good | 8 | 73% |
| Poor | 0 | 0% |
| Very poor | 0 | 0% |

(7) Is this system better than DVTS? (Select one.)


| | | |
|-----------------------|---|-----|
| This system is better | 3 | 27% |
| Similar | 3 | 27% |
| DVTS is better | 0 | 0% |
| Do not know | 5 | 45% |

(8) Would you like to use this system for your own activities? (Select one)


| | | |
|--------------|---|-----|
| Yes | 6 | 55% |
| Probably yes | 5 | 45% |
| Probably no | 0 | 0% |
| No | 0 | 0% |

(9) If you found any problems in teleconference, please write any comments you may have.


1) It was troublesome to start PowerPoint slide show with desktop sharing on Vidyo system.
 2) Quality and volume of audio at each station varied widely because of respective audio devices (speaker and microphone?). 3) Is it better to stop local speaker output during our own presentation to avoid audio feedback? Thank you very much for all the hard works you have done to bring the big success to this conference . Unfortunately, two countries could not join because of typhoon.

(10) Which is your station?

| | | |
|--|---|-----|
| Kyushu University Hospital | 0 | 0% |
| Mahidol University Siriraj Hospital | 0 | 0% |
| National Center for Child Health and Development | 2 | 18% |
| National Taiwan University | 0 | 0% |
| National University of Singapore | 1 | 9% |
| Queen Elizabeth Hospital | 0 | 0% |
| Seoul National University Hospital | 0 | 0% |
| The University of Hong Kong | 6 | 55% |
| University of the Philippines Manila | 0 | 0% |
| Other | 2 | 18% |

(11) What is your occupation?

| | | |
|----------------|---|-----|
| Medical doctor | 5 | 45% |
| Engineer | 3 | 27% |
| Others | 3 | 27% |


Number of daily responses

#390 第36回 APAN 会議 内視鏡 2013.8.21


The 36th APAN-endoscopy session

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | 8 | |
|-----------|----|----------------------|----|------------|----|-----------|----|---------------------|----|-----------|----|-----------------------|----|--------------|----|
| very good | 6 | very smooth | 3 | very small | 9 | very good | 2 | very easy | 8 | very good | 14 | this system is better | 10 | yes | 18 |
| good | 26 | smooth | 27 | small | 23 | good | 12 | easy | 20 | good | 17 | similar | 7 | probably yes | 12 |
| poor | 0 | sluggish (slow) | 2 | big | 0 | poor | 15 | time-consuming | 2 | poor | 0 | DVTS is better | 7 | probably no | 2 |
| very poor | 1 | very sluggish (slow) | 1 | very big | 0 | very poor | 3 | very time-consuming | 0 | very poor | 0 | do not know | 9 | no | 1 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the delay of the image




Q4. About the quality of sound




Q5. About the preparations




Q6. About the program



Q7. Is this system better than DVTS?




Q8. Would you like to use this system for your own activities?




The 36th APAN-Latin session

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | 8 | |
|-----------|---|----------------------|---|------------|---|-----------|---|---------------------|---|-----------|---|-----------------------|---|--------------|---|
| very good | 6 | very smooth | 5 | very small | 6 | very good | 6 | very easy | 6 | very good | 7 | this system is better | 3 | yes | 5 |
| good | 6 | smooth | 5 | small | 5 | good | 6 | easy | 3 | good | 5 | similar | 3 | probably yes | 7 |
| poor | 0 | sluggish (slow) | 2 | big | 1 | poor | 0 | time-consuming | 2 | poor | 0 | DVTS is better | 2 | probably no | 0 |
| very poor | 0 | very sluggish (slow) | 0 | very big | 0 | very poor | 0 | very time-consuming | 1 | very poor | 0 | do not know | 4 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the delay of the image




Q4. About the quality of sound




Q5. About the preparations




Q6. About the program



Q7. Is this system better than DVTS?



Q8. Would you like to use this system for your own activities?




#392 第36回 APAN 会議 外科2 2013.8.22


The 36th APAN-surgery 2 session

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | |
|-----------|---|----------------------|----|------------|----|-----------|---|---------------------|---|-----------|----|--------------|----|
| very good | 8 | very smooth | 6 | very small | 7 | very good | 6 | very easy | 2 | very good | 11 | yes | 13 |
| good | 9 | smooth | 10 | small | 10 | good | 9 | easy | 9 | good | 6 | probably yes | 2 |
| poor | 0 | sluggish (slow) | 1 | big | 0 | poor | 2 | time-consuming | 3 | poor | 0 | probably no | 2 |
| very poor | 0 | very sluggish (slow) | 0 | very big | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the delay of the image




Q4. About the quality of sound




Q5. About the preparations



Q6. About the program




Q7. Wil you attend another teleconference session next time?




The 37th APAN Meeting -Dental

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | |
|-----------|----|----------------------|----|-----------|----|---------------------|---|-----------|---|-----------------------|---|--------------|---|
| very good | 4 | very smooth | 4 | very good | 3 | very easy | 3 | very good | 7 | this system is better | 6 | yes | 9 |
| good | 12 | smooth | 12 | good | 12 | easy | 8 | good | 9 | similar | 5 | probably yes | 7 |
| poor | 0 | sluggish (slow) | 1 | poor | 2 | time-consuming | 5 | poor | 0 | DVTS is better | 0 | probably no | 1 |
| very poor | 0 | very sluggish (slow) | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | do not know | 6 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the quality of sound




Q4. About the preparation




Q5. About the program



Q6. Is this system better than DVTS?



Q7. Would you like to use this system for your own activities?




#414 第37回 APAN 会議 肝生検 2014.1.21


The 37th APAN Meeting -Transjugular Liver Biopsy

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | |
|-----------|---|----------------------|---|-----------|---|---------------------|---|-----------|---|------------------------|---|--------------|---|
| very good | 3 | very smooth | 3 | very good | 4 | very easy | 2 | very good | 6 | one screen is better | 2 | yes | 6 |
| good | 4 | smooth | 4 | good | 2 | easy | 5 | good | 1 | two screens are better | 4 | probably yes | 0 |
| poor | 0 | sluggish (slow) | 0 | poor | 1 | time-consuming | 0 | poor | 0 | do not know | 1 | probably no | 1 |
| very poor | 0 | very sluggish (slow) | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | any other idea | 0 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the quality of sound




Q4. About the preparation




Q5. About the program



Q6. Is this system better than DVTS?



Q7. Would you like to use this system for your own activities?




#415 第 37 回 APAN 会議 外科 2014.1.22


The 37th APAN Meeting -Surgery

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | |
|-----------|---|----------------------|---|-----------|---|---------------------|---|-----------|---|-----------------------|---|--------------|---|
| very good | 9 | very smooth | 8 | very good | 5 | very easy | 4 | very good | 9 | this system is better | 6 | yes | 4 |
| good | 2 | smooth | 1 | good | 6 | easy | 7 | good | 2 | similar | 1 | probably yes | 7 |
| poor | 0 | sluggish (slow) | 2 | poor | 0 | time-consuming | 0 | poor | 0 | DVTS is better | 0 | probably no | 0 |
| very poor | 0 | very sluggish (slow) | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | do not know | 4 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the quality of sound




Q4. About the preparation




Q5. About the program



Q6. Is this system better than DVTS?



Q7. Would you like to use this system for your own activities?




#416 第 37 回 APAN 会議 胎児医療 2014.1.22

9 responses


[View all responses](#) [Publish analytics](#)

Summary


(1) About the resolution of image (Select one.)




(4) About the quality of sound (Select one.)




(2) About the image movement (Select one.)




(5) About the preparations (Select one.)




(3) About the delay of the image (Select one.)




(6) About the program (Select one.)




(7) Is this system better than DVTS? (Select one.)

| | | |
|-----------------------|---|-----|
| This system is better | 7 | 78% |
| Similar | 0 | 0% |
| DVTS is better | 0 | 0% |
| Do not know | 2 | 22% |

(11) What is your occupation?


| | | |
|----------------|---|-----|
| Medical doctor | 5 | 56% |
| Engineer | 3 | 33% |
| Others | 1 | 11% |

(8) Would you like to use this system for your own activities? (Select one)

| | | |
|--------------|---|-----|
| Yes | 6 | 67% |
| Probably yes | 3 | 33% |
| Probably no | 0 | 0% |
| No | 0 | 0% |

Number of daily responses**(9) If you found any problems in teleconference, please write any comments you may have.**

In presentation from Japan(NCCHD), one movie file was not played on slide show. What is the best setting of Powerpoint and Vidyo sharing? Our setting was below; - Microsoft Pwerpoint 2010: slide show on the laptop PC monitor (800x600) - Vidyo sharing: display (800x600) Is "Reading view" better for sharing? Smooth operation Thanks to Albert and colleague at SZH Our site (Mahidol University) has an image problem. Please contact Khun Weraphol, our engineer. we have experienced one time lost communication. No pictutre and sound during our session

(10) Which is your station?


| | | |
|--|---|-----|
| HKU-Shenzhen Hospital | 2 | 22% |
| Kyushu University Hospital | 0 | 0% |
| Mahidol University Siriraj Hospital | 1 | 11% |
| National Center for Child Health and Development | 1 | 11% |
| National Taiwan University | 0 | 0% |
| Padjadjaran University | 1 | 11% |
| Queen Elizabeth Hospital | 0 | 0% |
| The University of Hong Kong | 3 | 33% |
| University of the Philippines Manila | 1 | 11% |
| Other | 0 | 0% |

#417 第 37 回 APAN 会議 内視鏡 1 2014.1.22


The 37th APAN Meeting - Endoscopy 1

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | |
|-----------|----|----------------------|----|-----------|----|---------------------|---|-----------|---|-----------------------|---|--------------|---|
| very good | 2 | very smooth | 1 | very good | 3 | very easy | 8 | very good | 9 | this system is better | 7 | yes | 9 |
| good | 14 | smooth | 13 | good | 12 | easy | 6 | good | 7 | similar | 3 | probably yes | 6 |
| poor | 1 | sluggish (slow) | 3 | poor | 2 | time-consuming | 2 | poor | 0 | DVTS is better | 0 | probably no | 1 |
| very poor | 0 | very sluggish (slow) | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | do not know | 4 | no | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the quality of sound




Q4. About the preparation




Q5. About the program



Q6. Is this system better than DVTS?




Q7. Would you like to use this system for your own activities?




The 37th APAN Meeting - Endoscopy 2

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|-----------|---|----------------------|---|-----------|---|---------------------|---|-----------|---|-----------------------|---|
| very good | 3 | very smooth | 3 | very good | 2 | very easy | 3 | very good | 3 | this system is better | 4 |
| good | 4 | smooth | 2 | good | 4 | easy | 2 | good | 4 | similar | 3 |
| poor | 0 | sluggish (slow) | 1 | poor | 1 | time-consuming | 1 | poor | 0 | DVTS is better | 0 |
| very poor | 0 | very sluggish (slow) | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | do not know | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the quality of sound




Q4. About the preparation



Q5. About the program



Q6. Is this system better than DVTS?




#419 第37回 APAN 会議 神経内科 2014.1.23


The 37th APAN Meeting - Neurology

| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|-----------|---|----------------------|---|-----------|---|---------------------|---|-----------|---|--------------|---|
| very good | 1 | very smooth | 1 | very good | 1 | very easy | 0 | very good | 2 | Yes | 4 |
| good | 4 | smooth | 4 | good | 4 | easy | 2 | good | 4 | Probably yes | 2 |
| poor | 1 | sluggish (slow) | 1 | poor | 1 | time-consuming | 4 | poor | 0 | Probably no | 0 |
| very poor | 0 | very sluggish (slow) | 0 | very poor | 0 | very time-consuming | 0 | very poor | 0 | No | 0 |


Q1. About the resolution of image




Q2. About the image movement




Q3. About the quality of sound



Q4. About the preparation



Q5. About the program



Q6. Will you attend another teleconference session next time?

