

## [005] 九州大学極低温実験室だより表紙奥付等

<https://hdl.handle.net/2324/11020>

---

出版情報：九州大学極低温実験室だより．5，2004-08．九州大学理学部極低温実験室  
バージョン：  
権利関係：



1. "Effect of Pressure on the Electrical Resistivity of  $\text{YbBe}_{13}$ "  
G.Oomi, M.Ohashi, T.Sawamura,  
A. Lacerda, J. L. Smith,  
*Trans. Magn. Soc. Japan*, **3**, (2003), 35-38.
2. "Effect of Pressure on the superconducting properties of  $\text{Ho}_{0.5}\text{Y}_{0.5}\text{Ni}_2\text{B}_2\text{C}$ ",  
G.Oomi, D.Masaoka, T.Kagayama,  
N.Kuroda, B.K.Cho, P.C. Canfield,  
*Physica C*, **388-389**, (2003), 177-178.
3. "Thermal expansion anomaly near the martensitic transformation in GdCu under pressure",  
M.Ohashi, A.Tashiro, G.Oomi, A.Senas,  
J. R. Fernandez, J. C. Gomez Sal,  
*Physica B*, **329-333**, (2003), 1090-1091.
4. "Anomaly pressure dependence of the electrical resistance and thermal expansion of  $\text{UGe}_2$  in the paramagnetic state",  
G.Oomi, M. Ohashi, F. Honda,  
Y. Haga, Y. Onuki,  
*J. Phys.: Condens. Matter*, **15**, (2003), S2039-2042.
5. "Electronic properties of magnetic superconductor  $\text{HoNi}_2\text{B}_2\text{C}$  under high pressure",  
G.Oomi, N. Matsuda, T. Kagayama,  
C.K.Cho, P.C.Canfield,  
*International Journal of Modern Physics B*, **17**, (2003), 3664-3671.
6. "Effect of pressure on electrical resistivity and lattice parameters of  $\text{CeRh}_2\text{Si}_2$ ",  
M.Ohashi, G.Oomi, S.Koiwai, M.Hedo,  
Y. Uwatoko  
*Acta. Phys. Pol. B*, **34**, (2003), 1181.
7. "Anomalous pressure response of magnetic properties in  $\text{RuSr}_2\text{GdCu}_2\text{O}_8$ "  
G.Oomi, I. Minamitake, F. Honda,  
M. Kosaka, N. Mori, Do P. Hai,  
S Kamizawa, K. Kadowaki  
*Acta. Phys. Pol. B*, **34**, (2003), 475.
8. "Pressure enhanced tunnel magnetoresistance in Co-Al-O granular films",  
S. Kaji, G. Oomi, S. Mitani, S. akahashi,  
S. Takanashi, S. Maekawa  
*Phys. Rev. B*, **68**, (2003), 054429.
9. "Fermi-liquid instability of  $\text{CeRh}_2\text{Si}_2$  near a pressure-induced quantum phase transition"  
M. Ohashi, G. Oomi, S. Koiwai, M. Hedo,  
Y. Uwatoko  
*Phys. Rev. B*, **68**, (2003), 144428.
10. Co-グラニューラー薄膜におけるトンネル型電気伝導とその圧力効果  
理学部基礎粒子科学専攻  
加治詩織
11.  $\text{HoNi}_2\text{B}_2\text{C}$  の磁性と超伝導におよぼす圧力・磁場効果  
理学部物理学科基礎粒子科学専攻  
秋山秀治
12. インバー合金  $\text{Fe}_{70}\text{Ni}_{30}$  のマルテンサイト変態に及ぼす圧力効果  
理学部物理学科基礎粒子科学専攻  
斎藤稜平
13. Diffusive energy transport in the  $S=1$  Haldane chain compound  $\text{AgVP}_2\text{S}_6$ ,  
A.V. Sologubenko, S.M. Kazakov,  
H.R. Ott. T. Asano, and Y. Ajiro,  
*Phys. Rev. B* **68**, 0944321-6 (2003).
14. Random quantum chain system; mixture of  $S=1/2$  antiferromagnetic chains with uniform and alternating couplings,  
Y. Ajiro, T. Wakisaka, H. Itoh,  
K. Watanabe, H. Satoh, Y. Inagaki, T.

- Asano, M. Mito, K. Takeda, H. Mitamura, and T. Goto,  
Physica B 329-333, 1004-1005 ( 2003).
15. Effect of staggered field in  $S=1/2$  antiferromagnet chain: copper pyrimidine,  
T. Asano, D. Nomura, Y. Inagaki, Y. Ajiro, H. Nojiri, Y. Narumi, K. Kindo, T. Ishida, and T. Nogami,  
Physica B 329-333, 1006-1007 ( 2003).
16. Magnetic properties of bond-alternating quantum spin chain system:  $(\text{CH}_3)_2\text{NH}_2\text{CuX}_3$  ( $X=\text{Cl}, \text{Br}$ ),  
Y. Ajiro, K. Takeo, Y. Inagaki, T. Asano, A. Shimogai, M. Mito, T. Kawae, K. Takeda, T. Sakon, H. Nojiri, and M. Motokawa,  
Physica B 329-333, 1008-1009 ( 2003).
17. Quantum level structure of molecular magnets, F12 and V15,  
Y. Ajiro, Y. Inagaki, H. Itoh, T. Asano, Y. Narumi, K. Kindo, T. Sakon, H. Nojiri, M. Motokawa, A. Cornia, D. Gatteschi, A. Muller, and B. Barbara,  
Physica B 329-333, 1038-1039 ( 2003).
18. ESR study of sine-Gordon excitation in  $S=1/2$  antiferromagnetic chain: copper benzoate,  
T. Asano, H. Nojiri, Y. Inagaki, T. Sakon, J.P. Boucher, Y. Ajiro, and M. Motokawa,  
Physica B 329-333, 1213-1214 ( 2003).
19. Magnetic ordering of quasi-1D  $S=1/2$  Heisenberg antiferromagnetic Cu benzoate at sub-mK temperature,  
Y. Karaki, R. Masumomi, M. Kubota, H. Ishimoto, T. Asano, and Y. Ajiro  
Physica B 329-333, 1002-1003 ( 2003).
20. Electron spin resonance measurements at ultralow temperatures,  
T. Sakon, K. Koyama, M. Motokawa, H. Nojiri, T. Asano, and Y. Ajiro,  
Physica B 329-333, 1629-1631 ( 2003).
21. High Field Magnetization Process in a Dodecanuclear Fe( III) Ring Cluster,  
Y. Inagaki, T. Asano, Y. Ajiro, Y. Narumi, K. Kindo, A. Cornia, and D. Gatteschi,  
J. Phys. Soc. Jpn. 72, 1178-1183 ( 2003).
22. ESR measurements at ultra-low temperature using a dilution refrigerator,  
T. Sakon, H. Nojiri, K. Koyama, T. Asano, Y. Ajiro, and M. Motokawa,  
J. Phys. Soc. Jpn. 72, 140-144 ( 2003).
23. ESR Experiments on Quantum Spin Systems,  
Y. Ajiro,  
J. Phys. Soc. Jpn. 72, 12-25 ( 2003).
24. High field/high frequency ESR in Osaka University,  
S. Kimura, K. Kindo, Y. Narumi, M. Hagiwara, H. Kikuchi, and Y. Ajiro,  
J. Phys. Soc. Jpn. 72, 99-108 ( 2003).
25. NMR Study of Phase transitions in Betaine Phosphite  $(\text{CH}_3)_3\text{NCH}_2\text{COOH} \cdot \text{H}_2\text{PO}_3$   
Mitsuo Machida, Hirotaka Ikeda, Takaaki Kakiuchi, Toku Ishibashi and Katsuhiko Hasebe  
J. Phys. Soc. Jpn., 72, 2250-2255(2003).
26. NMR Investigation on Isotope Effect of Glycinium Phosphite  $\text{H}_3\text{NCH}_2\text{COOH} \cdot \text{H}_2\text{PO}_3$   
Toku Ishibashi and Mitsuo Machida  
J. Phys. Soc. Jpn., 72, 1554-1559(2003).
27. NMRによるネマチック液晶 5OCB の配向秩序の研究  
大学院理学府修士課程凝縮系科学専攻 柿内隆明 (2003 年度)
28. Dependence of the Vortex Liquid Phase of Pb-In Alloy on Indium Concentration  
T.Fukami, K.Mizuseki, Y.Kishikawa, F.Ichikawa T.Arai, T.Yamasaki,

- B.Shinozaki and T.Aomine  
Physica C 390,204-212(2003)
29. Vortex Liquid-Vortex Glass Transition in Pb-8.23wt In Alloy Films,  
T. Fukami, K. Mizuseki, F. Ichikawa, T. Arai, T. Yamasaki, B. Shinozaki, T. Aomine,  
Physica C 388-389, 787-788(2003)
30. Percolation and weak localization in thin discontinuous aluminum films  
K.Yamada,B.Shinozaki and T.Kawaguti,  
Physica E 18, 286-287(2003)
31. Investigations of the magnetic transport properties of normal metallic films under the non-uniform magnetic field,  
B.Shinozaki, K.Sakae, S.Inada, K.Yamada and T.Kawaguti,  
Physica E 18, 233-234(2003)
32. Temperature dependence of Hall angle in disordered  $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$  thin films  
K.Makise, Y.Yadoguchi, F.Ichikawa, T,Fukami, T.Aomine, Z.Hao, B.Zhu, B.Xu, BR.Zhao, T.Nishizaki, and N. Kobayashi  
Physica C 388, 337-338(2003)
33. Magnetic relaxation in Y-Ba-Cu-O thin films  
R.Kondo, T.Fukami, K. Makise, and T.Tamegai  
Physica C 388, 717-718(2003)
34. In/Ge 薄膜の超伝導  
大学院理学院修士課程凝縮系科学専攻  
中村嵩一 (2002年度)
35. Temperature dependence of electrical conductance in 1D electron system formed on liquid helium surface,  
Hideki Yayama and Igor B. Berkutov  
Physica E Vol. 18, 117-118, (2003)
36. Structure and magnetism of a trinuclear CuII-GdIII-CuII complex derived from one-pot reaction with 2,6-di( acetoacetyl) pyridine  
Takuya Shiga, Masaaki Ohba and Hisashi Okawa  
Inorg. Chem. Commun., 6, 15-18( 2003)
37. Synthesis, structure and magnetic properties of a linear Cu(II)Cu(II)Gd(III) complex  
Masaaki Ohba, Nobuo Ohtsubo, Takuya Shiga, Masatomi Sakamoto and Hisashi Okawa  
Polyhedron, 22, 1905 - 1910 ( 2003).
38. Hydrothermal synthesis, crystal structure and characterization of a new hexanuclear cobalt (II) complex comprised of octahedral and tetrahedral cobalt ions  
Hitoshi Kumagai, Yoshimi Oka, Satoshi Kawata, Masaaki Ohba, Katsuya Inoue, Mohamedally Kurmoo and Hisashi Okawa  
Polyhedron, 22, 1917 - 1920 ( 2003)
39. Mossbauer Spectroscopic Studies of Molecular-based Magnets: Two-Dimensional Complexes Derived from Metal Schiff-Bases and Hexacyanoferrate( III)  
S. Iijima, F. Mizutani, H. Miyasaka, N. Matsumoto and H. Okawa  
Z. Naturforsch., 57a, 603 - 606 ( 2002).
40. Synthesis, Structure and Magnetic Property of a Tetranuclear Iron( III) Complex of "Face-to-face" Type  
Yuji Miyasato, Yoshihiro Nogami, Masaaki Ohba, Hiroshi Sakiyama and Hisashi Okawa  
Bull. Chem. Soc. Jpn., 76, 1009 - 1010 (2003).
41. Template Synthesis of Copper Complexes of

- Dinucleating and Tetranucleating Macrocyclic Ligands  
Kohta Matsumoto, Keisuke Arimura, Masaaki Ohba and Hisashi Okawa  
Bull. Chem. Soc. Jpn., 76, 1589 - 1594 (2003).
42. Macrocyclic Heterodinuclear CoIIIMII (M = Ni, Zn) Complexes.  
Ferromagnetic Interaction and EPR of CoIINiIII (SCo = 1/2, SNi = 1) Complex  
Kazutoshi Danjobara, Yuko Mitsuka, Yuji Miyasato, Masaaki Ohba and Hisashi Okawa  
Bull. Chem. Soc. Jpn., 76, 1769 - 1773 (2003).
43. Heat Capacities of Quasi-Two-Dimensional Hetero-Spin Honeycomb Magnets  $\{Nbu_4[CuCr(ox)_3]\}_n$  and  $\{PPh_4[MnCr(ox)_3]\}_n$ : High-Temperature Series Expansion Analysis  
Takao Hashiguchi, Yuji Miyazaki, Kaori Asano, Motohiro Nakano, Michio Sorai, Hiroko Tamaki, Naohide Matsumoto and Hisashi Okawa  
J. Chem. Phys., 119, 6856 - 6867 (2003).
44. Synthesis, Structures and Magnetic Properties of 2p-3d-4f Hetero-Spin Assemblies Consisting of 3d-4f Trinuclear Complexes and 7,7,8,8-Tetracyanoquinodimethanide  
大学院理学府凝縮系科学専攻修士課程  
伊藤暢浩 (2004年3月)
45. シアノ架橋 NiIIFeIII および MnIICrIII 二元金属集積体の磁気および磁気光学特性  
大学院理学府凝縮系科学専攻修士課程  
岩本貴志 (2004年3月)
46. Synthesis, Structures and Phosphatase-like Function of Dinuclear Co(II), Ni(II), and Zn(II) Complexes of 'End-off' Compartmental Ligands  
大学院理学府凝縮系科学専攻修士課程  
直堂鈴子 (2004年3月)
47. Studies on Homo- and Heterodinuclear Metal Complexes Using Unsymmetrical Macrocyclic Compartmental Ligands  
大学院理学府凝縮系科学専攻修士課程  
関根 昇 (2004年3月)
48. Synthesis, Structures and Magnetism of Mixed-Metal Assemblies Based on 3d/3d'/4f Trimetallic System  
大学院理学府凝縮系科学専攻博士後期課程  
志賀拓也 (2004年3月)
49. Studies on Polynuclear Metal Complexes Based on Macrocyclic Dinuclear Complexes as Constituting Units  
大学院理学府凝縮系科学専攻博士後期課程  
宮里裕二 (2004年3月)
50. A Ruthenium-Pterin Complex Showing Proton-coupled Electron Transfer : Synthesis and Characterization.  
T. Kojima, T. Sakamoto, Y. Matsuda, K. Ohkubo, and S. Fukuzumi,  
Angew. Chem. Int. Ed., 42, 4951-4954 (2003).
51. Proton-coupled electron transfer in a Ru(II)-pterin complex.  
T. Kojima, T. Sakamoto, Y. Matsuda, K. Ohkubo, and S. Fukuzumi,  
J. Inorg. Biochem., 96, 170 (2003).
52. Molecular Recognition by a Cu(II)-2,2'-bipyridine Complex Involving Coordination and Hydrogen Bonding.  
T. Kojima, H. Kitaguchi, Y. Tachi, Y. Naruta, and Y. Matsuda,  
Chem. Lett., 32, 1172-1173 (2003).
53. Structural and Electronic Properties

- of Ce@C<sub>82</sub>.  
 K. Shibata, Y. Rikiishi, T. Hosokawa,  
 Y. Haruyama, Y. Kubosono, S. Kashino,  
 T. Uruga, A. Fujiwara, H. Kitagawa,  
 T. Takano, Y. Iwasa,  
 Phys. Rev. B, 68, 094104 (2003).
54. Isotope Effect of Hydrogen-Absorbing  
 Pd Ultrafine Particle X-ray Powder  
 Diffraction and Multi-Component MO  
 Method.  
 T. Ishimoto, M. Tachikawa, M. Yamauchi,  
 H. Kitagawa, H. Tokiwa, U. Nagashima,  
 Chem. Phys. Lett., 372, 503-507 (2003).
55. A Novel Electron Conductive  
 Nanocomposite, BEDO-TTF-  
 Tetrasilicicfluormica.  
 E. Shinohara, S. Ishimaru, H. Kitagawa,  
 R. Ikeda, H. Yamochi, G. Saito,  
 Solid State Commun., 127, 407-410 (2003).
56. Complementary Double Hydrogen-Bonded  
 CT Complexes of TTF Having Uracil  
 Moiety.  
 M. Ohmoto, S. Maki, Y. Morita, T. Kubo,  
 H. Kitagawa, T. Okubo, T. Mitani,  
 K. Nakasuji,  
 Synth. Met., 133, 337-339 (2003).
57. Electronic State of A Hydrogen-Doped  
 Copper Coordination Polymer: catena-N,  
 N'-bis-(hydroxyethyl)  
 dithiooxamidatocopper(II),  
 (HOC<sub>2</sub>H<sub>4</sub>)<sub>2</sub>dtoaCu.  
 M. Fujishima, R. Ikeda, S. Kanda,  
 H. Kitagawa,  
 Mol. Cryst. Liq. Cryst., 379,  
 223-228 (2003).
58. Complex-Plane Impedance Study on  
 A Hydrogen-Doped Copper Coordination  
 Polymer: N,N'-bis-(2-hydroxy-ethyl)  
 dithiooxamidatocopper(II).  
 Y. Nagao, R. Ikeda, S. Kanda, and  
 H. Kitagawa,  
 Mol. Cryst. Liq. Cryst., 379, 89-94 (2003).
59. Structural and Optical Properties  
 of Pt<sub>2</sub>(dtp)<sub>4</sub>Br<sub>2</sub> (dtp = dithiopropionato)  
 and Its Halogen-Replacement Effect.  
 A. Kobayashi, H. Kitagawa, R. Ikeda,  
 Mol. Cryst. Liq. Cryst., 379, 315-320 (2003).
60. Relaxation Process of CT Exciton State in a  
 One-Dimensional MX-Chain Compound  
 [NiBr(chxn)<sub>2</sub>]Br<sub>2</sub>.  
 S. Takaishi, H. Kitagawa, R. Ikeda,  
 Mol. Cryst. Liq. Cryst., 379, 279-284 (2003).
61. Electronic State of A Halogen-Bridged  
 Mixed-Valence Binuclear Complex,  
 Ni<sub>2</sub> (dta)<sub>4</sub>I.  
 R. Makiura, H. Kitagawa, R. Ikeda,  
 Mol. Cryst. Liq. Cryst., 379, 309-314 (2003).
62. A Study on Hydrogen Adsorption  
 of Polymer-Protected Pt Nanoparticles.  
 M. Yamauchi, Y. Isobe, R. Ikeda,  
 H. Kitagawa,  
 Synth. Met., 135, 757-758 (2003).
63. Ab initio Calculations of Copper Coordination  
 Polymers: H<sub>2</sub>dtoaCu and  
 (HOC<sub>2</sub>H<sub>4</sub>)<sub>2</sub>dtoaCu (dtoa = dithiooxamide).  
 M. Fujishima, R. Ikeda, T. Kawamura,  
 H. Kitagawa,  
 Synth. Met., 135, 411-412 (2003).
64. Novel CT Complexes of  
 4-Hydroxyphenylthio-Substituted TTFs with  
 TCNQ or DDQ.  
 Y. Morita, S. Maki, M. Hori, M. Ohmoto,  
 E. Mochizuki, Y. Kai, H. Kitagawa,  
 T. Mitani, K. Nakasuji,  
 Synth. Met., 135, 537-538 (2003).
65. New TTF having adenine moiety as a  
 nucleic acid base.  
 Y. Morita, S. Maki, M. Ohmoto,  
 H. Kitagawa, T. Okubo, T. Mitani,

- K. Nakasuji,  
Synth. Met., 135, 541-542 (2003).
66. Spin Dynamics in A Halogen-Bridged  
1-D Complex, [PdBr(chxn)<sub>2</sub>]Br<sub>2</sub>;  
(chxn = (1R,2R)-1,2-Diaminocyclohexane).  
A. Ozawa, N. Kimura, H. Kitagawa,  
R. Ikeda,  
Synth. Met., 135, 419-420 (2003).
67. Highly proton-conductive copper coordination  
polymer, H<sub>2</sub>dtoaCu (H<sub>2</sub>dtoa = dithiooxamide  
anion).  
H. Kitagawa, Y. Nagao, M. Fujishima,  
R. Ikeda, and S. Kanda,  
Inorg. Chem. Commun., 6(4), 346 (2003).
68. <sup>129</sup>I Mossbauer spectroscopic study of  
a one-dimensional halogen-bridged  
binuclear complex, Pt<sub>2</sub>(dtp)<sub>2</sub>I  
(dtp = C<sub>2</sub>H<sub>5</sub>CS<sub>2</sub>)  
A. Kobayashi, H. Kitagawa, R. Ikeda,  
S. Kitao, M. Seto, M. Mitsumi and  
K. Toriumi,  
Synth. Met., 135-136, 405-406 (2003).
69. A new proton-conductive copper coordination  
polymer, (HOC<sub>3</sub>H<sub>5</sub>)<sub>2</sub>dtoaCu (dtoa =  
dithiooxamide).  
Y. Nagao, R. Ikeda, K. Iijima, T. Kubo,  
K. Nakasuji, and H. Kitagawa,  
Synth. Met., 135-136, 283 (2003).
70. Substituent effect on the magnetic  
properties of copper coordination polymers  
with dithiooxamide and N,  
N'-bis-(hydroxyethyl)dithiooxamide.  
M. Fujishima, Y. Nagao, R. Ikeda, S. Kanda,  
and H. Kitagawa,  
Synth. Met., 133-134, 433 (2003).
71. Highly proton-conductive copper  
coordination polymers.  
Y. Nagao, M. Fujishima, R. Ikeda,  
S. Kanda, and H. Kitagawa,  
Synth. Met., 133-134, 431 (2003).
72. 水素吸蔵能力ならびに高水準プロトン伝  
導性を併せ持った高分子複合材料  
北川 宏, 山内美穂,  
実用化に向けた水素利用の最前線,  
330-348, エヌ・ティー・エス社(2003).
73. (NO)Ru(salen)-catalyzed Aerobic Oxidation  
of *o*-Hydroxybenzyl Alcohol Derivatives  
A. Tashiro, A. Mitsuishi, R. Irie, and  
T. Katsuki  
*Synlett*, **2003**, 1868-1870.
74. Highly Enantioselective Cr(salen)-catalyzed  
Reaction of 2-(Trimethylsilyloxy) furan and  
Aldehydes. Effect of Alcohol on  
Enantioselectivity  
S. Onitsuka, Y. Matsuoka, R. Irie, and  
T. Katsuki  
*Chem. Lett.*, **32**, 974-975 (2003).
75. Mechanism of Asymmetric Sulfimidation  
with *N*-Alkoxy carbonyl Azide in the  
Presence of (OC)Ru(salen) Complex  
T. Uchida, Y. Tamura, M. Ohba, T. Katsuki  
*Tetrahedron Lett.*, **44**, 7965-7968 (2003)
76. Enantioselective Addition of  
2-(Trimethylsilyloxy) furan to Aldehydes  
using Cr(salen) as Catalyst. Effect of  
Water on Enantioselectivity  
Y. Matsuoka, R. Irie, and T. Katsuki  
*Chem. Lett.*, **32**, 584-585 (2003).
77. (Salen) ruthenium-catalyzed  
Desymmetrization of *meso*-Diols (2).  
Apical Ligand Effect on Enantioselectivity  
H. Shimizu and T. Katsuki  
*Chem. Lett.*, **32**, 480-481 (2003).
78. Nb(salen)-catalyzed Sulfoxidation  
T. Miyazaki and T. Katsuki  
*Synlett*, **2003**, 1046-1048.
79. Enantioselective Aziridination and  
Amination Using *p*-Toluenesulfonyl Azide  
in the Presence of Ru(salen)  
(CO) Complex

- K. Omura, M. Murakami, T. Uchida, R. Irie, and T. Katsuki  
*Chem. Lett.*, **32**, 354-355 (2003).
80. Asymmetric intramolecular cyclopropanation of diazo compounds with metallosalen complexes as catalyst: structural tuning of salen ligand  
Saha, Biswajit; Uchida, Tatsuya; Katsuki, Tsutomu.  
*Tetrahedron: Asymmetry*, **14**, 823-836 (2003).
81. Highly Enantioselective (OC)Ru(salen)-catalyzed Sulfimidation Using *N*-Alkoxy carbonyl Azide as Nitrene Precursor  
Y. Tamura, T. Uchida, T. Katsuki  
*Tetrahedron Lett.* **44**, 3301-3303 (2003).
82. Some Recent Advances in Metallosalen Chemistry  
T. Katsuki  
*Synlett*, **2003**, 281-297.
83. Ru(salen)-catalyzed Asymmetric Sulfimidation and Subsequent [2,3] Sigmatropic Rearrangement.  
M. Murakami, T. Uchida, B. Saito, and T. Katsuki  
*Chirality*, **15**, 116-123 (2003).
84. Asymmetric Oxidation of Racemic 2-Substituted 1,3-Oxathianes.  
B. Saito and T. Katsuki  
*Chirality*, **15**, 24-27 (2003).
85. Asymmetric Intramolecular Allylic Amination: Straightforward Approach to Chiral C1-Substituted Tetrahydroisoquinolines  
K. Ito, S. Akashi, B. Saito, and T. Katsuki  
*Synlett*, **2003**, 1809-1812 (2003).
86. Asymmetric Baeyer-Villiger Oxidation of Prochiral Cyclobutanone Using a Chiral Cationic Palladium(II) 2-(Phosphinophenyl) pyridine Complex as Catalyst.  
K. Ito, A. Ishii, T. Kuroda, and T. Katsuki  
*Synlett*, **2003**, 643-646 (2003).
87. Rhodium-Catalyzed Anti-Markovnikov Hydroamination of Vinylarenes.  
Masaru Utsunomiya, Ryoichi Kuwano, Motoi Kawatsura and John F. Hartwig  
*J. Am. Chem. Soc.*, **125**, 5608-5609 (2003)
88. Asymmetric Allylation of Unsymmetrical 1,3-Diketones Using BINAP-Palladium Catalyst.  
Ryoichi Kuwano, Kei-ichi Uchida and Yoshihiko Ito,  
*Org. Lett.*, **5**, 2177-2179 (2003)
89. Palladium-Catalyzed Nucleophilic Benzylic Substitutions of Benzylic Esters.  
Ryoichi Kuwano, Yutaka Kondo and Yosuke Matsuyama  
*J. Am. Chem. Soc.*, **125**, 12104-12105 (2003)
90. Novel Macrocyclic Compounds Hemicucurbiturils. Their Selective Syntheses and Unique Structural Features  
大学院理学府博士課程分子科学専攻 五島 健太 (2002年度)
91. Alkali Metal Inclusion Complexes of C3 Symmetrical Tetraazacyclophanes: Direct Observations of Cation- $\pi$  Interactions  
大学院理学府修士課程分子科学専攻 辻本 真志 (2002年度)
92. The Approach for The Study of Cation- $\pi$  Interaction  
大学院理学府修士課程分子科学専攻 仲道 宏明 (2002年度)
93. Development of Novel Chiral Ligands Derived from Macrocyclic Tröger Bases  
大学院理学府修士課程分子科学専攻 野添 晃嗣 (2002年度)
94. The Gaseous Inclusion Behavior of

- Decamethylcucurbit[5]uril  
 大学院理学府修士課程分子科学専攻  
 水田 誠人 (2002 年度)
95. Millimeter-wave spectroscopy of the internal rotation hot band ( $j=2-1$ ) of the Ar-HCN complex.  
 Asao Mizoguchi, Kensuke Harada, Mitsuaki Shirasaka, and Keiichi Tanaka, *J. Mol. Spectrosc.*, **222**, 74-85 (2003).
96. A high-resolution spectroscopic study of the CoCO radical.  
 大学院理学府分子科学専攻博士論文  
 疋田利秀 (2002 年度)
97. H<sub>2</sub>-HCN クラスターの内部回転バンドのミリ波ジェット分光  
 理学部化学科学士課程  
 長浜祥之 (2002 年度)
98. Design and Fabrication of On-Chip Coil Integrated Superconducting Tunnel Junction, Tohru Taino, Katsuya Kikuchi, Hiroshi Nakagawa, Masahiro Aoyagi, Hiroshi Akoh, Keisuke Maehata, Tetsuya Ariyoshi, Akihito Hora, Kenji Ishibashi Hiromi Sato, Hirohiko M. Shimizu, *International Progress on Advanced Optic and Sensors (Proceedings of International Workshop on Extreme Optics and Sensors, 14-17 January, 2003, Tokyo, Edited by H. Ohmori and H. M. Shimizu, Universal Academy Press, Tokyo, Japan, 2003, pp. 331-336*
99. Characteristics of an On-Chip Coil Integrated Superconducting Tunnel Junction for X-ray Detection, Keisuke Maehata, Tetsuya Ariyoshi, Akihito Hora, Naoto Mori, Kenji Ishibashi, Tohru Taino, Hiroshi Nakagawa, Katsuya Kikuchi, Masahiro Aoyagi, Hiroshi Akoh, Yuzuru Matsumoto, *International Progress on Advanced Optic and Sensors (Proceedings of International Workshop on Extreme Optics and Sensors, 14-17 January, 2003, Tokyo, Edited by H. Ohmori and H. M. Shimizu, Universal Academy Press, Tokyo, Japan, 2003, pp. 337-348*
100. Response of an On-Chip Coil-Integrated Superconducting Tunnel Junction to X rays, Keisuke Maehata, Tohru Taino, Akihito Hora, Tetsuya Ariyoshi, Naoto Mori, Kenji Ishibashi, Yuzuru Matsumoto, Hiroshi Nakagawa, Hiroshi Akoh, Katsuya Kikuchi, Masahiro Aoyagi, Hiromi Sato, *Japanese Journal of Applied Physics, Vol. 42, No. 5A Part 1 pp.2860-2863 (2003)*
101. On-chip coil-integrated STJ using the persistent superconducting current for photon detectors, K. Kikuchi, T. Taino, M. Nanme, H. Nakagawa, M. Aoyagi, H. Sato, H. Akoh, T. Iizuka, H. Myoren, S. Takada, K. Maehata, K. Ishibashi, H. Sato, T. Ikeda, C. Otani, Y. Takizawa, T. Oku, K. Kawai, H. Miyasaka, H. M. Shimizu, H. Kato, H. Watanabe, *IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY* **13** (2): 1132-1135 (2003)
102. Nb-based superconducting tunnel junctions with beta-Ta trapping layers for photon detectors, H. Myoren, Y. Kogure, S. Takada, H. Sato, C. Otani, H. M. Shimizu, K. Maehata, *IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY* **13** (2): 1136-1138 (2003)
103. X-ray detection by an on-chip coil integrated superconducting tunnel junction,

- K. Maehata, T. Ariyoshi, A. Hora, N. Mori,  
K. Ishibashi, T. Taino, H. Sato,  
H. Nakagawa, K. Kikuchi, M. Aoyagi,  
H. Akoh, Y. Matsumoto,  
REVIEW OF SCIENTIFIC INSTRUMENTS  
74 (7): 3258-3262 (2003)
104. マイクロカロリメータ用誘電体素子  
の特性に関する研究  
大学院工学府修士課程エネルギー量子  
工学専攻  
洞 昭仁 (2002 年度)
105. Pressure Effects on an S=1 Haldane  
Compound Ni(C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>)<sub>2</sub>N<sub>3</sub>(PF<sub>6</sub>)  
Masaki MITO, Hironori AKAMA, Hiroyuki  
DEGUCHI, Seishi TAKAGI,  
Tatsuya KAWAE, Kazuyoshi TAKEDA,  
Tomohiko ISHII, Masahiro YAMASHITA,  
Hironori NAKAO, Yoichi MURAKAMI  
and Shoji YAMAMOTO  
Journal of the Physical Society of Japan,  
Vol.72, pp.399-404, (2003)
106. Specific Heat and Electrical Resistivity  
Measurements in Pr<sub>0.03</sub>La<sub>0.97</sub>Pb<sub>3</sub>  
Tatsuya KAWAE, Tatsuharu  
YAMAMOTO, Kenji YURUE, Masaki  
MITO, Kazuyoshi TAKEDA and  
Tetsuo KITAI  
Physica B, Vols.329-333, pp.493-494,(2003)
107. Sn Concentration Dependence of  
Magnetic Properties of Pr(Pb<sub>1-x</sub>Sn<sub>x</sub>)<sub>3</sub>  
Kenji YURUE, Tatsuya KAWAE,  
Masaki MITO, Masako HITAKA,  
Kazuyoshi TAKEDA, Hiroumi ISHII,  
Tetsuo KITAI  
Physica B, Vols.329-333, pp.665-666,(2003)
108. Magnetic Measurement of Rare Earth  
Ferromagnet Gadolinium under High  
Pressure  
Tomoharu IWAMOTO, Masaki MITO,  
Masako HITAKA, Tatsuya KAWAE and  
Kazuyoshi TAKEDA  
Physica B, Vols.329-333, pp.667-668,(2003)
109. Field-Induced Magnetic Ordering in an  
Alternating Heisenberg Chain F5PNN  
Yasuo YOSHIDA, Kenji YURUE,  
Masaki MITO, Tatsuya KAWAE,  
Yuko HOSOKOSHI, Katsuya Inoue,  
Minoru KINOSHITA and  
Kazuyoshi TAKEDA  
Physica B, Vols.329-333, pp.979-980,(2003)
110. Impurity-Induced Antiferromagnetic  
Order in Organic Spin-Peiels Compound  
p-CyDOV  
Masaki MITO, Shuichi TANAKA,  
Tatsuya KAWAE, Kazuyoshi TAKEDA,  
Masanobu YANAGIMOTO,  
Kazuo MUKAI  
Physica B, Vols.329-333, pp.1150-1151(2003)
111. Symmetry Control of the Spin Hamiltonian of  
the Haldane Compound Ni(C<sub>2</sub>H<sub>8</sub>O<sub>4</sub>)<sub>2</sub>NO<sub>2</sub>  
(ClO<sub>4</sub>) by External Pressures  
Takehiro KINOSHITA, Masaki MITO,  
Tatsuya KAWAE and Kazuyoshi TAKEDA  
Physica B, Vols.329-333, pp.1205-1206, May,  
(2003)
112. Pressure Effects on an Organic Radical  
Ferromagnet: 2,5-difluorophenyl-a-nitronyl  
Nitoroxide  
Masaki MITO, Hiroyuki DEGUCHI,  
TaizoTANIMOTO, Tatsuya KAWAE,  
Shinichi NAKATSUJI, Hirotoshi MORIMOTO,  
Hiroyuki ANZAI, H. Nakano,  
Yoichi MURAKAMI and Kazuyoshi TAKEDA  
Physical Review, Vol.67, pp.024427 1-8(2003)
113. Heat Capacity Study of the Doping  
Effect of Paramagnetic Imourity in  
Organic Spin-Peiels System:  
p-CyDOV Radical Crystal  
Kazuo MUKAI, Masanobu  
YANAGIMOTO, Shyuichi TANAKA,

- Masaki MITO, Tatsuya KAWAE and Kazuyoshi TAKEDA  
POLYHEDRON 22 ( 14-17),  
pp.2091-2098, ( 2003)
114. Non-Fermi Liquid Behavior in Dilute Quadrupolar System  $\text{PrxLa}_{1-x}\text{Pb}_3$  with  $x < 0.05$   
Tatsuya KAWAE, Tatsuharu YAMAMOTO, Kenji YURUE, Naoyuki TATEIWA, Kazuyoshi TAKEDA, and Tetsuo KITAI  
Journal of the Physical Society of Japan, Vol.72, pp2141-2144, ( 2003)
115. Heat Capacity Study of the Doping Effect of Paramagnetic Radicals on the Organic Spin-Peils System (p-CyDOV Radical Crystal)  
Kazuo MUKAI, Masanobu YANAGIMOTO, Shyuichi TANAKA, Masaki MITO, Tatsuya KAWAE and Kazuyoshi TAKEDA  
Journal of the Physical Society of Japan, Vol.72, pp.2312-2316, ( 2003)
116. Pressure Effects of a Genuine Organic Crystalline Ferromagnet Dupeyredioxyl  
Kazuyoshi TAKEDA, Masaki MITO, Keiichiro KINOSHITA, Miguel A. NOVAK, Jean Louis THOLENCE and Andre RASSAT  
Polyhedron, Vol.22, pp2287-2291, ( 2003)
117. Pressure-induced stabilization of an intermediate phase in the triangular lattice antiferromagnet  $\text{CsNiCl}_3$   
M. Ito, T. Asano, T. Kawae, Y. Ajiro, K. Takeda  
Journal of Physics : Condens. Matter Vol. 15, L681-L686, ( 2003)
118. 高圧力下における希土類金属磁性体ガドリニウムの物性研究  
大学院工学府 修士課程 エネルギー量子工学専攻  
岩本 智晴
119.  $\text{PrxLa}_{1-x}\text{Pb}_3$  における Pr 希薄領域に見られる非フェルミ液体的振る舞いの解明  
大学院工学府 修士課程 エネルギー量子工学専攻  
由類江 建治
120. 磁場中比熱測定用希釈冷凍機の製作と F5PNN の磁場中比熱測定  
大学院工学府 修士課程 エネルギー量子工学専攻  
吉田 靖雄
121. Partial Discharge Induced Bubbles Generated in Subcooled Liquid Nitrogen at Atmospheric Pressure  
J.Suehiro, Y.Matsumoto, K.Imasaka and M.Hara  
Proc. of XIIIth ISH, ISBN 90-77017-79-8 (2003)
122. Partial Discharge Characteristics in an Artificial Air-filled Void under Superimposed Sinusoidal Voltages at LN2 Temperature  
T.Kurihara, T.Nishioka, J.Suehiro and M.Hara  
IEEE Trans. on PE, Vol.123, No.11, pp.1280-1287 ( 2003)
123. PD Inception Characteristics in Turn-to-Turn Model Electrode System for High Temperature Superconducting Pancake Coil  
T.Kurihara, T.Nishioka, J.Suehiro, M.Hara and H.Okamoto  
Proc. of 2003 J-K Symposium on ED and HVE, pp.41-44 ( 2003)
124. Electrical Breakdown Triggered by a Free Conducting Spherical Particle in Saturated Liquid He I and He II under Uniform dc Field  
M.Hara, H.Nakagawa, J.Suehiro and T.Shinohara  
IEEE Trans. On DEI, Vol.10, No.6, pp.1022-1031 ( 2003)
125. 飽和 HeI 及び HeII 中における単一自由金属粒子混入時の気泡挙動解析と絶縁特性評価  
大学院システム情報科学研究科 修士課程 電気電子システム工学専攻

- 中川 洋 (2002年度)
126. 液体窒素中の部分放電により発生した気泡挙動のレーザ散乱計測とサブクールによる部分放電抑制  
大学院システム情報科学研究科 修士課程 電気電子システム工学専攻  
松本 泰典 (2002年度)
127. 飽和液体 HeI 及び HeII 中に円柱状導電性粒子が混入した場合の破壊前駆現象及び破壊電圧特性  
工学部 学士課程 電気情報工学科  
前田 勇司 (2002年度)
128. 高温超伝導電力機器の高電圧試験法における常温等価試験電圧の決定—超伝導コイルターン間複合絶縁系に基づく検証—  
工学部 学士課程 電気情報工学科  
瀬戸口 誠 (2002年度)
129. 液体窒素の大気圧サブクールによる部分放電抑制と気泡観測  
工学部 学士課程 電気情報工学科  
今給黎 広志 (2002年度)
130. Analysis of Stress Degradation of Metals by Positron Annihilation,  
E. Kuramoto,  
Proc. Int. Symp. on Mat. Chem. in Nucl. Environment (MO'02), 71-76 (2003)
131. 結晶中の照射欠陥の基礎的挙動とバイアス効果、  
蔵元英一、  
日本物理学会誌、58 巻、3 号、158-165 (2003)
132. Hydrogen and Deuterium Uptake in Helium Implanted Layer of Mo and WS. Nagata, B. Tsuchiya, N. Ohtsu, T. Sugawara, T. Shikama, K. Tokunaga, M. Takenaka and E. Kuramoto,  
J. Nucl. Mat., Vol.313-316, 279-283 (2003)
133. 時間分解 X 線回折法の開発 II、  
古賀三井、林雄二郎、鳥谷貴信、
- 蔵元英一、佃 昇、  
九州大学大学院総合理工学報告、  
第 25 巻、第 2 号、203-206 (2003)