

## NP-HARD ASPECTS IN ANALOGICAL REASONING

Furuya, Shinji

Department of Information Systems, Interdisciplinary Graduate School of Engineering Science,  
Kyushu University→Matsushita Electric Co., Ltd

Miyano, Satoru

Department of Information Systems, Interdisciplinary Graduate School of Engineering Science,  
Kyushu University→Matsushita Electric Co., Ltd

<https://doi.org/10.5109/13428>

---

出版情報 : Bulletin of informatics and cybernetics. 25 (3/4), pp.155-159, 1993-03. Research  
Association of Statistical Sciences

バージョン :

権利関係 :

# NP-HARD ASPECTS IN ANALOGICAL REASONING

By

Shinji FURUYA\* and Satoru MIYANO

## Abstract

Analogy is described in terms of predicate logic. This paper considers the complexity of analogical reasoning in which no function symbols except constants are allowed. We show that the problem of deciding whether a given atomic formula can be inferred by analogy is NP-hard.

## 1. Introduction

Analogical reasoning is an inference method that acquires unknown facts or knowledge by finding similarities among given objects and then converting the facts or knowledge holding in one object to the other. The inference of this kind has been recognized to give a key to a problem or to yield a new discovery or a prediction.

Some theoretical formulations have been proposed to realize analogical reasoning on a computer [1, 3, 4, 5, 6, 7, 8]. But the computational complexity in analogical reasoning has not yet been studied very much. This paper takes the theory by Haraguchi and Arikawa [1, 3, 4, 5] for the formal discussion of analogy. We consider a problem of verifying whether a specified fact can be obtained by analogy among two objects. Their theory is developed in terms of predicate logic. In order to focus on the issues from analogical reasoning itself, we deal with the case where no function symbols are allowed. Even in such a simple case, we show that deciding whether a given atomic formula can be inferred by analogy is NP-hard.

Analogical reasoning is not usually aimed to solve the problem of our discussion but for finding new facts or knowledge. However, our NP-hard result suggests that the search space is exponentially large and if facts with some specified restriction are to be searched then the computational procedure may be at least as hard as finding a truth assignment satisfying a Boolean formula.

## 2. Principle of Analogy

*A definite clause is a formula of the form*

---

\* Department of Information Systems, Interdisciplinary Graduate School of Engineering Science  
Kyushu University 39, Kasugakoen, Kasuga 816, Japan

\* Current affiliation: Matsushita Electric Co., Ltd

$$q_0(t_1^0, \dots, t_n^0) \leftarrow q_1(t_1^1, \dots, t_n^1), \dots, q_r(t_1^r, \dots, t_n^r) \quad (r \geq 0),$$

where  $t_j^i$  are terms and  $q_i$  are predicate symbols. In Haraguchi and Arikawa's analogy theory [1, 3, 4, 5], an object of analogy is the minimal model  $M$  represented by a finite set  $S$  of definite clauses. In this paper we concentrate on the case where no function symbols are allowed except constant symbols. Therefore terms are constants or variables. We call each element in  $M$  a *fact*. An atomic formula containing no variables is simply called an *atom*.

Let  $S_i$  be a finite set of definite clauses and let  $C(S_i)$  be the set of constants in  $S_i$  for  $i = 1, 2$ . A *partial identity* between  $S_1$  and  $S_2$  is a subset  $\varphi$  of  $C(S_1) \times C(S_2)$  such that for each  $a \in C(S_1)$  (resp.,  $a' \in C(S_2)$ ) there is at most one  $a' \in C(S_2)$  (resp.,  $a \in C(S_1)$ ) with  $\langle a, a' \rangle \in \varphi$ . Hence  $\varphi$  gives a one-to-one correspondence between some subsets of  $C(S_1)$  and  $C(S_2)$ .

Let  $t_j \in C(S_1)$ ,  $t'_j \in C(S_2)$  for  $j = 1, 2, \dots, n$  and let  $\alpha, \alpha'$  be atoms in  $S_1, S_2$ , respectively. For a partial identity  $\varphi$ , we say that  $\alpha$  and  $\alpha'$  are *identified* by  $\varphi$ , denoted by  $\alpha\varphi\alpha'$ , if they are written as

$$\begin{aligned} \alpha &= p(t_1, t_2, \dots, t_n), \\ \alpha' &= p(t'_1, t'_2, \dots, t'_n), \end{aligned}$$

and  $\langle t_j, t'_j \rangle \in \varphi$  for  $i = 1, 2, \dots, n$ .

Haraguchi and Arikawa's analogy is explained with these terminologies as follows. We assume that there exist facts  $\beta_1, \beta_2, \dots, \beta_n$  in  $S_1$  such that  $\alpha \leftarrow \beta_1, \beta_2, \dots, \beta_n$  holds in  $S_1$ . Then if there exist facts  $\beta'_1, \beta'_2, \dots, \beta'_n$  in  $S_2$  with  $\beta_i\varphi\beta'_i$  for  $i = 1, 2, \dots, n$  then we infer  $\alpha'$  in  $S_2$  by identifying it with  $\alpha$ .

An atom  $\alpha'$  inferred in this way is not always a fact in  $S_2$ . But the partial identity  $\varphi$  gives a reason of possibility that  $\alpha'$  holds in  $S_2$ . Then we can continue to infer by analogy, assuming such  $\alpha'$  to be a fact in  $S_2$ . Conversely, we also infer atoms in  $S_1$  from  $S_2$  by analogy in the same way. Let  $M_i(*)$  be the set of atoms in  $S_i$  which can be inferred in this way. Formally,  $M_i(*)$  is defined inductively as follows.

**DEFINITION.** Let  $S_i$  be a finite set of definite clauses and let  $M_i$  be the minimal model of  $S_i$  for  $i = 1, 2$ . For a partial identity  $\varphi$ , we define  $M_i(*)$  as follows, where we set  $i$  (resp.,  $i'$ ) to 1 (resp., 2) or 2 (resp., 1).

$$M_i(*) = \cup_k M_i(k),$$

$$M_i(0) = M_i,$$

$$R_i(k) = \{ \alpha \leftarrow \beta_1, \beta_2, \dots, \beta_n \mid \beta_j \in M_i(k), \beta'_j \in M_{i'}(k) \ (j = 1, 2, \dots, n) \text{ and } \alpha' \leftarrow \beta'_1, \beta'_2, \dots, \beta'_n \text{ holds in } S_{i'} \text{ and } \alpha\varphi\alpha', \beta_j\varphi\beta'_j \},$$

$$M_i(k+1) = \{ \alpha \mid R_i(k) \cup M_i(k) \cup S_i \vdash \alpha \}.$$

**EXAMPLE.** Consider the following sets  $S_1$  and  $S_2$  of definite clauses, where upper-case letters are variables and lower-case letters are constants or predicate symbols.

$$\begin{aligned}
S_1 &= \{p(a, b), q(b, c), \\
&\quad r(Y, X) \leftarrow q(X, Y), \\
&\quad s(X, Z) \leftarrow p(X, Y), r(Z, Y)\} \\
S_2 &= \{p(a', b'), q(b', c')\}
\end{aligned}$$

Then, take the following partial identity  $\varphi$ :

$$\varphi = \{\langle a, a' \rangle, \langle b, b' \rangle, \langle c, c' \rangle\}.$$

For  $S_1, S_2$  and  $\varphi$ , the inference by analogy goes as follows. First, we obtain  $M_2(0) = \{p(a', b'), q(b', c')\}$ . Next we get  $r(c, b) \leftarrow q(b, c)$  from  $r(Y, X) \leftarrow q(X, Y) \in S_1$ . Then we get  $r(c', b') \leftarrow q(b', c') \in R_2(0)$  by  $q(b, c)\varphi q(b', c')$  and  $r(c', b') \in M_2(1)$ . Moreover, we get  $s(a, c) \leftarrow p(a, b), r(c, b)$  from  $s(X, Z) \leftarrow p(X, Y), r(Z, Y), \in S_1$ . Then we get  $s(a', c') \leftarrow p(a', b'), r(c', b') \in R_2(1)$  by  $p(a, b)\varphi p(a', b')$ ,  $r(c, b)\varphi r(c', b')$  and  $s(a', b') \in M_2(2)$ . No more atoms can be inferred by analogy. Hence  $M_2(2) = M_2(*)$ .

### 3. Complexity of Analogy

Given sets  $S_1, S_2$  of definite clauses, the inference by analogy consists of two phases. One is to find an appropriate partial identity  $\varphi$  which gives a similarity among  $S_1$  and  $S_2$ . The other is to compute  $M_1(*)$  and  $M_2(*)$  based on  $\varphi$ . The complexity of the last depends on the size of  $M_1(*)$  and  $M_2(*)$ .

We consider the following decision problem where a specified formula is searched.

#### ANALOGY

**Instance:** Two finite sets  $S_1, S_2$  of definite clauses and an atom  $p(t_1, t_2, \dots, t_n)$ .

**Problem:** Decide whether there exists a partial identity  $\varphi$  between  $S_1$  and  $S_2$  such that  $p(t_1, t_2, \dots, t_n)$  is in  $M_2(*)$ .

We obtain the following theorem about the complexity of searching a partial identity.

**THEOREM.** ANALOGY is NP-hard.

**PROOF.** We give a reduction from 3-SAT (3-satisfiability problem) [2] to ANALOGY. For a Boolean formula  $F = C_1 C_2 \dots C_m$  in three conjunctive normal form (3-CNF),  $S_1$  and  $S_2$  are constructed as follows, where  $x_1, \dots, x_n$  are the variables in  $F$ . For  $i = 1, 2, \dots, n$ ,

$$h_i(a_i), h_i(\bar{a}_i) \in S_1 \text{ and } h_i(a'_i) \in S_2,$$

where  $a_i$  and  $\bar{a}_i$  are constant symbols in  $S_1$ ,  $a'_i$  is a constant symbol in  $S_2$  and  $h_i$  is a predicate symbol.

Next, for each clause  $C_j$ , we use predicate symbols  $p_j$  of zero argument and  $q_j$  of one argument. Let  $\alpha$  be a literal in  $C_j$ .

If  $\alpha_j = x_u$ , then

$$q_j(a_u) \in S_1, \quad q_j(a'_u) \in S_2 \text{ and } p_j \leftarrow h_u(X), \quad q_j(X) \in S_1.$$

If  $\alpha_j = \bar{x}_u$ , then

$$q_j(\bar{a}_u) \in S_1, \quad q_j(a'_u) \in S_2 \text{ and } p_j \leftarrow h_u(X), \quad q_j \dots, \quad q_j(X) \in S_1.$$

Moreover,

$$p \leftarrow p_1, p_2, \dots, p_m \in S_1,$$

where  $p$  is a predicate symbol of zero argument. Then we show that  $F$  is satisfiable if and only if there exists a partial identity  $\varphi$  such that  $p$  is in  $M_2(*)$ .

First, if  $F$  is satisfiable, then let  $\hat{x}_1, \dots, \hat{x}_n$  be a truth assignment to the variables  $x_1, \dots, x_n$  that satisfies each clause  $C_j$  of  $F$ . We define the partial identity  $\varphi$  by

$$\begin{aligned} \langle a_i, a'_i \rangle &\in \varphi && \text{if } \hat{x}_i = 1 \\ \langle \bar{a}_i, a'_i \rangle &\in \varphi && \text{if } \hat{x}_i = 0 \end{aligned}$$

for each  $i = 1, \dots, n$ . Then we can infer each  $p_j$  as follows. If  $C_j$  contains a literal  $\hat{x}_i$  with  $\hat{x}_i = 1$ , then  $\varphi$  contains  $\langle a_i, a'_i \rangle$ . We get  $p_j \leftarrow h_i(a_i), q_j(a_i) \in S_1$  from  $p_j \leftarrow h_i(X), q_j(X) \in S_1$ . Then we get  $p_j \leftarrow h_i(a'_i), q_j(a'_i) \in R_2(0)$  by  $h_i(a_i)\varphi h_i(a'_i)$  and  $q_j(a_i)\varphi q_j(a'_i)$ . Therefore  $p_j \in M_2(1)$ . If  $C_j$  is satisfiable by a literal  $\hat{x}_i$  with  $\hat{x}_i = 0$ , we can show in a similar way that  $p_j$  is inferred by analogy. Hence  $p$  is in  $M_2(2)$ .

Conversely, assume that there exists a partial identity  $\varphi$  such that  $p$  is in  $M_2(*)$ . For each  $i = 1, \dots, n$ , we define a truth assignment  $\hat{x}_1, \dots, \hat{x}_n$  as follows: If  $\varphi$  contains  $\langle a_i, a'_i \rangle$ , then  $\hat{x}_i = 1$ . If  $\varphi$  contains  $\langle \bar{a}_i, a'_i \rangle$ , then  $\hat{x}_i = 0$ . Otherwise  $\hat{x}_i$  is arbitrary. If  $p$  is in  $M_2(*)$ , each  $p_j$  must be inferred by analogy using  $\varphi$  since it is not in  $S_2$ . Then, there exists  $i$  such that  $p_j \leftarrow h_i(a'_i), q_j(a'_i)$  is in  $R_2(0)$  and  $p_j \leftarrow h_i(a_i), q_j(a_i)$  or  $p_j \leftarrow h_i(\bar{a}_i), q_j(\bar{a}_i)$  holds in  $S_1$  since both  $h_i$  and  $q_j$  are not in the left side of definite clauses. Therefore  $\varphi$  must contain either  $\langle a_i, a'_i \rangle$  or  $\langle \bar{a}_i, a'_i \rangle$ . If  $\langle a_i, a'_i \rangle \in \varphi$ , then we can satisfy  $C_j$  by  $\hat{x}_i = 1$ . If  $\langle \bar{a}_i, a'_i \rangle \in \varphi$ , then we can satisfy  $C_j$  by  $\hat{x}_i = 0$ . It is not hard to see that this reduction is computable in polynomial time or log space. Hence ANALOGY is NP-hard.  $\square$

**REMARK.** If the argument of each predicate symbol is bounded by a fixed constant and if the number of atomic formulas containing variables is also bounded by a fixed constant in each definite clause, then  $M_1(*)$  and  $M_2(*)$  are polynomial-time computable for a given  $\varphi$ . Therefore we can see that ANALOGY is solvable in NP by guessing a partial identity. The definite clauses constructed in our reduction satisfies these conditions. Moreover,  $S_2$  consists of only facts in the proof.

#### 4. Conclusion

Our analysis shows that searching a partial identity  $\varphi$  such that a given atom can be inferred with  $\varphi$  is at least as hard as finding a truth assignment that satisfies a given 3-CNF formula. This means that the search space is huge and suggests that analogical reasoning for searching new facts or knowledge requires some constraint on the search space such as by weight or something similar to it. Otherwise, it is just like searching a exponentially large space.

### References

- [ 1 ] ARIKAWA, S. and HARAGUCHI, M.: *Knowledge Acquisition and Learning*, Chapter 8, (1987) 221–25, Osuga, S. and Saeki, Y., Eds. Ohmsha (in Japanese).
- [ 2 ] GAREY, M. R. and JOHNSON D. S.: *Computers and Intractability: A Guide to the Theory of NP-Completeness*, W. H. Freeman and Company, San Francisco, (1979).
- [ 3 ] HARAGUCHI, M. and ARIKAWA S.: A Formulation of Analogical Reasoning and its Realization, *Journal of Japanese Society for Artificial Intelligence*, **1**, (1986), 132–139 (in Japanese).
- [ 4 ] HARAGUCHI, M. and ARIKAWA, S.: A Foundation of Reasoning by Analogy — Analogical Union of Logic Programs, *Proc. Logic Programming '86* (Lecture Notes in Computer Science 264), (1987) 58–69, Springer-Verlag.
- [ 5 ] HARAGUCHI, M. and ARIKAWA, S.: Reasoning by Analogy as a Partial Identity between Models, *Proc. Analogical and Inductive Inference* (Lecture Notes in Computer Science 265), (1987) 61–87, Springer-Verlage.
- [ 6 ] Kling, R. E.: A Paradigm for Reasoning by Analogy, *Artificial Intelligence*, **2**, (1971), 147–178.
- [ 7 ] Plaisted, D. A.: Theorem Proving with Abstraction, *Artificial Intelligence*, **16**, (1981), 47–108.
- [ 8 ] Winston, P. E.: Learning and Reasoning by Analogy, *Communications of ACM*, **23**, (1980), 689–703.

*Received March 10, 1991*

*Revised September 25, 1992*