

[05]岐阜地鶏における羽装の遺伝学的研究

岡野, 香

<https://doi.org/10.15017/13931>

出版情報 : 九州大学農学部農場報告. 5, pp.1-51, 1987-01-31. 九州大学農学部附属農場
バージョン :
権利関係 :



文 献

- Agar, W. E. (1924) Experiments with certain plumage colour and pattern factors in poultry. *J. Genetics*, 14; 265-272
- Asmundson, V. S., and H. I. Milne (1930) Inheritance of plumage and skin colour in the Ancona. *Sci. Agr.*, 10; 293-304
- Bateson, W. (1902) Experiments with poultry. *Repts. Evol. Comm. Roy. Soc.*, 1; 87-124
- Bateson, W., and R. C. Punnett (1906) Experimental studies in the physiology of heredity, Poultry. *Repts. Evol. Comm. Roy. Soc.*, 3; 11-30
- Bateson, W., and R. C. Punnett (1908) Experimental studies in the physiology of heredity, Poultry. *Repts. Evol. Comm. Roy. Soc.*, 4; 18-35
- Brumbaugh, J. A. (1967) Differentiation of black-red melanine in the fowl: Interaction of pattern genes and feather follicle milieu. *J. Exp. Zool.*, 166; 11-24
- Brumbaugh, J. A., and W. F. Hollander (1963) A further study of the E pattern locus in the fowl. *Genetics*, 48; 884
- Brumbaugh, J. A., and W. F. Hollander (1965) A further study of the E pattern locus in the fowl. *Iowa State J. of Science*, 40; 51-64
- Brumbaugh, J. A., and W. F. Hollander (1966) Genetics of buff and related colour patterns in the fowl. *Poultry Sci.*, 45; 451-457
- Brumbaugh, J. A., G. Chatterjee and W. F. Hollander (1972) Adendritic melanocytes: A mutation in linkage group 2 of the fowl. *J. Hered.*, 63; 19-25
- Cole, R. K., and T. K. Jeffers (1963) Allelism of silver, gold and imperfect albinism in the fowl. *Nature*, 200; 1238-1239
- Davenport, C. B. (1906) Inheritance in poultry. *Carnegie Inst. Wash. Pub.*, 52
- Davenport, C. B. (1909) Inheritance of characteristics in domestic fowl. *Carnegie Inst. Wash. Pub.*, 121
- Davenport, C. B. (1912) Sex-limited inheritance in poultry. *J. Exp. Zool.*, 13; 1-26
- Dunn, L. C. (1922) A gene for the extension of black pigment in domestic fowls. *Am. Naturalist*, 56; 464-466
- Dunn, L. C. (1923) Colour inheritance in fowls. The genetic relationship of the black, buff and columbian colourations in the domestic fowl. *J. Hered.*, 14; 23-32
- 藤尾芳久 (1972) 日本鶏の血液型と渡来経路 在来家畜調査団報告, 5; 5-12
- Gleichauf, R. (1958) Head spot formation in day-old White Leghorn chicks. *Arch. Geflügelk.*, 22; 157-169

- Gleichenf, R. (1964) Heritability of head spot formation in day-old White Leghorn chicks. Arch. Geflügelk., 28; 201-206
- Hashiguchi, T., M. Yanagida, Y. Maeda and M. Taketomi (1970) Genetical studies on serum amylase isozyme in fowls. Jap. J. Genetics, 45; 341-349
- Hertwig, P. (1933) Geschlechtsgebundene und autosomale Koppelungen bei Hühnern. Verhandl. Deut. Zool. Ges., 112-118
- Hertwig, P., and T. Rittershaus (1929) Die Erbfaktoren der Haushühner. I. Beitrag: Die Ortsbestimmung von 4 Faktoren in X-Chromosom. Z. Induk. Abstamm. Vererbimngsl.
- Hutt, F. B. (1949) Genetics of the fowl. McGraw-Hill Co., 149-226
- Hutt, F. B. (1951) Snow-white down in the chick. J. Hered., 42; 117-120
- Hutt, F. B. (1964) Genetic basis of the Erminett breed of fowls. J. Hered., 55; 200-206
- Jaap, R. G. (1943) Strains of White Rocks for specific economic purpose. Poultry Sci., 22; 209-217
- Jeffrey, E. P. (1947) Plumage colour genes in White Plymouth Rocks and White Wyandottes. Poultry Sci., 26; 526-528
- Jerome, F. N., and J. E. Bergey (1953) Wing-spot: A down character in domestic fowl. Poultry Sci., 32; 412-414
- Jerome, F. N., and J. R. Cavers (1952) Crosses involving dominant and recessive white in combination with colours and patterns. Poultry Sci., 31; 427-433
- Jull, M. A. (1932) Poultry breeding. 1st ed., John Wiley and Sons, New York.
- Kimball, E. (1952 a) Genetic relation of extended black to wild type plumage pattern in the fowl. Poultry Sci., 31; 73-79
- Kimball, E. (1952 b) Wild type plumage pattern in the fowl. J. Hered., 43; 129-132
- Kimball, E. (1953) Genetics of secondary plumage patterns in the fowl. Poultry Sci., 32; 13-17
- Kimball, E. (1954) Genetics of birchen plumage pattern in the fowl. Poultry Sci., 33; 427-431
- Kimball, E. (1955) Dark Cornish plumage pattern. Poultry Sci., 34; 818-821
- Kimball, E. (1960) Genetics of Wheaten plumage in the fowl. Poultry Sci., 39; 768-774
- Kimura, M. (1972) Electrophoresis of egg white protein of the Japanese and Formosan native fowls. Jap. Poultry Sci., 9; 237-238
- 小山七郎 (1978) 趣味の日本鶏, 家の光協会, 62-63
- Lippincott, W. A. (1918) The case of the Blue Andalusian. Am. Naturalist, 52; 95-

- Lippincott, W. A. (1923) Genes for the extension of black pigment in the chicken. *Am. Naturalist*, 57; 284-287
- MacArthur, J. W., and J. J. MacIlraith (1946) Colour sexing of day-old Brown Leghorns. *Poultry Sci.*, 25; 180-183
- Malone, G. W., and J. R. Smyth, Jr. (1975) Chicks down eumelanization associated with the columbian restriction pattern. *Poultry Sci.*, 54; 1787
- Moore, J. W., and J. R. Smyth, Jr. (1971) Melanotic: Key to a phenotypic enigma in the fowl. *J. Hered.*, 62; 215-219
- Moore, J. W., and J. R. Smyth, Jr. (1972 a) The genetic basis of the Birchen pattern of the domestic fowl. *Poultry Sci.*, 51; 214-222
- Moore, J. W., and J. R. Smyth, Jr. (1972 b) Genetic factors associated with the plumage pattern of the Barred Fayomi. *Poultry Sci.*, 51; 1149-1156
- Moore, J. W., H. L. Classen and J. R. Smyth, Jr. (1978) Further studies on the Db plumage colour locus in the fowl. *Poultry Sci.*, 57; 829-834
- Morejohn, G. V. (1953) A gene for yellowish-white down in the Red Junglefowl. *J. Hered.*, 44; 47-52
- Morejohn, G. V. (1955) Plumage colour allelism in the Red Junglefowl (*Gallus gallus*) and related domestic fowls. *Genetics*, 40; 519-530
- Morgan, W., and D. Jones (1956) A mutation diluting melanin in Barred Plymouth Rocks. *Poultry Sci.*, 35; 1160
- 村松弥幸 (1979) 日本鶏大鑑 (三井高遂監修), ペットライフ社, 49-66
- 西田隆雄 (1967) 東亜における野鶏の分布と東洋系家鶏の成立について 日本在来家畜調査団報告, 2; 2-24
- 西田隆雄・野沢 謙 (1969) 台湾在来鶏の形態学的ならびに遺伝学的調査 在来家畜調査団報告 3; 137-152
- 小穴 彪 (1951) 日本鶏の歴史 日本鶏研究社, 63-73
- 岡野 香 (1980 a) 岐阜地鶏に出現した神経症状の遺伝 家禽会誌, 17; 151-153
- 岡野 香 (1980 b) 赤笹南京シャモ, 赤笹長尾鶏および岐阜地鶏における冠型と脛色の遺伝 農場研究資料 (九大農場), 5; 74-76
- 岡野 香・古賀 脩 (1972) 岐阜地鶏の成長および性成熟について 在来家畜調査団報告, 5; 93-97
- 岡野 香・白井郁夫 (1980) 鶏の黒色拡張遺伝子座と豆冠遺伝子座の連関の有無について 農場研究資料 (九大農場), 5; 77-79
- Punnett, R. C. (1932) *Heredity in poultry*. Macmillan Co., Ltd., London

- Punnett, R. C. (1948) Genetic studies in poultry, 10. Cream plumage. J. Genetics, 48; 327-332
- Punnett, R. C., and M. S. Pease (1921) Genetic studies in poultry, 4. On the barred plumage of certain breeds. J. Genetics, 11; 235-240
- Quinn, J. P. (1934) A colour mutation in the Rhode Island Red fowl. J. Genetics, 29; 75-83
- Quinn, J. P. (1938) Sexual dimorphism in red-splashed white down colour of chicks. Poultry Sci., 17; 170-174
- Rittershaus, T. (1930) Die Erbfaktoren der Dunenzeichnung der Haushühner. Züchter., 2; 324-330
- Smyth, J. R. Jr., and B. B. Bohren (1949) A multiple allelic series affecting feather colour in the domestic fowl. Poultry Sci., 28; 782
- Smyth, J. R. Jr., and R.G. Somes, Jr. (1965) A new gene determining the columbian feather pattern in the fowl. J. Hered., 56; 151-156
- Spillman, W. J. (1908) Spurious allelomorphism: Results of some recent investigations. Am. Naturalist, 42; 610-615
- Sturtevant, A. H. (1912) An experiment dealing with sex-linkage in fowls. J. Exp. Zool., 12; 499-518
- 田名部雄一 (1977 a) 日本鶏の蛋白質多型による品種の相互関係と系統に関する研究: 1. 血漿アルブミン, エステラーゼ, アルカリ性ホスファターゼの多型現象 家禽会誌, 14; 19-26
- 田名部雄一 (1977 b) 日本鶏の蛋白質多型による品種の相互関係と系統に関する研究: 2. 血漿アミラーゼおよび血漿トランスフェリンの多型現象 家禽会誌, 14; 173-178
- 田名部雄一 (1979) 日本鶏の成立とその遺伝学的研究 家禽会誌, 創立25周年記念号, 3-14
- Taylor, L. W. (1932 a) Inheritance of spangling in the domestic fowl. J. Genetics, 26; 385-394
- Taylor, L. W. (1932 b) An inhibitor of gold colour in chickens. Proc. Intern. Genetic Congr., 6th Congr., Ithaca, N. Y., 2; 197-199
- Warren, D. C. (1933) Inheritance of albinism in the domestic fowl. J. Hered., 24; 379-383
- Warren, D. C. (1940) Inheritance of pinkeye in the fowl. J. Hered., 31; 291-292
- Werret, W. F., A. J. Candy, J. O. L. King and P. M. Sheppard (1959) Semi-albino: A third sex-linked allelomorph of silver and gold in the fowl. Nature, 184; 480