

オンセイ ジョウホウ ノ ノウドウテキ サイコ  
ウチク ニ カンスル ケンキュウ ソウオン カ  
ンキョウ ニオケル オンセイ ニンシキ オ シ  
エンズル システム

勝瀬, 郁代

<https://doi.org/10.15017/1398257>

---

出版情報 : Kyushu Institute of Design, 2001, 博士 (工学), 課程博士  
バージョン :  
権利関係 :



# Bibliography

- [1] 白井克彦, 小林哲則, 工藤育男, ”花開く音声処理技術,” 情報処理学会誌, Vol.38, No.11, 971–975, 1997.
- [2] 西村雅史, 伊東伸泰, ”音声ワープロ –過去・現在・未来–,” 情報処理学会誌, Vol.40, No.2, 164–167, 1999.
- [3] 鹿野清宏, 伊藤克亘, 河原達也, 武田一哉, 山本幹雄編著, 音声認識システム, オーム社, 2001.
- [4] Kodama, Y., Utsuro, T., Nishizaki, H. and Nakagawa, S., ”Experimental Evaluation on Confidence of Agreement among Multiple Japanese LVCSR Models,” Proc. of EU-ROSPEECH2001, 4, 2549–2550, 2001.
- [5] 電子情報通信学会編, 電子情報通信ハンドブック第1分冊, オーム社, 1988.
- [6] 金田豊, ”マイクロホン系におけるデジタルフィルタの応用 –不要な音を取り除く技術–,” 日本音響学会誌, 45, 2, 125–128, 1989.
- [7] Comon, P., ”Independent component analysis, A new concept?,” Signal Processing, 36, 287–314, 1994.
- [8] Cardoso, J-F., ”Statistical principles of source separation,” proceedings of the SYSID '97, 11th IFAC symposium on system identification, 1837–1843, 1997.
- [9] Atal, B. ”Effectiveness of Linear Prediction Characteristics of the speech wave for automatic speaker identification and verification,” J. Acoust. Soc. Am., 55, 1304–1312, 1974.
- [10] Lockwood, P. and Boudy, J., ”Experiments with a Non-linear spectral subtractor (NSS), hidden Markov models and the prediction, for robust speech recognition in cars,” Proc. of Eurospeech1991, 79–82, 1991.
- [11] Graf, J. T. and Hubing, N., ”Dynamic time warping for the enhancement of speech degraded by white Gaussian noise,” Proc. Int. Conf. Acoust. Speech Signal Process.(ICASSP), II,

339–342, 1993.

- [12] Varga, A. P. and Moore, R. K., "Hidden Markov model decomposition of speech and noise," Proc. Int. Conf. Acoust. Speech Signal Process.(ICASSP), 845–848, 1990.
- [13] Martin, F., Shikano, K., Minami, Y., "Recognition of noisy speech by composition of hidden Markov models," Proc. of EUROSPEECH1993, 1031–1034, 1993.
- [14] Gales, M.J.F. and Young, S.J., "Robust Continuous Speech Recognition using Parallel Model Combination," IEEE Transactions on Speech and Audio Processing 4, 1996.
- [15] Bregman, A. S., Auditory Scene Analysis, MIT Press, 1990.
- [16] 河原英紀, "聴覚の工学的表現," 電子情報通信学会誌, 76, 11, 1197–1202, 1993.
- [17] 河原英紀, "聴覚の情景分析," 日本聴覚医学会学術講演会, 1995.
- [18] Warren, W. H. Jr. and Verbrugge, R. R., "壊れたのかバウンドしたのか? 音で事象を判断することの心理物理学," ナチュラルコンピューテーション2, ホイットマンリチャーズ編, 石川正俊, 平原達也 訳, パーソナルメディア, I部6章, 82–95, 1994.
- [19] 平原達也, "音声工学と聴覚科学," 日本音響学会誌, 53, 9, 714–719, 1997.
- [20] 柏野牧夫, "音による環境理解," 第37回東北大通研シンポジウム「高次臨場感通信を目指して」, 157–171, 1997.
- [21] Bregman, A. S., "Auditory scene analysis: hearing in complex environments," in Thinking in Sound, S. McAdams and E. Bigand, Eds. (Oxford Univ. Press, New York, 1993), Chap. 2., 1993.
- [22] Lachman, R., Lachman, J. L., and Butterfield, E. C. 共著, 箱田祐司, 鈴木光太郎 共訳, 認知心理学と人間の情報処理II -意識と記憶-, 第6章意識と注意, サイエンス社, 1988.
- [23] Lindsay, P. H. and Norman, D. A. 共著, 中溝幸夫, 箱田祐司, 近藤倫明 共訳, 情報処理心理学入門I 感覚と知覚 第2版, 第1章人間の知覚, サイエンス社, 1983.
- [24] Lachman, R., Lachman, J. L., and Butterfield, E. C. 共著, 箱田祐司, 鈴木光太郎 共訳, 認知心理学と人間の情報処理III -言語と理解-, 第13章パターン認識, サイエンス社, 1988.
- [25] Miller, G. A. and Licklider, J. C. R., "The Intelligibility of Interrupted Speech," J. Acoust. Soc. Am., 22(2), 167–173, 1950.

- [26] Warren, R. M. "Perceptual restoration of missing speech sounds," *Science*, 167, 392–393, 1970.
- [27] Warren, R. H., "Perceptual Restoration of Obliterated Sounds," *Psychological Bulletin*, 96, 371–383, 1984.
- [28] Amano, S., "Phonemic restoration of a stop consonant in a vowel-consonant-vowel syllable in speeded and nonspeeded tasks," *J. Acoust. Soc. Jpn. (E)*, 15, 4, 261–267, 1994.
- [29] 川島尊之, 柏野牧夫, "日本語文章中の単語知覚における後続文脈の促進的効果," 日本音響学会秋季全国大会講演論文集, 1-3-4, 369–370, 1997.
- [30] Repp, B. H., "Perceptual restoration of a "missing" speech sound: Auditory induction or illusion?," *Perception & Psychophysics*, 51, (1), 14–32, 1992.
- [31] Samuel, A. G., "The Role of Bottom-Up Confirmation in the Phonemic Restoration Illusion," *J. Experimental Psychology: Human Perception and Performance*, 7(5), 1124–1131, 1981.
- [32] Rubenstein, H. and Pollack, I., "Word Predictability and Intelligibility," *J. Verbal Learning and Verbal Behavior*, 2, 147–158, 1963.
- [33] Kalikow, D. N., Stevens, K. N., and Elliott, L. L., "Development of a test of speech intelligibility in noise using sentence materials with controlled word predictability," *J. Acoust. Soc. Am.*, Vol. 61, 5, 1337–1351, 1977.
- [34] Morton, J. and Long, J., "Effect of Word Transitional Probability on Phoneme Identification," *Journal of Verbal Learning and Verbal Behavior*, 15, 43–51, 1976.
- [35] 東倉洋一 "聴覚機構と知覚モデル," 音声・聴覚と神経回路網モデル (甘利俊一監修, 東倉洋一, 鹿野清宏, 中川聖一共著, オーム社) 第4章, 1990.
- [36] 堂下修司, 音声による人間と機械の対話 (堂下修司他編, オーム社), 第1章 総説, 3–24, 1998.
- [37] 岡田美智男, 鈴木紀子, 石井和夫, Altman, E., "雑談の構成的な理解に向けて," 音声言語情報処理, 17-7, 39–44, 1997.
- [38] 勝瀬郁代, 津崎実, 相川清明, "連続母音の遷移部の知覚における後続雑音の効果," 日本音響学会誌, 53(12), 922–932, 1997.

- [39] Ikuyo Masuda-Katsuse, Hideki Kawahara, "Dynamic sound formation based on continuity of spectral change," *Speech Communication*, 27, 187–207, 1999.
- [40] Ikuyo Masuda-Katsuse, "A New Method for Speech Recognition in the Presence of Non-stationary, Unpredictable and High-level Noise," *Proc. of EUROSPEECH2001*, Vol.2, 1119–1122, 2001.
- [41] Masuda-Katsuse, I. and Sugano, Y., "Speech Estimation biased by phonemic expectation in the presence of non-stationary and unpredictable noise," *Proc. of a workshop on Consistent and reliable acoustic cues for sound analysis*, 2001.
- [42] 勝瀬郁代, 高橋雅仁, 寺岡章人, 岸田哉生, 福田興一郎, 長迫拳志, "自律移動ロボットを遠隔制御するために音声対話インタフェースの開発," *ヒューマンインタフェース学会論文誌*, 3(2), 111-120, 2000.
- [43] Klassner, F., Lesser, V. and Nawab, S. H., "The IPUS blackboard architecture as a framework for computational auditory scene analysis," in *Computational Auditory Scene Analysis*, D.F.Rosenthal and H. Okuno (Eds.), Mahwah, NJ, Lawrence Erlbaum, 105–114, 1998.
- [44] 中谷智広, 後藤真孝, 川端豪, 奥乃博, "残差駆動型アーキテクチャの提案と音響ストリーム分離への応用," *人工知能学会誌*, 12(1), 111–120, 1997.
- [45] Cooke, M., "Modelling Auditory Processing and Organisation," Ph.D. Thesis, University of Sheffield, (1991), Published by Cambridge University Press, 1993.
- [46] Brown, G. J., "Computational Auditory Scene Analysis: A Representational Approach," Ph. D. Thesis, Department of Computer Science, University of Sheffield, 1992.
- [47] Brown, G. J., "Computational auditory scene analysis," *Computer Speech and Language*, 8, 297–336, 1994.
- [48] Warren, R. M., Obusek, C. J., and Ackroff, J. M., "Auditory induction: Perceptual synthesis of absent sounds," *Science*, 176, 1149–1151, 1972.
- [49] Kurakata, K., Matsui, M., and Nishimura, A., "Perceived trajectory of gliding tones though interrupting noise and the underlying frequency-extrapolation mechanism," *Proceedings of the papers submitted to the Acoustical Society of Japan in ASA and ASJ third joint meeting*, 695–700, 1995.

- [50] Simons, M., "Time-swelling: An incomplete heterophonic induction in a non-repetitive design," Master's thesis of Leiden Univ., 1995.
- [51] Kluender, K. R. and Jenison, R. L., "Effects of glide slope, noise intensity, and noise duration on the extrapolation of FM glides through noise," *Perception & Psychophysics*, 51 (3), 231-238. 1992.
- [52] 相川清明, 津崎実, 河原英紀, 東倉洋一, "周波数変化音追跡の動特性," *日本音響学会誌*, 52 (10), 741-751, 1996.
- [53] 相川清明, 河原英紀, "複合音周波数変化音追跡神経演算モデル," *日本音響学会誌*, 53(2), 95-102, 1997.
- [54] 赤木正人, 古井貞熙, "音声知覚における母音ターゲット予測機構のモデル化," *信学論*, J69-A, 1277-1285, 1986.
- [55] Massaro, D. W. "Backward recognition masking," *J. Acoust. Soc. Am.*, 58, 1059-1065, 1975.
- [56] 岩澤秀紀, "母音知覚における聴覚逆向認知マスキング-音韻判断の場合-, " *日本音響学会平成8年秋季研究発表会講演論文集第一分冊*, 377-378, 1996.
- [57] Klatt, D. H., "Software for a cascade / parallel formant synthesizer," *J. Acoust. Soc. Am.* 67 (3), 971-995, 1980.
- [58] 田中良久, "数値尺度法," *心理学的測定法 第2版*, 東京大学出版会, 東京, 117-118, 1977.
- [59] 広中平祐, *現代数理科学辞典*, 大阪書籍, 508-510, 1991.
- [60] 森敏昭, 吉田俊夫, "2要因の分散分析, 5.2 要因とも対応がある場合," *心理学のためのデータ解析テクニカルブック 第3章 第2節*, 北大路書房, 116-121, 1990.
- [61] Darwin, C.J., "The relationship between speech perception and the perception of other sounds," In *Modularity and the Motor Theory in Speech Perception* (Mattingly, I.G. and Kennedy, M.S. Eds.), Lawrence Erlbaum, Hillsdale, NJ, 239-259. 1991.
- [62] Akagi, M., Wieringen, A., and Pols, L., "Perception of central vowel with pre- and post-anchors," *Proc. ICSLP 94*, S10-7, 503-506, 1994.
- [63] Brady, P.T., House, A.S., Stevens, K.N., "Perception of sounds characterized by a rapidly changing resonant frequency," *J. Acoust. Soc. Am.*, 33(10), 1357-1362, 1961.

- [64] Kawahara, H., "Speech representation and transformation using adaptive interpolation of weighted spectrum: VOCODER revised," Proc. of ICASSP 97, SPCH5P.7, Vol.2, 1303–1306, 1997.
- [65] Kawahara, H., Masuda-Katsuse, I., and de Cheveigné, A., "Restructuring speech representations using a pitch-adaptive time-frequency smoothing and instantaneous-frequency based F0 extraction: possible role of a repetitive structure in sounds," Speech Communication, 27, 187–207, 1999.
- [66] de Cheveigné, A., McAdams, S., Laroche, J., and Rosenberg, M., "Identification of concurrent harmonic and inharmonic vowels: A test of the theory of harmonic cancellation and enhancement," J. Acoust. Soc. Am., 97 (6), 3736–3748, 1995.
- [67] de Cheveigné, A., "Concurrent vowel identification III. A neural model of harmonic interference cancellation," J. Acoust. Soc. Am., 101(5), 2857–2865, 1997.
- [68] 平原達也, "母音知覚と聴覚系内スペクトル表現," 日本音響学会春季大会講演論文集, 2-7-13, 341–342, 1995.
- [69] Divenyi, P. L. and Algazi, A. P., "Auditory segregation of simultaneous events based on residue pitch and spectrum," J. Acoust. Soc. Am., 100(4), Pt. 2, p.2682, 1996.
- [70] 東山恵祐, 陸金林, 中村哲, 鹿野清宏, 河原英紀, "4kHz帯域のSTRAIGHTの品質評価と情報圧縮について," 日本音響学会秋季大会予稿集1-2-6, 207–208, 1997.
- [71] Cooke, M. et al., "Robust automatic speech recognition with missing and unreliable acoustic data," Speech Communication 34(3), 2001.
- [72] de Cheveigné, A. and Kawahara, H., "Missing-data model of vowel identification," J. Acoust. Soc. Am., 105(6), 3497–3508, 1999.
- [73] 後藤真孝, "音楽音響信号を対象としたメロディーとベースの音高推定," 信学論D-II, J84(1), 12–22, 2001.
- [74] Goto, M., "A predominant-F0 estimation for CD recordings: MAP estimation using EM algorithm for adaptive tone models", Proc. of ICASSP2001, 2001.
- [75] Kawahara, H. et al., "Fixed point analysis of frequency to instantaneous frequency mapping for accurate estimation of F0 and periodicity," Proc. of Eurospeech99, 2781–2784, 1999.

- [76] 板倉秀一, "騒音データベースと日本語共通音声データ DAT 版," 日本音響学会誌 47, 2, 951-953, 1991.
- [77] Hain, T., Woodland, P.C., Evermann, G., and Povey, D., "The CU-HTK March 2000 HUB5E Transcription system," Proc. Speech Transcription Workshop 2000, 2000.
- [78] Samuel, A.G., "Lexical uniqueness effects on phonemic restoration," J. Mem. Lang. 26, 36-56, 1987.
- [79] de Saussure, F., "Course in General Linguistics Ferdinand de Saussure," Chapter.3, 7-15, Bally, C. B. and Sechehaye A. (Eds), First McGraw-Hill Paperback Edition, 1966.
- [80] 中川聖一, 傳田明弘, 伊藤敏彦, "マルチモーダル観光案内対話システム," 人工知能学会誌, 13(2), 241-251, 1998.
- [81] 長田誠也, 土井伸一, 亀井真一郎, "自然言語を用いて家庭機器操作を行う対話システム," 信学技報SP98-71, 23-30, 1998.
- [82] 竹林洋一, "音声自由対話システム TOSBURG II," 電子情報通信学会論文誌D-II, J77(8), 1417-1428, 1994.
- [83] 西村靖史, 伊東伸泰, "音声認識技術の基礎と応用プログラム開発手法," インターフェース, 8, 100-108, 1998.
- [84] 中川聖一, 堂下修司, "音声言語情報処理の現状と研究課題," 情報処理 36(11), 1995.
- [85] 堂下修司, 新美康永, 白井克彦, 田中穂積, 溝口理一郎 共編, 音声による人間と機械の対話, オーム社, 1998.
- [86] 長尾真 編, 自然言語処理, 岩波書店, 1996.
- [87] 藤田義弘, "パーソナルロボット R100," 日本ロボット学会誌, 18(2), 198-199, 2000.
- [88] 藤田雅博, "エンタテインメントロボット: AIBO," 映像情報メディア学会誌, 54(5), 657-661, 2000.
- [89] Engelberger, J., "A day in the life of Isaac," Industrial Robot, 27(3), 176-180, 2000.
- [90] Schraft, R. D., "Care-O-bot: The concept of a system for assisting elderly or disabled persons in home environments," Proceedings of the IEEE IECON, 4, 2476-2481, 1998.



- [91] トマスJモーブレイ, ラファエルCマルボー著, "CORBA Design Pattern アーキテクチャからプログラミングまで", IDG コミュニケーションズ, 1998.
- [92] 木室義彦, 高野茂, 徳島新一, 松本三千人, "顔認識と音声認識を組み合わせた移動ロボットナビゲーション," 日本機械学会 ロボティクス・メカトロニクス講演会 (Robomec'00) 1A1-26-025, 2000.
- [93] Fraser, N. M. et.al., "Simulating speech systems," Computer Speech and Language, 5(1), pp.81-99, 1991.
- [94] 松本祐治 他, "日本語形態素解析システムJUMAN 使用説明書 ver.2," NAIST Technical Report, NAIST-IS-TR94025, 1994.
- [95] 荒木雅弘, 堂下修司, "対話の自由度と発話の自由度に基づく音声対話システムの設計法," 人工知能学会研究資料 SIG-SLUD-9502-6, 1995.
- [96] 西村雅史, 伊東伸泰, "音声認識の最新技術," bit 7, pp.8-13, 1998.
- [97] 宮崎淳史, "音声認識プログラム Via Voice の技術と今後," bit Vol.31, No.11, 1999.
- [98] Saito, T. et.al., "ProTALKER: a Japanese Text-To-Speech System for personal Computers," IBM TRL Research Report, RT0110, June, 1995.
- [99] 坂本憲治, 綿貫啓子, 外川文雄, "マルチモーダル対話解析," 人工知能学会研究会資料SIG-SLUD-9401, 39-46, 1994.
- [100] 小林 豊, 中島大輔, 新美康永, "音声模擬対話における対話制御と快適性について," 情報処理学会研究報告, SLP 6-2, 1995.
- [101] 古井貞熙, 前川喜久雄, 井佐原均, "科学技術振興調整費開放的融合研究推進制度 一大規模コーパスに基づく「話し言葉工学」の構築ー," 日本音響学会誌, 56(11), 752-755, 2000.