

高密度磁気記録における記録再生特性と磁化の熱安定性に関する研究

田中, 輝光

<https://doi.org/10.15017/1398259>

出版情報 : 九州芸術工科大学, 2002, 博士 (工学), 課程博士
バージョン :
権利関係 :

参 考 文 献

- [1] 今井拓司：“3.5 インチ HDD が 10G バイトを超える，2.5 インチも 1G に，” 日経エレクトロニクス，625，pp.153-156 (1995-01).
- [2] 堀切近史：“HDD，100G ビット時代へ 富士通が長手記録で実証，” 日経エレクトロニクス，804，p. 31，(2001-09).
- [3] T. Osaka et al.：“A Soft Magnetic CoNiFe film with high saturation magnetic flux density recording，” Nature, vol.392, No. 6678, 796 (1998).
- [4] 篠原紘一，逢郷章郎：“展望「磁気テープ」，” 日本応用磁気学会誌，vol. 7, No. 3, pp.185-207，(1983).
- [5] S. Iwasaki and K. Takemura：“An analysis for the circular mode of magnetization in short wavelength recording，” IEEE Trans. Magn., vol. MAG-11, No. 5, pp.1173-1175，(1975).
- [6] 岩崎俊一：“垂直磁気記録その発想の原点，” 日経エレクトロニクス，787，pp. 174-182，(2001-01).
- [7] H. N. Bertram and M. Williams：“SNR and Density Limit Estimates: A Comparison of Longitudinal and Perpendicular Recording，” IEEE Trans. Magn., vol. 36(1), pp.4-9，(2000).
- [8] Y. Hosose, I. Tamai, K. Tanahashi, T. Yamamoto, T. Kanbe and Y. Yamaji：“Experimental study of thermal decay in high density magnetic recording media，” IEEE Trans. Magn., vol. 33, pp.3028-3030，(1997).
- [9] K. Stoev, F. Liu, X. Shi, H. C. Tang, Y. Chen, C. Chien, Z. W. Dong, M. Gibbons, S. Funada, P. Prabhu, H. Nguyen, D. Wachenschwanz, L. Mei, M. Shultz, S. Malhotra, B. Lal, J. Kimmal, M. Russak, A. Talalai and A. Varlahanov：“Demonstration and Characterization of Greater than 60 Gb/in² Recording Systems，” IEEE Trans. Magn., vol. 37, No. 4, pp.1264-1267 (2001).
- [10] K. Shimomura, Y. Ohinata and Y. Tanaka：“Error Rate Performance of High Density Recording Using Narrow Track Spin-Valve GMR Head，” IEEE Trans. Magn. vol. 32, No. 5, pp. 3887-3889 (1996).

- [11] 大津孝佳, 櫛田伸昌, 岩倉忠, 兒玉直樹, 成重眞治: “ラップラウンド型記録ヘッドの記録にじみと消去幅,” 日本応用磁気学会誌, vol. 20, No. 2, pp.101-104 (1996).
- [12] D. A. Lindholm : “MAGNETIC FIELD OF FINITE TRACK WIDTH HEADS,” IEEE Trans. Magn., vol. MAG-13, No. 5, pp.1460-1462 (1977).
- [13] O. Karlqvist : “Calculation of the magnetic field in the ferromagnetic layer of a magnetic drum,” Trans. Royal Inst. Tech., Stockholm, Nr.86 (1954).
- [14] 岩崎俊一, 数藤康雄: “記録減磁作用に関する二, 三の考察,” 電子情報通信学会技術研究報告, MR-65, 9-18 (1965).
- [15] Q. Peng and H. N. Bertram : “Micromagnetic Studies of Microstructural Dependence of Track Edge Recording on Signal and Nonlinearities in Longitudinal Thin Film Media,” IEEE Trans. Magn. vol. 32, No. 5, pp. 3566-3568 (1996).
- [16] S. S. Malhotra, B.B. Lal, M. Alex and M. A. Russak : “Effect of Track Edge Erasure and On-Track Percolation on Media Noise at High Recording Density in Longitudinal Thin Film Media,” IEEE Trans. Magn., vol. 33, No. 5, pp. 2002-2994 (1997).
- [17] D. Wei and B. Liu : “Track Edge Noise and Signal in Isotropic and Oriented Thin Film Media with Large Skew Angle,” IEEE Trans. Magn., vol. 33, No. 5, pp. 2722-2724 (1997).
- [18] J. G. Zhu, T. Lam, H. Fang, T. Chang, H. C. Tong, and R. Rottmayer : “Narrow track recording characteristics in thin film media,” IEEE Trans. Magn., vol. 33, No. 1, pp. 984-989 (1997).
- [19] J. Ding, and J. G. Zhu : “Experimental study on recording and track edge characteristics of bicrystal thin film media,” IEEE Trans. Magn., vol. 31, No. 6, pp. 2827-2829 (1995).
- [20] T. Ohtsu, N. Kushida, H. Honma, M. Takagi, S. Narishige, T. Iwakura, and H. Fukui : “Effective write track width for thin film heads,” J. Magn. Soc. of Japan, vol. 18. No.3, pp.776-781 (1994).

- [21] 田中輝光, 若宮幸平, 鈴木俊行: “薄膜ディスクにおける記録・再生にじみに関する検討,” 第22回日本応用磁気学会学術講演概要集, p. 332 (1998).
- [22] 田中輝光, 若宮幸平, 鈴木俊行: “薄膜ディスクにおける記録・再生にじみの発生機構,” 電気関係学会九州支部連合大会講演論文集, p. 624 (1998).
- [23] 田中輝光, 若宮幸平, 鈴木俊行: “薄膜ディスクにおける記録・再生にじみ,” 電子情報通信学会技術研究報告, MR-98-93, pp. 105-109 (1999).
- [24] T. Tanaka, K. Wakamiya, T. Suzuki: “Read/Write Track Fringe Effect of Thin Film and MR Heads with Different Pole Shapes,” IEICE Trans. Electron., vol. E82-C, No. 12 (1999).
- [25] 西川正明: “磁気記録の理論,” 朝倉書店, (1985).
- [26] P. Wang, M. Krounbi, and K. Ju: “Thin Film Head Width Staggered Pole Tips,” IEEE Trans. Magn., vol. 27, No. 6, pp. 4710-4712 (1991).
- [27] A. M. Choukh, I. E. Kim: “Recording Performance of MR Head with Trimmed Shared Pole,” IEEE Trans. Magn., vol. 32, No.5, pp. 3488-3490 (1996).
- [28] W. P. Jayasekara, A. Roesler, and M. H. Kryder: “Study of Narrow Tracks Written with FeAlN Write Heads,” IEEE Trans. Magn., vol. 32, No. 5, pp.2548-3550 (1996).
- [29] P. Glijer, E. N. Abarra, H. Kisker, T. Suzuki: “MFM Studies of Recording Phenomena in High Density Longitudinal Recording,” IEEE Trans. Magn., vol. 32, No. 5, pp.2557-3562 (1996).
- [30] G. L. Gorman, L. Vo, B. H. L. Hu, and C. Tsang: “Recording Studies of Sub-micron Write Heads by Focused Ion Beam Trimming,” IEEE Trans. Magn., vol. 33, No. 5, pp. 2824-2826 (1997).
- [31] Y. Guo, J. Chang, K. Ju: “Low Fringe-Field and Narrow-Track MR Heads,” IEEE Trans. Magn., vol. 33, No. 5, pp. 2827-2829 (1997).
- [32] 田中輝光, 若宮幸平, 鈴木俊行: “磁気ディスク記録特性に及ぼすヘッド磁界の影響,” 第23回日本応用磁気学会学術講演概要集, p. 445 (1999).
- [33] 田中輝光, 若宮幸平, 鈴木俊行: “磁気ディスクにおける記録ミスレジストレーション,” 電気関係学会九州支部連合大会講演論文集, p. 197 (1999).

- [34] 田中輝光, 若宮幸平, 鈴木俊行: “狭トラック記録におけるヘッドフリンジ磁界の影響,” 日本応用磁気学会誌, vol. 24, No. 4-2, pp.375-378 (2000).
- [35] 金井靖: “20Gb/in² 超を仮定した記録ヘッドの高周波記録磁界解析,” 電子情報通信学会技術研究報告, MR99-21, pp. 27-34 (1999).
- [36] D. H. Han, J. G. Zhu, J. H. Judy, and J. M. Sivertsen: “Time Decay of Magnetization in Longitudinal CoCrTa/Cr High Density Thin Film Media,” IEEE Trans. Magn., vol. 33, No. 5, pp. 3025-3027 (1997).
- [37] H. Uwazumi: “Time Decay of Remanent Magnetization, Remanent Coecivity, and Readback Signal of Ultra-thin Longitudinal CoCr₁₂Ta₂/Cr Thin Film Media,” IEEE Trans. Magn., vol. 33, No. 5, pp. 3031-3033 (1997).
- [38] P. Dhagat, R. S. Indeck, and M. W. Muller: “Spin-stand measurement of time and temperature dependence of magnetic recordings,” J. Appl. Phys., vol. 85, No. 6, pp. 4994-4996 (1999).
- [39] J. P. Wang, M. Alex, L. P. Tan, and M. L. Yan: “Effect of orientation on the time decay of magnetization for cobalt-alloy thin film media,” J. Appl. Phys., vol. 85, No. 6, pp. 4997-4999 (1999).
- [40] C. Yang, and J. M. Sivertsen: “Experimental determination of the distribution of relaxation time for thermally activated transition in thin film magnetic recording media,” J. Appl. Phys., vol. 85, No. 6, pp. 5000-5003 (1999).
- [41] R. Street, and J. C. Woolly: “A study of magnetic viscosity,” Proc. Phys. Soc., A 62 (1949).
- [42] R. Street, J. C. Woolly, and P. B. Smith: “Magnetic viscosity under discontinuously and continuously variable field conditions,” Proc. Phys. Soc., 65 (1952).
- [43] L. Néel: “Theorie du trainage magnetique des ferromagnetiques en grains fins avec applications aux terres cuites,” Ann. Geophys., vol. 5, pp. 99-136 (1949).
- [44] 田中輝光, 鈴木俊行: “超微粒子 Ba フェライト媒体の熱緩和特性,” 電子情報通

- 信学会技術研究報告, MR2000-103, pp. 19-26 (2001).
- [45] 田中輝光, 鈴木俊行: “超微粒子 Ba フェライト媒体の記録特性と磁化の時間減衰,” 日本応用磁気学会誌, vol. 25, No. 7, pp. 1399-1404 (2001).
- [46] T. Suzuki: “Particle size effect on recording performance and thermal stability in high density particulate tapes,” JMMM, vol. 193, pp. 374-377 (1999).
- [47] 田中輝光, 池水薫, 鈴木俊行: “超微粒子 Ba フェライト媒体の記録特性と熱緩和特性,” 第24回日本応用磁気学会学術講演概要集, p. 18 (2000).
- [48] T. Suzuki, and T. Tanaka: “Recording Capability and Thermal Stability for Particulate Media with Inter-particle Interaction,” IEICE Trans. Electron., vol. E84-C, No. 9, pp. 1147-1153 (2001).
- [49] T. Suzuki, T. Tanaka, and K. Ikamizu: “High density recording capability for advanced particulate media,” JMMM, vol. 235, pp. 159-164 (2001).
- [50] A. W. Baird: “An evaluation and approximation of the Fan equations describing magnetic field near recording heads,” IEEE Trans Magn., vol. 16, No. 5, pp. 1350-1352 (1980).
- [51] L. Thurings: “Studies on noise in magnetic recording on particulate media,” Thesis Technical University, Eindhoven, The Netherland, Apr. (1982).
- [52] R. W. Chantrell, J. D. Hannay, G. N. Coverdale, G. W. Roberts, and A. Lyberatos: “The physics of the Fluctuation Field and Activation Volume,” 日本応用磁気学会誌, vol. 23, No. 11, pp. 2058-2064 (1999).
- [53] P. Gaunt: “Magnetic viscosity and thermal activation energy,” J. Appl. Phys., vol. 59, No. 12, pp. 4129-4132 (1986).
- [54] E. P. Wohlfarth: “The coefficient of magnetic viscosity,” J. Phys., vol. F14, pp. L155-L159 (1984).
- [55] G. Lauhoff, and T. Suzuki: “Determination of activation volume in magnetic recording media,” 第24回日本応用磁気学会学術講演概要集, p. 15 (2000).
- [56] K. O’Grady, P. Dova, and H. Laidler: “DETERMINATION OF CRITICAL VOLUMES IN RECORDING MEDIA,” Mater. Res. Soc. Symp. Proc., 517,

- 231 (1998).
- [57] H. Nishio : "Magnetic aftereffects of particles for high-density magnetic recording media," J. Magn. Soc. Jpn., vol. 13, No. S1 (1989).
- [58] H. Nishio : "Magnetic aftereffects of Co- γ -Fe₂O₃ fine particles," J. Magn. Soc. Jpn., vol. 15, No. S2 (1991).
- [59] 大内一弘 : "磁気記録媒体におけるマイクロマグネティックス," 日本応用磁気学会誌, vol. 15, No. 1, pp. 31-38 (1991).
- [60] T. Suzuki, and S. Tajiri : "Temperature Effect on Magnetization Stability of Thin Film Recording Films," J. Magn. Soc. Jpn., vol 21, No. S2, pp.309-312 (1997).
- [61] 鈴木俊行, 松本徳昭 : "磁気記録媒体の熱磁気緩和時定数の推定," 電子情報通信学会技術研究報告, MR99-72, pp.9-14 (1999).
- [62] T. Suzuki, T. Tanaka, K. Ikemizu : "High density recording capability for advanced particulate media," JMMM. vol. 235, pp. 159-164, 2001.
- [63] 田中輝光, 鈴木俊行 : "サンプル形態の異なる微粒子集合体の ΔM および磁化減衰の測定," 電子情報通信学会技術研究報告, MR2001-29, pp. 21-25 (2001).
- [64] T. Suzuki, T. Tanaka : "Inter-particle interaction and thermal stability of ultra-fine Ba ferrite particles for high-density recording," JMMM (to be published in April, 2002).
- [65] 鈴木俊行, 坂田浩実 : "粒子間相互作用に及ぼす粒子形状と配向の影響," 日本応用磁気学会誌, vol. 17, No. S2, pp. 12-17 (1993).
- [66] L. Néel : "Sur les Effets de Couplage entre Gains Ferromagnetique Doues Hysteresis," C. R. Acad. Sci. (Paris), vol. 246, p.2313 (1958).
- [67] P. J. Flanders, M.P. Sharrock : "An analysis of time-dependent magnetization and coercivity and of their relationship to print-through in recording tapes," J. Appl. Phys., vol. 62, No. 7, pp.2918-2928 (1987).
- [68] M. P. Sharrock : "Time dependence of switching fields in magnetic recording media," J. Appl. Phys., vol. 76, No. 10, pp. 6413-6418 (1994).
- [69] 島津武仁, 上住洋之, 渡辺功, 村岡裕明, 中村慶久 : "CoCr 系垂直磁気記録媒

- 体の磁化の熱擾乱と磁気特性,” 日本応用磁気学会誌, vol. 25, No. 4-2, pp.539-542 (2001).
- [70] 田中輝光, 鈴木俊行: “超微粒子記録媒体の高速磁化反転磁界,” 電気関係学会九州支部連合大会講演論文集, p771 (2001).
- [71] 田中輝光, 鈴木俊行: “Ba フェライト媒体の ΔM 曲線と磁化の熱安定性,” 第 25 回日本応用磁気学会学術講演概要集, p. 394 (2001).
- [72] R. Victora: “Predicted time dependence of the switching field for magnetic materials,” *Phys. Rev. Lett.*, vol. 63, p. 457 (1989).
- [73] R. Street, and S. D. Brown: “Magnetic viscosity, fluctuation field, and activation energies,” *J. Appl. Phys.*, vol. 76, No. 10, pp. 6386-6390 (1994).