

Anatomical characters and identification of Formosan woods with critical remarks from the climatic point of view, with 300 micrographs

Kanehira, Ryoza

Bureau of Productive Industries Government of Formosa Forest Experiment Station : Director

<https://hdl.handle.net/2324/1524121>

出版情報 : 殖産局出版. 283, 1921-03-31. Bureau of Productive Industries Government of Formosa
バージョン :
権利関係 :

Description of Plates.

PLATE I.

FIG.

1. Cross section of *Illicium Anisatum*, showing distribution of pores and terminal parenchyma. ×38.
2. Tangential section of *Illicium Anisatum*, showing heterogeneous rays. ×38.
3. Radial section of *Illicium Anisatum*. ×38.
4. Cross section of *Michelia Compressa*, showing size and distribution of pores and terminal parenchyma. ×38.
5. Tangential section of *Michelia Compressa*. ×38.
6. Cross section of *Trochodendron aralioides*, showing decided contrast between early and late wood. ×35.

PLATE II.

7. Tangential section of *Trochodendron aralioides*, showing uniseriate and broad high rays. ×35.
8. " " " *Berberis Kawakamii*, showing broad rays. ×29.
9. Cross section of *Mahonia morrisonensis*, showing arrangement of pores. ×29.
10. Tangential section of *Capparis formosana*. ×35.
11. Cross section of *Crataeva religiosa*, showing distribution of pores and paratracheal parenchyma. ×29.
12. Tangential section of *Crataeva religiosa*, showing short fibers. ×38.

PLATE III.

13. Cross section of *Idesia polycarpa*, showing size and distribution of pores. ×38.
14. Tangential section of *Idesia polycarpa*. ×38.
15. Cross section of *Scelopius crenata*, showing size and distribution of pores. ×38.
16. Tangential section of *Scelopius crenata*. ×38.
17. Cross section of *Calophyllum Inophyllum*, showing size and distribution of pores and metatracheal parenchyma. ×38.
18. Tangential section of *Calophyllum Inophyllum*. ×38.

PLATE IV.

19. Radial section of *Calophyllum Inophyllum*. ×38.
20. Cross section of *Adinandra lasiostyla*. ×38.
21. Tangential section of *Adinandra lasiostyla*. ×38.
22. Cross section of *Adinandra formosana*. ×38.
23. Tangential section of *Adinandra formosana*. ×38.
24. Cross section of *Anneslea fragrans* var. *lanceolata*, showing uniform distribution of pores and thick-walled fiber-tracheids. ×29.

PLATE V.

FIG.

25. Tangential section of *Anneslea fragrans* var. *lanceolata*, showing uniseriate and broad rays. $\times 38$,
 26. " " " *Cleyera ochnacea*. $\times 38$.
 27. Cross section of *Eurya strigillosa*. $\times 38$.
 28. Tangential section of *Eurya strigillosa*. $\times 38$.
 29. Cross section of *Gordonia axillaris*. $\times 38$.
 30. Tangential section of *Gordonia axillaris*. $\times 38$.

PLATE VI.

31. Cross section of *Saurauja tristyla* var. *Oldhami*, showing pores with thin walls and angular outlines. $\times 38$.
 32. Tangential section of *Saurauja tristyla* var. *Oldhami*, showing high rays with large ray parenchyma cells. $\times 38$.
 33. Radial section of *Saurauja tristyla* var. *Oldhami*, showing scalariform perforation of vessels. $\times 38$.
 34. Cross section of *Schima Noronhae*. $\times 29$.
 35. Tangential section of *Schima Noronhae*. $\times 38$.
 36. Cross section of *Thea shinkoensis*. $\times 29$.

PLATE VII.

37. Cross section of *Bombax malabaricum*, showing large pores and arrangement of wood fibers and terminal parenchyma. $\times 29$.
 38. " " " *Hibiscus tiliaceus*. $\times 29$.
 39. Tangential section of *Hibiscus tiliaceus*, showing fairly uniform rays in storied arrangement. $\times 29$.
 40. Cross section of *Hibiscus tiliaceus*, showing ray parenchyma cells with crystals of calcium oxalate. $\times 170$.
 41. " " " *Hibiscus mutabilis*. $\times 29$.
 42. Tangential section of *Hibiscus mutabilis*. $\times 29$.

PLATE VIII.

43. Cross section of *Heritiera littoralis*, showing size and distribution of pores and paratracheal and metatracheal parenchyma. $\times 38$.
 44. Tangential section of *Kleinhovia hospita*. $\times 38$.
 45. Cross section of *Pterospermum formosanum*, showing metatracheal parenchyma. $\times 29$.
 46. " " " *Sterculia plataniifolia*. $\times 35$.
 47. Tangential section of *Sterculia plataniifolia*, showing heterogeneous rays. $\times 35$.
 48. Cross section of *Sterculia luzonica*, showing traumatic resin ducts. $\times 29$.

PLATE IX.

49. Cross section of *Echinocarpus dasycarpus*. $\times 38$.

Fig..

50. Cross section of *Elavocarpus decipiens*. × 38.
51. Tangential section of *Elavocarpus decipiens*, showing upright ray cells. × 38.
52. Radial section of *Elavocarpus decipiens*, showing spiral thickenings in vessels and ray parenchyma cells with crystals. × 170.
53. Tangential section of *Elavocarpus japonicus*. × 38.
54. Cross section of *Clausena lunulata*, showing terminal and metatracheal parenchyma. × 29.

PLATE X.

55. Cross section of *Clausena euchrestifolia*, showing metatracheal parenchyma. × 29.
56. Cross section of *Evodia meliaefolia*, showing ring-porous arrangement. × 29.
57. Tangential section of *Evodia meliaefolia*, showing fairly homogeneous rays. × 29.
58. Cross section of *Evodia triphylla*. × 29.
59. " " " *Zanthoxylum ailanthoides*, showing distribution of pores and terminal parenchyma. × 29.
60. Tangential section of *Zanthoxylum ailanthoides*, showing homogeneous rays. × 29.

PLATE XI.

61. Tangential section of *Fagara integrifoliola*. × 29.
62. Cross section of *Murraya exotica*, showing terminal parenchyma and fibers with small diameter. × 29.
63. Tangential section of *Murraya exotica*. × 38.
64. Cross section of *Phellodendron Wilsonii*, showing ring-porous arrangement. × 29.
65. " " " *Skimmia arisanensis*, showing flame-like arrangement of pores and terminal parenchyma. × 29.
66. " " " *Ailanthus cacodendron* var. *Tanakai*, showing ring-porous arrangement. × 29.

PLATE XII.

67. Tangential section of *Ailanthus cacodendron* var. *Tanakai* showing vessels plugged with resinous substance. × 29.
68. Cross section of *Canarium album*. × 29.
69. " " " *Aglaiia formosana*, showing distinct terminal parenchyma. × 29.
70. " " " *Clisocheton kusukulense*, showing terminal parenchyma. × 29.
71. " " " *Dysoxylum Cumingianum*, showing terminal parenchyma. × 29.
72. " " " *Melia Azedarach*, showing ring-porous arrangement. × 29.

PLATE XIII.

73. Tangential section of *Melia Azedarach*, showing homogeneous rays. × 29.

FIG.

74. Cross section of *Ilex rotunda*, showing diagonal arrangement of pores. ×38.
 75. Tangential section of *Ilex rotunda*. ×29.
 76. Cross section of *Euonymus pellucidifolia*, showing uniseriate rays. ×29.
 77. " " " *Otherodendron illiciifolium*, showing diagonal arrangement of pores. ×29.
 78. " " " *Perrottetia arisanensis*, showing closely scattered pores and metatracheal parenchyma. ×29.

PLATE XIV.

79. Cross section of *Acer Kawakamii*, showing terminal parenchyma. ×29.
 80. " " " *Acer morrisonense*, showing terminal parenchyma. ×38.
 81. Tangential section of *Acer morrisonense*, showing homogeneous rays. ×38.
 82. Cross section of *Allophylus timorensis*. ×29.
 83. " " " *Dojnowa viscosa*, showing paratracheal parenchyma. ×29.
 84. " " " *Koelreuteria formosana*. ×29.

PLATE XV.

85. Cross section of *Nephelium Longana*, showing size and distribution of pores plugged with resinous substance. ×38.
 86. Tangential section of *Nephelium Longana*, showing vessel segments and homogeneous rays. ×38.
 87. Radial section of *Nephelium Longana*. ×38.
 88. Cross section of *Pometia pinnata*, showing paratracheal parenchyma. ×29.
 89. Tangential section of *Pometia pinnata*. ×29.
 90. Cross section of *Turpinia arguta*. ×29.

PLATE XVI.

91. Tangential section of *Turpinia arguta*. ×29.
 92. Cross section of *Meliosma callicarpifolia*, showing size and distribution of pores and a tangential band of septate fibers. ×29.
 93. Tangential section of *Meliosma callicarpifolia*, showing high rays. ×29.
 94. Cross section of *Meliosma rhoifolia*, showing size and distribution of pores and paratracheal parenchyma. ×29.
 95. Tangential section of *Meliosma rhoifolia*, showing high rays. ×29.
 96. Cross section of *Meliosma rigida*, showing septate fibers arranged in tangential lines. ×29.

PLATE XVII.

97. Cross section of *Meliosma squamulata*, showing distribution of pores and tangential bands of septate fibers. ×38.

FIG.

98. Cross section of *Mangifera indica*, showing large pores and paratracheal parenchyma. × 38.
 99. Tangential section of *Mangifera indica*. × 38.
 100. Cross section of *Pistacia formosana*, showing size and distribution of pores and terminal parenchyma. × 29.
 101. Tangential section of *Pistacia formosana*, showing horizontal resin ducts. × 29.
 102. Cross section of *Rhus succedanea*, showing ring-porous arrangement. × 29.

PLATE XVIII.

103. Cross section of *Rhus javanica*, showing ring-porous arrangement. × 29.
 104. " " " *Semecarpus vernicifera*, showing paratracheal parenchyma extending tangentially. × 29.
 105. " " " *Coriaria intermedia*. × 29.
 106. " " " *Acacia confusa*, showing distribution of pores and thick-walled fibers. × 29.
 107. " " " *Albizia procera*, showing paratracheal parenchyma. × 29.
 108. " " " *Erythrina indica*, showing large pores and arrangement of wood fibers and wood parenchyma. × 29.

PLATE XIX.

109. Tangential section of *Erythrina indica*, showing high rays and tier-like arrangement of wood parenchyma. × 29.
 110. Cross section of *Erythrina corallodendron*, showing arrangement of wood fibers and wood parenchyma. × 29.
 111. Tangential section of *Erythrina corallodendron*, showing high rays and tier-like arrangement of wood fibers and wood parenchyma. × 29.
 112. Cross section of *Erythrophloeum Fordii*, showing size and distribution of pores. × 29.
 113. Tangential section of *Erythrophloeum Fordii*, showing vessel segments and uniseriate rays. × 29.
 114. Cross section of *Gleditschia formosana*, showing arrangement of pores and wood parenchyma. × 29.

PLATE XX.

115. Cross section of *Leucana glauca*, showing paratracheal parenchyma. × 29.
 116. Tangential section of *Leucana glauca*, showing vessel segments and homogeneous rays. × 29.
 117. Cross section of *Pongamia glabra*, showing tangential bands of wood fibers and wood parenchyma. × 38.
 118. Tangential section of *Pongamia glabra*, showing homogeneous rays and tier-like arrangement of wood parenchyma. × 38.
 119. Cross section of *Cotoneaster taitoensis*, showing arrangement of pores. × 29.
 120. Tangential section of *Prunus campanulata*, showing large ray parenchyma cells with crystals of calcium oxalate. × 29.

PLATE XXI.

- Fig.
 121. Cross section of *Prinsepia scandens*, showing uniform distribution of pores. ×29.
 122. " " " *Eustigma oblongifolium*, showing arrangement of pores and thick-walled fibers. ×29.
 123. " " " *Liquidambar formosana*. ×29.
 124. " " " " " showing tangential bands of vertical resin ducts. ×29.
 125. Tangential section of *Liquidambar formosana*. ×29.
 126. Cross section of *Bruguiera cylindrica*. ×29.

PLATE XXII.

127. Cross section of *Terminalia Catappa*, showing paratracheal parenchyma extending tangentially. ×29.
 128. " " " *Barringtonia speciosa*, showing metatracheal and paratracheal parenchyma. ×29.
 129. Tangential section of *Barringtonia speciosa*. ×29.
 130. Cross section of *Eugenia sinensis*. ×29.
 131. " " " *Blastus cochinchinensis*. ×29.
 132. " " " *Lagerstroemia subcostata*. ×29.

PLATE XXIII.

133. Cross section of *Aralia spinosa*, showing ring-porous arrangement. ×29.
 134. " " " *Gilibertia pellucidopunctata*, showing ring-porous arrangement. ×29.
 135. Tangential section of *Gilibertia pellucidopunctata*. ×29.
 136. Cross section of *Heptapleurum octophyllum*, showing ring-porous arrangement. ×29.
 137. " " " *Heptapleurum racemosum*, showing diagonal arrangement of pores. ×38.
 138. Tangential section of *Heptapleurum racemosum*. ×29.

PLATE XXIV.

139. Cross section of *Oreopanax formosana*, showing diagonal arrangement of pores. ×29.
 140. " " " *Diplospora viridiflora*. ×29.
 141. Cross section of *Gardenia florida*. ×29.
 142. Tangential section of *Gardenia florida*. ×29.
 143. Cross section of *Morinda citrifolia*. ×29.
 144. " " " *Nauclea truncata*. ×29.

PLATE XXV.

145. Tangential section of *Nauclea truncata* showing heterogeneous rays. ×29.
 146. Cross section of *Randia racemosum*, showing distribution of pores and thick-walled fibers. ×29.
 147. " " " *Timonius arboreus*, showing metatracheal parenchyma and thick-walled fibers. ×29.

FIG.

148. Cross section of *Wendlandia glabrata*. ×29.
 149. Tangential section of *Wendlandia glabrata*, showing heterogeneous rays. ×29.
 150. Cross section of *Rhododendron formosanum*, showing distribution of pores and pith rays. ×29.

PLATE XXVI.

151. Tangential section of *Rhododendron formosanum*. ×29.
 152. Cross section of *Rhododendron Morii*, showing distribution of pores. ×29.
 153. „ „ „ *Ardisia Sieboldii*. ×29.
 154. Tangential section of *Ardisia Sieboldii*, showing high rays. ×29.
 155. Cross section of *Myrsine capitellata*. ×29.
 156. „ „ „ *Palaquium formosanum*, showing metatracheal parenchyma. ×29.

PLATE XXVII.

157. Tangential section of *Palaquium formosanum*. ×29.
 158. Cross section of *Sideroxylon luicuense*, showing metatracheal parenchyma. ×29.
 159. Tangential section of *Sideroxylon luicuense*. ×29.
 160. „ „ „ *Diospyros discolor*, showing uniseriate rays. ×29.
 161. Cross section of *Maba buxifolia*. ×38.
 162. Tangential section of *Alniphyllum pterospermum*. ×29.

PLATE XXVIII.

163. Cross section of *Styrax formosanum*, showing metatracheal parenchyma. ×29.
 164. Tangential section of *Styrax formosanum*. ×29.
 165. Cross section of *Styrax kotoensis*. ×29.
 166. „ „ „ *Symplocos heishanensis*. ×29.
 167. Tangential section of *Fraxinus insularis*, showing homogeneous rays. ×29.
 168. Cross section of *Fraxinus formosanum*, showing metatracheal parenchyma. ×29.

PLATE XXIX.

169. Cross section of *Linociera Cumingiana*. ×29.
 170. Cross section of *Osmanthus lanceolatus*, showing flame-like arrangement of pores. ×29.
 171. „ „ „ *Osmanthus obovatifolius*, showing flame-like arrangement of pores. ×29.
 172. „ „ „ *Cordia Myxa*, showing paratracheal and metatracheal parenchyma. ×29.
 173. „ „ „ *Elretea acuminata*. ×29.
 174. „ „ „ *Elretea macrophylla*, showing arrangement of wood parenchyma. ×29.

PLATE XXX.

175. Cross section of *Elretea longiflora*, showing flame-like arrangement of pores. ×29.
 176. Tangential section of *Tournefortia argentea*, showing arrangement of pith ray cells. ×29.

FIG.

177. Cross section of *Paulownia Kawakamii*, showing distribution of pores and paratracheal parenchyma extending tangentially. ×29.
178. Tangential section of *Paulownia Kawakamii*, showing vessel segments and nearly homogeneous rays. ×38.
179. Cross section of *Paulownia Mikado*, showing distribution of pores. ×29.
180. " " " *Avicennia officinalis*. ×29.

PLATE XXXI.

181. Cross section of *Clerodendron trichotomum*, showing paratracheal parenchyma. ×29.
182. Tangential section of *Premna integrifolia*. ×29.
183. " " " *Vitex heterophylla*, showing nearly homogeneous rays. ×29.
184. Cross section of *Myristica heterophylla*, showing metatracheal parenchyma. ×29.
185. Tangential section of *Myristica heterophylla*. ×29.
186. Cross section of *Actinodaphne citrata*. ×29.

PLATE XXXII.

187. Cross section of *Actinodaphne pedicellata*. ×29.
188. " " " *Beilschmiedia erythrophloia*. ×29.
189. Tangential section of *Beilschmiedia erythrophloia*. ×29.
190. Cross section of *Cinnamomum Camphora*, showing distribution of pores. ×29.
191. Tangential section of *Cinnamomum Camphora*, showing a vessel with bordered pits. ×170.
192. Cross section of *Cinnamomum Kanehirai*, showing distribution of pores plugged with tyloses. ×29.

PLATE XXXIII.

193. Tangential section of *Cinnamomum Kanehirai*, showing vessel segments and secretory cells. ×29.
194. Cross section of *Cinnamomum micranthum*. ×29.
195. Tangential section of *Cinnamomum micranthum*. ×29.
196. Cross section of *Cinnamomum pseudo-Loureirii*, showing distribution of pores. ×29.
197. " " " *Cinnamomum reticulatum*. ×29.
198. " " " *Cryptocarya chinensis*, showing terminal parenchyma. ×29.

PLATE XXXIV.

199. Tangential section of *Cryptocarya chinensis*. ×38.
200. Cross section of *Cryptocarya Konishii*, showing distribution of pores. ×29.
201. " " " *Lindera Oldhami*, showing distribution of pores. ×29.
202. " " " *Sassafras randaiensis*, showing ring-porous arrangement. ×29.
203. Tangential section of *Machilus Kusanoi*. ×29.
204. " " " *Phoebe formosana*, showing distribution of pores and paratracheal parenchyma. ×29.

PLATE XXXV.

Fig.

205. Cross section of *Tetralenia acuminatissima*, showing distribution of pores and paratracheal parenchyma. × 29.
206. „ „ „ *Hernandia peltata*, showing large pores and paratracheal parenchyma. × 29.
207. Tangential section of *Hernandia peltata*, showing vessel segments and homogeneous rays. × 29.
208. Cross section of *Helicia formosana*, showing tangential arrangement of pores and broad rays. × 29.
209. Tangential section of *Helicia formosana*, showing broad rays. × 29.
210. Cross section of *Helicia cochinchinensis*, showing tangential arrangement of pores and broad rays. × 29.

PLATE XXXVI.

211. Cross section of *Daphne arisanensis*. × 29.
212. „ „ „ *Champereia mamillana*. × 29.
213. Tangential section of *Champereia mamillana*, showing cystolith-like cells in pith rays. × 29.
214. Cross section of *Antidesma kotoensis*. × 29.
215. „ „ „ *Bischofia javanica*. × 29.
216. Tangential section of *Bischofia javanica*. × 29.

PLATE XXXVII.

217. Cross section of *Buxus microphylla* var. *sinica*. × 29.
218. „ „ „ *Daphniphyllum glaucescens*. × 29.
219. Tangential section of *Euphorbia Tirucalli*, showing horizontal resin ducts. × 29.
220. Cross section of *Gelonium equoreum*, showing radial arrangement of pores. × 29.
221. Tangential section of *Gelonium equoreum*, showing uniseriate and biseriate rays. × 29.
222. Cross section of *Glochidion Fortunei*. × 29.

PLATE XXXVIII.

223. Cross section of *Macaranga Tanarius*. × 29.
224. „ „ „ *Mallotus cochinchinensis*. × 35.
225. Tangential section of *Mallotus cochinchinensis*. × 35.
226. „ „ „ *Mallotus japonicus*, showing ring-porous arrangement and metatracheal parenchyma. × 29.
227. Cross section of *Artocarpus incisa*, showing paratracheal parenchyma. × 29.
228. „ „ „ *Celtis sinensis*, showing ring-porous arrangement and terminal parenchyma. × 29.

PLATE XXXIX.

229. Tangential section of *Celtis sinensis*. × 29.

FIG.

230. Cross section of *Celtis nervosa*. × 29.
 231. " " " *Oudrania javanensis*, showing pores plugged with well-developed tyloses. × 29.
 232. Tangential section of *Oudrania javanensis*, showing vessel segments plugged with tyloses. × 29.
 233. Cross section of *Ficus retusa*, showing large pores and metatracheal parenchyma. × 29.
 234. Tangential section of *Ficus retusa*, showing pith rays and wood parenchyma cells. × 29.

PLATE XL.

235. Cross section of *Trema orientalis*, showing thin-walled fibers and paratracheal parenchyma. × 29.
 236. Tangential section of *Trema orientalis*. × 29.
 237. Cross section of *Ulmus Uyematsui*, showing arrangement of pores. × 29.
 238. Tangential section of *Zelkova formosana*, showing nearly homogeneous rays. × 29.
 239. Cross section of *Engelhardtia formosana*, showing metatracheal parenchyma. × 29.
 240. Tangential section of *Engelhardtia formosana*. × 29.

PLATE XLI.

241. Cross section of *Juglans formosana*, showing metatracheal parenchyma. × 29.
 242. Tangential section of *Myrica rubra*. × 29.
 243. Cross section of *Casuarina equisetifolia*, showing metatracheal parenchyma. × 29.
 244. " " " *Alnus formosana*, showing distribution of pores. × 29.
 245. Tangential section of *Alnus formosana*, showing uniseriate and aggregate rays. × 29.
 246. Cross section of *Carpinus ranceanensis*, showing radial or diagonal arrangement of pores. × 29.

PLATE XLII.

247. Cross section of *Castanopsis Kawakamii*, showing arrangement of pores and metatracheal parenchyma. × 29.
 248. " " " *Castanopsis taiwaniana*, showing arrangement of pores, metatracheal parenchyma and broad rays. × 29.
 249. " " " *Quercus gilva*, showing arrangement of pores, metatracheal parenchyma and broad rays. × 29.
 250. " " " *Quercus Kawakamii*. × 29.
 251. " " " *Quercus variabilis*, showing ring-porous arrangement. × 29.
 252. " " " *Quercus Jungkuhnii*. × 29.

PLATE XLIII.

253. Cross section of *Quercus dodonaeifolia*, showing distribution of pores. × 29.
 254. " " " *Quercus Konishii*, showing distribution of pores. × 29.
 255. Cross section of *Salix Kusanoi*, showing diagonal arrangement of pores. × 29.

- Fig.
 256. Tangential section of *Salix Kusanoi*. ×29.
 257. " " " *Abies Kuroakamii*. ×38.
 258. " " " *Cephalotaxus Wilsoniana*. ×38.

PLATE XLIV.

259. Radial section of *Cephalotaxus Wilsoniana*. ×170.
 260. Cross section of *Chamaecyparis formosensis*. ×38.
 261. Tangential section of *Chamaecyparis formosensis*, showing pith rays and wood parenchyma cells. ×38.
 262. Radial section of *Chamaecyparis formosensis*. ×170.
 263. Cross section of *Chamaecyparis obtusa*. ×38.
 264. Tangential section of *Chamaecyparis obtusa*. ×38.

PLATE XLV.

265. Radial section of *Chamaecyparis obtusa*. ×170.
 266. Cross section of *Cunninghamia Konishii*. ×38.
 267. Tangential section of *Cunninghamia Konishii*. ×38.
 268. Radial section of *Cunninghamia Kuroakamii*, showing ray pits in both early and late wood. ×170.
 269. Cross section of *Juniperus formosana*, showing wood parenchyma cells zonately arranged. ×38.
 270. Tangential section of *Juniperus formosana*, showing pith rays and tangential bordered pits. ×170.

PLATE XLVI.

271. Cross section of *Keteleeria Davidiana*, showing vertical resin ducts. ×38.
 272. Tangential section of *Keteleeria Davidiana*. ×38.
 273. Radial section of *Keteleeria Davidiana*. ×170.
 274. Cross section of *Libocedrus macrolepis*. ×38.
 275. Tangential section of *Libocedrus macrolepis*. ×38.
 276. Radial section of *Libocedrus macrolepis*. 170.

PLATE XLVII.

277. Cross section of *Picea morrisonicola*, showing vertical resin ducts. ×38.
 278. Tangential section of *Picea morrisonicola*, showing horizontal resin ducts. ×38.
 279. Cross section of *Pinus Armandi*, showing resin ducts with thin-walled epithelium. ×38.
 280. Tangential section of *Pinus Armandi*, showing horizontal resin ducts. ×38.
 281. " " " *Pinus formosana*, showing vertical resin ducts. ×38.
 282. " " " *Pinus Massoniana*. ×38.

PLATE XLVIII.

FIG.

283. Cross section of *Pinus taiwanensis*. ×38.
 284. Tangential section of *Pinus taiwanensis*. ×38.
 285. Radial section of *Pinus taiwanensis*, showing large simple pits in ray parenchyma and ray tracheids with dentate walls. ×170.
 286. Cross section of *Podocarpus macrophylla*. ×38.
 287. Tangential section of *Podocarpus macrophylla*. 38.
 288. Cross section of *Podocarpus Naji*. ×38.

PLATE XLIX.

289. Cross section of *Pseudotsuga Wilsoniana*, showing vertical resin ducts. ×38.
 290. Tangential section of *Pseudotsuga Wilsoniana*, showing horizontal resin ducts. ×38.
 291. Radial section of *Pseudotsuga Wilsoniana*, showing radial bordered pits and spiral thickenings in both early wood tracheids and ray tracheids. ×170.
 292. Cross section of *Taiwania cryptomerioides*. ×38.
 293. Tangential section of *Taiwania cryptomerioides*. ×38.
 294. Radial section of *Taiwania cryptomerioides*, showing radial bordered pits and ray pits. ×170.

PLATE L.

295. Cross section of *Taxus cuspidata*. ×38.
 296. Tangential section of *Taxus cuspidata*. ×38.
 297. Radial section of *Taxus cuspidata*, showing spiral thickenings in wood tracheids. ×170.
 298. Cross section of *Tsuga formosana*, showing aggregate resin cells. ×38.
 299. Tangential section of *Tsuga formosana*. ×38.
 300. Radial section of *Tsuga formosana*, showing radial bordered pits and ray pits. ×170.
-