九州大学学術情報リポジトリ
Kyushu University Institutional Repository

Introducing Viewpoints of Mechanics into Basic Growth Analysis-(XIII) : Comparing Growth Mechanics between Logistic Functions and Basic Growth Functions-

Shimojo, Masataka
Laboratory of Animal Feed Science, Division of Animal Science, Department of Animal and Marine Bioresource Sciences, Faculty of Agriculture, Kyushu University

Shao, Tao
Department of Grassland and Forage Science, College of Animal Sciences and Technology, Nanjing Agricultural University

Ishimatsu, Satoshi
Laboratory of Animal Feed Science, School of Agriculture, Kyushu University

Tanoue, Jun
Laboratory of Animal Feed Science, Graduate School of Bioresource and Bioenvironmental Sciences, Kyushu University

他

https://doi.org/10.5109/16116

出版情報：九州大学大学院農学研究院紀要. 54 (2), pp.361-363, 2009-10-29. Faculty of Agriculture, Kyushu University
バージョン：
権利関係：

KYUSHU UNIVERSITY

J. Fac. Agr., Kyushu Univ., **54** (2), 361–363 (2009)

Introducing Viewpoints of Mechanics into Basic Growth Analysis – (XIII) Comparing Growth Mechanics between Logistic Functions and Basic Growth Functions –

Masataka SHIMOJO*, Tao SHAO, Satoshi ISHIMATSU[1], Jun TANOUE[2], Hidetoshi KAKIHARA[2], Chiemi SATA[2], Hayato FUKUDOME[2], Reiko ISHIWAKA[3], Yoki ASANO[4], Yutaka NAKANO[5], Manabu TOBISA[6] and Yasuhisa MASUDA[7]

Laboratory of Animal Feed Science, Division of Animal Science, Department of Animal and Marine Bioresource Sciences, Faculty of Agriculture, Kyushu University, Fukuoka 812–8581, Japan and Department of Grassland and Forage Science, College of Animal Sciences and Technology, Nanjing Agricultural University, Weigang 1, Nanjing 210095, the People's Republic of China

(*Received April 30, 2009 and accepted July 13, 2009*)

This study was conducted to compare growth mechanics between logistic functions and basic growth functions. The results obtained were as follows. Differential equation for basic growth function showed that the square of growth rate was described using the product of weight and growth acceleration. This form was similar to Newton's law of motion where differential of momentum is described using the product of mass of an object and acceleration. However, differential equation for logistic function took a form that was more complex, due to the existence of additional function, than that for basic growth function. Therefore, only the product of weight and growth acceleration was not sufficient to describe the square of growth rate in the differential equation for logistic function. This insufficiency was compensated by the additional function. This is one of the reasons why logistic functions are more complex than basic growth functions showing increases only. It was suggested from the present study that growth mechanics of logistic functions was more complex than that of basic growth functions.

INTRODUCTION

Basic growth analysis is one of the tools for analyzing growth process of an animal (Brody, 1945) and a plant (Blackman, 1919; Watson, 1952; Radford, 1967; Hunt, 1990). Basic growth function, which is used in basic growth analysis, shows an exponential increase that is applied to a certain period of growth. If longer period of growth process is analyzed, then other functions such as logistic functions are used (Hirata, 2004). Logistic functions give sigmoid curves that may be fitter for growth curves of longer period compared with basic growth functions. Shimojo (2007) and Shimojo *et al*. (2006, 2007a, 2007b, 2008, 2009a, 2009b, 2009c) suggested, by introducing viewpoints of mechanics into basic growth analysis, basic growth mechanics for an animal or a plant on an analogy with Newton's law of motion. In basic growth mechanics, the square of absolute growth rate is described using the product of weight and growth acceleration. This is similar to Newton's law of motion, where differential of momentum is described using the product of mass of an object and acceleration (Kawabe, 2006). It seems to be of interest to investigate what occurs if mechanical viewpoints are applied to logistic functions that are more complex in form than basic growth functions.

The present study was designed to investigate the comparison of growth mechanics between logistic functions and basic growth functions.

COMPARING GROWTH MECHANICS BETWEEN LOGISTIC FUNCTIONS AND BASIC GROWTH FUNCTIONS

(A) Introducing growth mechanics into logistic functions

Logistic function is given as follows (Hirata, 2004),

$$W(t) = \frac{a}{1 + b \cdot \exp(-r \cdot t)} \quad , \tag{1}$$

where W = weight, t = time, a and b = constants, r = rate constant.

Introducing viewpoints of mechanics into logistic function (1) gives

$$\mathrm{GR} = \frac{dW(t)}{dt} = \frac{a \cdot b \cdot r \cdot \exp(-r \cdot t)}{(1 + b \cdot \exp(-r \cdot t))^2} \quad , \tag{2}$$

$$\mathrm{GA} = \frac{d^2W(t)}{dt^2} = \frac{a \cdot b \cdot r^2 \cdot \exp(-r \cdot t) \cdot (b \cdot \exp(-r \cdot t) - 1)}{(1 + b \cdot \exp(-r \cdot t))^3}, \tag{3}$$

where GR = growth rate, GA = growth acceleration.

[1] Laboratory of Animal Feed Science, School of Agriculture, Kyushu University
[2] Laboratory of Animal Feed Science, Graduate School of Bioresource and Bioenvironmental Sciences, Kyushu University
[3] Collaborative Research Scientist, Faculty of Agriculture, Kyushu University
[4] Employed Research Scientist, Miyazaki University, Miyazaki 889–2192, Japan
[5] University Farm, Faculty of Agriculture, Kyushu University
[6] Faculty of Agriculture, Miyazaki University, Miyazaki 889–2192, Japan
[7] Emeritus Professor of Kyushu University
* Corresponding author (E–mail: mshimojo@agr.kyushu–u.ac.jp)

Relating functions (1), (2) and (3) gives the following two functions,

$$\frac{dW(t)}{dt} \Big/ W(t)$$

$$= \frac{b \cdot r \cdot \exp(-r \cdot t)}{1 + b \cdot \exp(-r \cdot t)}, \quad (4)$$

$$\frac{d^2W(t)}{dt^2} \Big/ \frac{dW(t)}{dt}$$

$$= \frac{r \cdot (b \cdot \exp(-r \cdot t) - 1)}{1 + b \cdot \exp(-r \cdot t)}. \quad (5)$$

Function (5) is transformed as follows,

$$\frac{d^2W(t)}{dt^2} \Big/ \frac{dW(t)}{dt} = \frac{r \cdot (b \cdot \exp(-r \cdot t) - 1)}{1 + b \cdot \exp(-r \cdot t)}$$

$$= \frac{dW(t)}{dt} \Big/ W(t) - W(t) \cdot \frac{r}{a}. \quad (6)$$

Thus,

$$\left(\frac{dW(t)}{dt}\right)^2 = W(t) \cdot \frac{d^2W(t)}{dt^2} + (W(t))^2 \cdot \frac{dW(t)}{dt} \cdot \frac{r}{a}. \quad (7)$$

The latter half of the right–hand side of function (7) is transformed as follows,

$$(W(t))^2 \cdot \frac{dW(t)}{dt} \cdot \frac{r}{a}$$

$$= \left(\frac{a}{1 + b \cdot \exp(-r \cdot t)}\right)^2 \cdot \frac{a \cdot b \cdot r \cdot \exp(-r \cdot t)}{(1 + b \cdot \exp(-r \cdot t))^2} \cdot \frac{r}{a}$$

$$= W(t) \cdot \frac{d^2W(t)}{dt^2} \cdot \frac{1}{b \cdot \exp(-r \cdot t) - 1}. \quad (8)$$

Inserting function (8) into the right–hand side of function (7) gives

$$W(t) \cdot \frac{d^2W(t)}{dt^2} + W(t) \cdot \frac{d^2W(t)}{dt^2} \cdot \frac{1}{b \cdot \exp(-r \cdot t) - 1}$$

$$= W(t) \cdot \frac{d^2W(t)}{dt^2} \cdot \left(\frac{b \cdot \exp(-r \cdot t)}{b \cdot \exp(-r \cdot t) - 1}\right). \quad (9)$$

Thus, inserting function (9) into function (7) gives

$$\left(\frac{dW(t)}{dt}\right)^2 = W(t) \cdot \frac{d^2W(t)}{dt^2} \cdot \left(\frac{b \cdot \exp(-r \cdot t)}{b \cdot \exp(-r \cdot t) - 1}\right). \quad (10)$$

Function (10) takes the form of differential equation that is derived from logistic function (1), suggesting growth mechanics for logistic functions.

(B) Introducing growth mechanics into basic growth functions

Basic growth function is given by

$$W(t) = W_0 \cdot \exp(r \cdot t), \quad (11)$$

where W = weight, t = time, $W_0 = W$ at $t = 0$, r = relative growth rate.

Introducing viewpoints of mechanics into basic growth function (11) gives

$$\mathrm{GR} = \frac{dW(t)}{dt} = r \cdot W_0 \cdot \exp(r \cdot t), \quad (12)$$

$$\mathrm{GA} = \frac{d^2W(t)}{dt^2} = r^2 \cdot W_0 \cdot \exp(r \cdot t). \quad (13)$$

$$\frac{dW(t)}{dt} \Big/ W(t) = \frac{d^2W(t)}{dt^2} \Big/ \frac{dW(t)}{dt} = r. \quad (14)$$

Thus,

$$\left(\frac{dW(t)}{dt}\right)^2 = W(t) \cdot \frac{d^2W(t)}{dt^2}. \quad (15)$$

Function (15) is differential equation that is derived from basic growth function (11), suggesting growth mechanics for basic growth functions.

(C) Comparing growth mechanics between logistic functions and basic growth functions

Logistic function and basic growth function are taken up here again,

$$W(t) = \frac{a}{1 + b \cdot \exp(-r \cdot t)}, \quad (1)$$

$$W(t) = W_0 \cdot \exp(r \cdot t). \quad (11)$$

As shown in sections (A) and (B), differential equation derived from logistic function and that from basic growth function are given by

$$\left(\frac{dW(t)}{dt}\right)^2 = W(t) \cdot \frac{d^2W(t)}{dt^2} \cdot \left(\frac{b \cdot \exp(-r \cdot t)}{b \cdot \exp(-r \cdot t) - 1}\right), \quad (10)$$

$$\left(\frac{dW(t)}{dt}\right)^2 = W(t) \cdot \frac{d^2W(t)}{dt^2}. \quad (15)$$

Shimojo (2007) and Shimojo *et al.* (2006, 2007b) suggest that the form of differential equation (15) for basic growth function is similar to that of Newton's law of motion given by

$$\frac{dp}{dt} = m \cdot \frac{d^2r}{dt^2} \quad , \tag{16}$$

where p = momentum, m = mass of an object, r = position, t = time.

This hypothetic similarity suggests that basic growth function is analyzed using growth mechanics, where the square of growth rate is described using the product of weight and growth acceleration as shown in function (15).

However, differential equation for logistic function (10) takes the form that is more complex, due to the existence of additional function (17), than that for basic growth function (15),

$$\frac{b \cdot \exp(-r \cdot t)}{b \cdot \exp(-r \cdot t) - 1} \quad . \tag{17}$$

This difference shows that only the product of weight and growth acceleration is not sufficient to describe the square of growth rate in growth mechanics for logistic functions. This insufficiency is compensated by the additional function (17). This is one of the reasons why logistic functions are more complex than basic growth functions showing increases only.

(G) Conclusions

It is suggested from the present study that growth mechanics of logistic functions is more complex than that of basic growth functions.

REFERENCES

Blackman, V. H. 1919 The compound interest law and plant growth. *Ann. Bot*., **33**: 353–360

Brody, S. 1945 Time relations of growth of individuals and populations. *In* "Bioenergetics and growth – with special reference to the efficiency complex in domestic animals", Reinhold Publishing Corporation, New York, pp. 484–574

Hirata, M. 2004 Correlation and regression analyses. *In* "Field and Laboratory Methods for Grassland Science", ed. by Jap. Soc. Grassl. Sci., Zenkoku Noson Kyoiku Kyokai Publishing Co., Ltd., Tokyo, pp. 545–549 (written in Japanese)

Hunt, R. 1990 *Basic Growth Analysis*. Unwin Hyman Ltd., London.

Kawabe, T. 2006 *Standard Mechanics*. Shokabo Publishing Co., Ltd., Tokyo. (written in Japanese)

Radford, P. J. 1967 Growth analysis formulae–their use and abuse. *Crop Sci*., **7**: 171–175

Shimojo, M., K. Ikeda, Y. Asano, R. Ishiwaka, H. Sato, Y. Nakano, M. Tobisa, N. Ohba, M. Eguchi and Y. Masuda 2006 Introducing viewpoints of mechanics into basic growth analysis – (I) Three aspects of growth mechanics compared with three laws of motion –. *J. Fac. Agr., Kyushu Univ*., **51**: 285–287

Shimojo, M. 2007 Introducing viewpoints of mechanics into basic growth analysis – (IV) Hypothetic aspects of growth mechanics compared with momentum, impulse and kinetic energy in motion –. *J. Fac. Agr., Kyushu Univ*., **52**: 73–75

Shimojo, M., K. Ikeda, Y. Asano, R. Ishiwaka, H. Sato, Y. Nakano, M. Tobisa, N. Ohba, M. Eguchi and Y. Masuda 2007a Introducing viewpoints of mechanics into basic growth analysis – (III) Applying growth force and leaf–light complex to production and digestion analyses of forages –. *J. Fac. Agr., Kyushu Univ*., **52**: 69–72

Shimojo, M., Y. Asano, R. Ishiwaka, H. Sato, Y. Nakano, M. Tobisa, N. Ohba, M. Eguchi and Y. Masuda 2007b Introducing viewpoints of mechanics into basic growth analysis – (VI) Some solutions to a simple differential equation associated with growth mechanics –. *J. Fac. Agr., Kyushu Univ*., **52**: 361–365

Shimojo, M., T. Shao and Y. Masuda 2008 Introducing viewpoints of mechanics into basic growth analysis – (VII) Mathematical properties of basic growth mechanics in ruminant –. *J. Fac. Agr., Kyushu Univ*., **53**: 453–458

Shimojo, M., M. F. Youssef and Y. Masuda 2009a Introducing viewpoints of mechanics into basic growth analysis – (VIII) Applying basic growth mechanics to ruminants, forages and related problems –. *J. Fac. Agr., Kyushu Univ*., **54**: 133–136

Shimojo, M., Y. Asano, R. Ishiwaka, Y. Nakano, M. Tobisa, N. Ohba, M. Eguchi and Y. Masuda 2009b Introducing viewpoints of mechanics into basic growth analysis – (IX) Hypothetic quasi–four–dimensional growth mechanics –. *J. Fac. Agr., Kyushu Univ*., **54**: 137–139

Shimojo, M., T. Shao, J. Tanoue, H. Kakihara, C. Sata, H. Fukudome, R. Ishiwaka, Y. Asano, Y. Nakano, M. Tobisa and Y. Masuda 2009c Introducing viewpoints of mechanics into basic growth analysis – (XI) Negative weight problem in basic growth functions and its hypothetic avoidance by sign reversal of relative growth rate, space inversion and time reversal –. *J. Fac. Agr., Kyushu Univ*., **54**: 353–355

Watson, D. J. 1952 The physiological basis of variation in yield. *Adv. Agron*., **4**: 101–145