

TENEBRIONIDAE OF THE NANSEI ISLANDS II (COLEOPTERA)

Chujo, Michitaka

<https://doi.org/10.5109/2367>

出版情報 : ESAKIA. 10, pp.1-19, 1977-02-15. Hikosan biological laboratory, Faculty of
Agriculture, Kyushu University

バージョン :

権利関係 :

TENEBRIONIDAE OF THE NANSEI ISLANDS II
(COLEOPTERA)*

MICHITAKA CHÛ JÔ

Hikosan Biological Laboratory, Faculty of Agriculture,
Kyushu University, Hikosan, Fukuoka 824-07, Japan

Synopsis: Nine species of the Tenebrionidae are newly recorded from Nakanoshima I., 3 from Akusekijima I., 1 from Takarajima I., 1 from Kikaijima I., 4 from Amami-Oshima I., 7 from Tokunoshima I. and 6 from Okinoerabujima I. Three new taxa are *Tetraphyllus lunuliger* **Zaevis** from Amami-Oshima I., Tokunoshima I. and Okinawa I., **Phaedis (Phaedis) helopioides amamianus** from Amami-Oshima I. and *Plesiophthalmus* **makiharai** from Tokunoshima I.

NAKANOSHIMA I.

Opatrini

1. *Gonocephalum okinawanum* M. T. Chûjô, 1963
Spec. exam.: None (recorded by Z. Kaszab, 1964).

Bolitophagini

- †2. *Byrsax niponicus* Lewis, 1894
Spec. exam.: 1 ex., Nakanoshima I., Nansei Is., Japan, 2. vii. 1973,
H. Irie leg.

Diaperini

3. *Diaperis sanguinipennis sinensis* Gebien, 1925

* Contribution from the Hikosan Biological Laboratory, Faculty of Agriculture, Kyushu University, Hikosan (Ser. 2, No. 51).

† The dagger shows that the species has hitherto been unrecorded from the island.

- Spec. exam.: 3 exs., Nakanoshima, Is. Tokara, 7. vii. 1960, M. Sato leg.; 3 exs., id., 9. vii. 1960, M. Sato leg.; 1 ex., Nakanoshima, Toshima vill., Kagoshima pref., 24. vi. 1973, H. Makihara leg. ; 2 exs., Nakanoshima, Nansei Is., Japan, 2. vii. 1973, H. Irie leg.
4. *Platydema marseuli* Lewis, 1894
Spec. exam.: 1 ex., Nakanoshima, Tokara Is., 13. vii. 1960, Y. Hama leg.; 2 exs., Nakanoshima, Nansei Is., Japan, 27. vi. 1973, H. Irie leg. ; 1 ex., id., 2. vii. 1973, H. Irie leg.
5. *Platydema pallidicolle* (Lewis, 1894)
Spec. exam.: 2 exs., Nakanoshima Is., Tokara, 5. vii. 1960, M. Sato leg.
- †6. *Platydema recticorne* Lewis, 1894
Spec. exam.: 3 exs., Nakanoshima, Is. Tokara, 5. vii. 1960, M. Sato leg.
7. *Platydema subfascia subfascia* (Walker, 1858)
Spec. exam.: 19 exs., Nakanoshima, Is. Tokara, 5. vii. 1960, M. Sato leg.; 10 exs., id., 7. vii. 1960, M. Sato leg.; 2 exs., Nakanoshima, Toshima vill., Kagoshima pref., 24. vi. 1973, H. Makihara leg.; 2 exs., Nakanoshima, Nansei Is., Japan, 1. vii. 1973, H. Irie leg. ; 1 ex., id., 26. iv. 1975, H. Irie leg. ; 3 exs., id., 1. v. 1975, H. Irie leg.
- †8. *Basanus amamianus* M. T. Chûjô, 1966
Spec. exam.: 6 exs., Is. Nakanoshima, Tokara, 24. vii. 1969, M. Sakai leg.; 1 ex., Nakanoshima, Nansei Is., Japan, 2. vii. 1973, H. Irie leg.
9. *Ceropria induta induta* (Wiedemann, 1819)
Spec. exam. : 1 ex., Nakanoshima, Is. Tokara, 5. vii. 1960, M. Sato leg.; 1 ex., id., 7. vii. 1960, M. Sato leg. ; 1 ex., Nakanoshima Is., Tokara-Islands, 28. vii. 1964, S. Ohga leg.; 2 exs., id., 28. vii. 1964, S. Ohga leg. ; 1 ex., Nakanoshima, Toshima vill., Kagoshima pref., 24. vi. 1973, H. Makihara leg. ; 4 exs., id., 25. vi. 1973, H. Makihara leg.; 2 exs.(at light), id., 25. vi. 1973, H. Makihara leg.; 2 exs., Nakanoshima, Nansei Is., Japan, 1. v. 1975, H. Irie leg.; 4 exs., Nakanoshima, Kagoshima, Japan, 19-20. vii. 1975, H. Makihara leg.; 1 ex., id., 9-10. viii. 1975, H. Makihara leg.
- †10. *Ceropria laticollis* Fairmaire, 1903
Spec. exam.: 1 ex., Nakanoshima, Toshima vill., Kagoshima pref., 5. iv. 1974, H. Makihara leg.
11. *Pentaphyllus philippinensis* Kaszab, 1956
Spec. exam.: 4 exs., Nakanoshima, Is. Tokara, 5. vii. 1960, M. Sato leg.; 1 ex., id., 11. vii. 1960, M. Sato leg.; 7 exs., Nakanoshima, Nansei Is., Japan, 4. iv. 1974, H. Irie leg.

Phrenapatini

12. **Tagalus tokaranus** Nakane, 1963
Spec. exam.: 1 ex., Nakanoshima, Tokara Is., Japan, 18. v. 1964, H. Shima leg.

Ulomini

- †13. **Tribolium (Tribolium) castaneum** (Herbst, 1797)
Spec. exam.: 12 exs., Nakanoshima, Nansei Is., Japan, 27. vi. 1973, H. Irie leg.
14. **Uloma excisa excisa** Gebien, 1913
Spec. exam. : 1 ex., Nakanoshima, Is. Tokara, 5. vii. 1960, M. Sato leg. ; 1 ex., id., 13. vii. 1960, M. Sato leg. ; 12 exs., Is. Nakanoshima, Tokara Islands, 24. v. 1962, M. Sato leg. ; 1 ex., id., 24. vii. 1964, A. Tanaka leg. ; 1 ex., Sokonashinuma, Tokara Is., Japan, 24. vii. 1964, H. Shima leg.; 3 exs., Nakanoshima, Nansei Is., Japan, 1. vii. 1973, H. Irie leg.; 7 exs., id., 2. vii. 1973, H. Irie leg. ; 3 exs., id., 27. iv. 1975, H. Irie leg.
15. **Alphitobius laevigatus** (Fabricius, 1781)
Spec. exam.: None (recorded by Z. Kaszab, 1964).
16. **Eutochia lateralis** (Boheman, 1858)
Spec. exam.: None (recorded by T. Nakane, 1963).
17. **Hypophloeus (Paraphloeus) gentilis** (Lewis, 1894)
Spec. exam. : 1 ex., Nakanoshima, Nansei Is., Japan, 2. vii. 1973, H. Irie leg.; 2 exs., id., 30. iv. 1975, H. Irie leg.

Tenebrionini

18. **Menephilus arciscelis** Marseul, 1876
Spec. exam. : 1 ex., Nakanoshima, Nansei Is., Japan, 1. vii. 1973, H. Irie leg.; 1 ex., id., 27. iv. 1975, H. Irie leg.
19. **Cryphaeus punctulatus** (Lewis, 1894)
Spec. exam.: None (recorded by T. Nakane, 1963).
20. **Cryphaeus satoi** Kaszab, 1964
Spec. exam.: 1 ex.(holotype), Nakanoshima, Tokara Is., 13. vii. 1960, Y. Hama leg.; 1 ex., Nakanoshima, Toshima vill., Kagoshima pref., 24. vi. 1973, H. Makihara leg. ; 2 exs., Nakanoshima, Nansei Is., Japan, 1. vii. 1973, H. Irie leg.; 1 ex., id., 2. vii. 1973, H. Irie leg. ; 3 exs., id., 27. iv. 1975, H. Irie leg. ; 2 exs., id., 29. iv. 1975, H. Irie leg.; 1 ex., Nakanoshima, Kagoshima, Japan, 19-20. vii. 1975, H. Makihara leg.

Cnodalonini

- †21 **Hemicera alternata nodokai** Nakane, 1963
Spec. exam.: 2 exs., Nakanoshima Is., Tokara-Islands, 28. vii. 1964, S. Ohga leg.; 1 ex., Nakanoshima, Nansei Is., Japan, 1. vii. 1973, H. Irie leg.; 1 ex., id., 5. iv. 1974, H. Irie leg.; 1 ex., id., 27. iv. 1975, H. Irie leg.; 3 exs., id., 1. v. 1975, H. Irie leg.; 1 ex., Nakanoshima, Kagoshima, Japan, 19-20. vii. 1975, H. Makihara leg.
- †22. **Phaedis (Phaedis) helopioides purpurascens** Nakane, 1968
Spec. exam.: 2 exs., Nakanoshima, Nansei Is., Japan, 2. vii. 1973, H. Irie leg.; 9 exs., id., 4. vii. 1973, H. Irie leg.; 1 ex., id., 6. iv. 1974, H. Irie leg.; 3 exs., id., 1. v. 1975, H. Irie leg.; 1 ex., id., 2. v. 1975, H. Irie leg.; 2 exs., Nakanoshima, Kagoshima, Japan, 19-20. vii. 1975, H. Makihara leg.; 1 ex., id., 9-10. viii. 1975, H. Makihara leg.
23. **Obriomaia palpalis palpaloides** Nakane, 1963
Spec. exam.: 4 exs., Nakanoshima, Toshima vill., Kagoshima pref., 24. vi. 1973, H. Makihara leg.; 2 exs., id. 26. vi. 1973, H. Makihara leg.; 2 exs., Nakanoshima, Nansei Is., Japan, 1. vii. 1973, H. Irie leg.; 1 ex., id., 2. vii. 1973, H. Irie leg.; 1 ex., Nakanoshima, Kagoshima, Japan, 19-20. vii. 1975, H. Makihara leg.
- †24. **Obriomaia semiviolacea** Nakane, 1968
Spec. exam. : 1 ex., Nakanoshima, Nansei Is., Japan, 1. vii. 1973, H. Irie leg.; 3 exs., id., 2. vii. 1973, H. Irie leg.; 1 ex., id., 27. iv. 1975, H. Irie leg.; 1 ex., Nakanoshima, Kagoshima, Japan, 19-20. vii, 1975, H. Makihara leg.

Misolampini

25. **Paramisolampidius tokarensis** (Nakane, 1963)
Spec. exam. : 1 ex.(holotype), Nakanoshima, Is. Tokara, 13. vii. 1960, M. Sato leg.; 1 ex., Nakanoshima, Nansei Is., Japan, 2. vii. 1973, H. Irie leg.; 1 ex., id., 28. iv. 1975, H. Irie leg.

Helópiini

26. **Tarpela brunnea konoi** Nakane, 1963
Spec. exam. : 2 exs., Nakanoshima, Nansei Is., Japan, 6. iv. 1974, H. Irie leg.; 2 exs., id., 28. iv. 1975, H. Irie leg.; 1 ex., id., 30. iv. 1975, H. Irie leg.

Strongyliini

27. **Strongylium cultellatum** Mäklin, 1866
Spec. exam. : None (recorded by Z. Kaszab, 1964).

- †28. **Strongylium marseuli marseuli** Lewis, 1894
 Spec. exam.: 1 ex., Nakanoshima, Toshima vill., Kagoshima pref.,
 24. vi. 1973, H. Makihara leg. ; 1 ex., Nakanoshima, Nansei Is., Japan,
 27. vi. 1973, H. Irie leg. ; 2 exs., id., 30. vi. 1973, H. Irie leg.

AKUSEKI JIMA I.

Diaperini

- †1. **Diaperis sanguinipennis sinensis** Gebien, 1925
 Spec. exam. : 1 ex., Akuseki-jima, Tokara Is., 30. vii. 1969, M. Sato
 leg.
 †2. **Ceropria induta induta** (Wiedemann, 1819)
 Spec. exam. : 1 ex., Akuseki-jima, Tokara Is., 19. v. 1962, M. Sato
 leg.

Misolampini

- †3. **Paramisolampidius tokarensis** (Nakane, 1963)
 Spec. exam.: 1 ex., Akuseki-jima, Tokara Is., 17. v. 1962, M. Sato
 leg.

TAKARA JIMA I.

Opatrini

1. **Gonocephalum moluccanum** Blanchard, 1853
 Spec. exam. : 1 ex., Takarajima, Is. Tokara, 2. vii. 1960, M. Sato
 leg. ; **2 exs.**, id., 2. vii. 1960, Y. Hama leg. ; 1 ex., id., 3. vii. 1960,
 M. Sato leg. ; 2 exs., Takarajima, Tokara Is., Japan, 13. vii. 1964,
 S. Oga leg. ; **2 exs.**, id., 18. vii. 1964, H. Shima leg. ; 1 ex., Takarashima-
Is., Tokara-Islands, 20. vii. 1964, S. Ohga leg. ; 2 exs., Oike, Takarajima,
 Tokara Is., Japan, 21. vii. 1964, S. Oga leg.
2. **Gonocephalum okinawanum** M. T. Chûjô, 1963
 Spec. exam.: 1 ex.(holotype), Hentona, Okinawa Is., Ryukyus, 28.
 iv. 1958, K. Iha leg. ; 5 exs.(paratypes), Takarajima, Is. Tokara, 2.
 vii. 1960, M. Sato leg. ; 1 ex., Takarajima, Tokara Is., Japan, 18. vii.
 1964, Y. Hama leg.
3. **Gonocephalum takara** Nakane, 1963
 Spec. exam.: 2 exs.(holo- & paratypes), Takarajima, Tokara Is., 2.
 vii. 1960, Y. Hama leg. ; 2 exs.(1 paratype), Takarajima, Is. Tokara,
 2. vii. 1960, M. Sato leg. ; 1 ex., id., 3. vii. 1960, M. Sato leg. ; 3 exs.

(paratypes), Is. Takarajima, Tokara Islands, 2. vi. 1962, M. Sato leg. ; 1 ex., Takarajima, Tokara Is., Japan, 16. vii. 1964, A. Tanaka leg. ; 2 exs., id., 17. vii. 1964, H. Shima leg. ; 1 ex., Takarajima-Is., Tokara-Islands, 13. vii. 1964, A. Tanaka leg. ; 3 exs., id., 17. vii. 1964, A. Tanaka leg. ; 1 ex., id., 20. vii. 1964, S. Ohga leg.

4. *Caedius maderi* Kaszab, 1964

Spec. exam. : 6 exs., Takarajima, Is. Tokara, 2. vii. 1960, M. Sato leg. ; 18 exs., id., 3. vii. 1960, M. Sato leg. ; 1 ex., Takarajima, Tokara Is., Japan, 18. vii. 1964, H. Shima leg.

Trachyscelini

5. *Trachyscelis chinensis* Champion, 1894

Spec. exam.: None (recorded by Z. Kaszab, 1964)

Phalerini

†6. *Micropedinus algae* Lewis, 1894

Spec. exam. : 1 ex., Takarajima, Is. Tokara, 3. vii. 1960, M. Sato leg.

Diaperini

7. *Diaperis sanguinipennis sinensis* Gebien, 1925

Spec. exam. : 1 ex., Takarajima, Tokara Is., 2. vii. 1960, Y. Hama leg.

8. *Platydema pallidicolle* (Lewis, 1894)

Spec. exam. : 2 exs., Takarajima, Is. Tokara, 3. vii. 1960, M. Sato leg.

9. *Platydema subfascia subfascia* (Walker, 1894)

Spec. exam. : 1 ex., Takarajima, Is. Tokara, 2. vii. 1960, M. Sato leg.

10. *Ceropria induta induta* (Wiedemann, 1819)

Spec. exam.: 2 exs., Takarajima-Is., Tokara-Islands, 15. vii. 1964, H. Shima leg.

11. *Pentaphyllus philippinensis* Kaszab, 1956

Spec. exam.: None (recorded by T. Nakane, 1968)

Ulomini

12. *Eutochia lateralis* Boheman, 1859

Spec. exam.: None (recorded by Z. Kaszab, 1964).

Cnodalonini

13. **Phaedis (Phaedis) helopioides purpurascens** Nakane, 1968
Spec. exam.: 3 exs., Takarajima, Tokara Is., Japan, 22. vi. 1973,
H. Makihara leg.

Strongyliini

14. **Strongylium cultellatum** Mäklin, 1866
Spec. exam.: 1 ex., Takarajima, Tokara Is., 3. vii. 1960, Y. Hama
leg.

KIKAI JIMA I.

Diaperini

- †1. **Platydemia marseuli** Lewis, 1894
Spec. exam. : 1 ex., Kikaijima, Amami Is., Ryukyus, 20. v. 1973,
H. Makihara leg.

AMAMI-OSHIMA I.

Pedinini

1. **Diphyrrhinchus shibatai** Kaszab, 1964
Spec. exam.: 2 exs., Asani, Amami Is., 19. v. 1960, T. Shibata leg.
2. **Mesomorphus villiger** (Blanchard, 1853)
Spec. exam. : 1 ex., Shinmura, Amami-Oshima, Japan, 23. vii. 1954,
S. Miyamoto & Y. Hirashima leg.

Opatrini

3. **Gonocephalum coriaceum** Motschulsky, 1857
Spec. exam.: None (recorded by Z. Kaszab, 1952).
4. **Gonocephalum okinawanum** M. T. Chûjô, 1963
Spec. exam.: **2 exs.**, Akagina, Amami-Oshima, 17. vii. 1954, S.
Miyamoto & Y. Hirashima leg. ; 1 ex., Asani, Amami Is., 19. v.
1960, T. Shibata leg.

Phalerini

5. **Micropedinus pallidipennis** Lewis, 1894
Spec. exam.: 3 exs., Asani, Amami Is., 19. v. 1960, T. Shibata leg. ;
1 ex., Ikari, Amami Is., 21. v. 1960, T. Shibata leg.

6. *Epiphalaria atriceps* Lewis, 1894

Spec. exam.: 7 exs., Asani, Amami Is., 19. v. 1960, T. Shibata leg.

Bolitophagini

†7. *Dicraeosis carinatus carinatus* Gebien, 1913

Spec. exam. : 1 ex., Ôgachi, Amami, Ryukyu Is., 26. iv. 1968, H. Makihara leg. ; 9 exs., Nishinakama, Amami, Ryukyu, 26-28. vii. 1969, H. Makihara leg. ; 6 exs., id., 3-5. vii. 1969, H. Makihara leg.; 3 exs., Hatsuno, Amami-Oshima, Kagoshima, Japan, 30. vi. 1975, H. Makihara leg. ; 1 ex., Nishinakama; Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.

8. *Byrsax niponicus* Lewis, 1894

Spec. exam.: None (recorded by Z. Kaszab, 1964).

Diaperini

9. *Diaperis lewisi* intersecta Gebien, 1913

Spec. exam.: 4 exs.: Naze, Amami-Oshima, 19. vii. 1954, S. Miyamoto & Y. Hirashima leg.

10. *Scaphidema kondoi* Nakane, 1968

Spec. exam.: None (recorded by T. Nakane, 1968).

11. *Scaphidema pictipenne* Lewis, 1894

Spec. exam. : 1 ex., Ikari, Amami Is., 22. v. 1960, T. Shibata leg.; 1 ex., Mt. Takada-yama, Amami-Oshima, Nansei Is., Japan, 15. iv. 1970, H. Irie leg.

12. *Platydema fumosum kawaii* Nakane, 1968

Spec. exam. : 1 ex., Hatsuno, Amami-Oshima, 25. v. 1960, T. Shibata leg.

nec. *P. fumosum* Lewis ; M. T. Chûjô, 1966, Jour. Fac. Agr. Kyushu Univ. 14 (1): 11-12.

13. *Platydema marseuli* Lewis, 1894

Spec. exam. : 1 ex., Ikari, Amami Is., 4. vi. 1960, T. Shibata leg.; 1 ex., Hatsuno, Amami I., Ryukyus, 19. iv. 1974, H. Makihara leg.

14. *Platydema pallidicolle* (Lewis, 1894)

Spec. exam.: 11 exs., Yuwan—Shinmura, Amami-Oshima, 22. vii. 1954, S. Miyamoto & Y. Hirashima leg.

15. *Platydema subfascia subfascia* (Walker, 1858)

Spec. exam.: 2 exs., Ikari, Amami Is., 11. v. 1960, T. Shibata leg.; 2 exs., id., 17. v. 1960, T. Shibata leg.; 2 exs., id., 18. v. 1960, T. Shibata leg. ; 1 ex., id., 22. v. 1960, T. Shibata leg. ; 1 ex., Nishinakama, Amami-Oshima, Japan, 1-4. vii. 1975, H. Makihara leg.

16. *Basanus amamianus* M. T. Chûjô, 1966
Spec. exam.: 6 exs. (holo- & paratypes), Ikari, Amami-Oshima, 22. v. 1960, T. Shibata leg.
NOTE: From this island Z. Kaszab recorded *B. presuturalis* Pic in 1964 based on a specimen collected by Mr. T. Shibata (Ikari, Amami-Oshima, 22. v. 1960). But later I got an opportunity to examine 6 specimens collected at the same time with the one which was examined by Z. Kaszab. As a result I concluded that these specimens should be separated from *B. presuturalis* Pic, and I treated them as a new taxon named *B. amamianus* in my previous paper (1966, Jour. Fac. Agr., Kyushu Univ. 14 (1) : 13-14, Pl. I & II.). So I like to omit the record of *B. presuturalis* Pic from this island.
17. *Ceropria induta induta* (Wiedemann, 1819)
Spec. exam.: 2 exs., Nishinakama, Amami, Ryukyu, 26-28. vii. 1969, H. Makihara leg. ; 1 ex., Hatsuno, Amami I., Ryukyus, 19. iv. 1974, H. Makihara leg.; 1 ex., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.; 2 exs., Nishinakama, Amami I., Ryukyus, 10. iv. 1976, H. Makihara leg.
18. *Addia latior* Nakane, 1963
Spec. exam. : 1 ex., Yuwandake, Amami-Oshima, 29. vii. 1963, J. L. Gressitt leg. ; 2 exs., id., 30. vii. 1963, Y. Hirashima leg. ; 1 ex., id., 6. viii. 1963, T. Okada leg.

Leiochrini

19. *Derispia japonica* Kaszab, 1961
Spec. exam.: 2 exs., Ikari, Amami I., 3. vii. 1961, K. Yamada leg.; 1 ex., (Mt.) Yuwan-dake, 300-600 m, Amami-Oshima I., 29. vii. 1963, J. L. Gressitt leg.
20. *Derispia klapperichi* Kaszab, 1942
Spec. exam.: None (recorded by M. Miyatake, 1961).

Ulomini

21. *Gnathocerus cornutus* Fabricius, 1798
Spec. exam.: 1 ex., Naze, Amami-Oshima, 12. vii. 1933, T. Esaki & K. Yasumatsu leg.
22. *Tribolium (Tribolium) castaneum* (Herbst, 1797)
Spec. exam. : 1 ex., Santaro-pass, Amami-Is., 7. v. 1960, T. Shibata leg.
23. *Uloma excisa excisa* Gebien, 1913

- Saec. exam.: 1 ex., Ohgachi, Amami, Ryukyu Is., 26. iv. 1968, H. Makihara leg. ; 3 exs., Ashikebu, Amami-Oshima, Nansei Is., Japan, 27. v. 1970, H. Makihara leg. ; 3 exs., id., 9. vi. 1970, H. Makihara leg.; 2 exs., Hatsuno, Amami-Oshima, Nansei Is., Japan, 9. iv. 1972, H. Irie leg.; 3 exs., id., 18. iv. 1974, H. Makihara leg.; 6 exs., id., 19. iv. 1974, H. Makihara leg. ; 1 ex., Yuwan-dake, Amami-Oshima, Kagoshima, Japan, 28-29. vi. 1975, H. Makihara leg.; 2 exs., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg. ; 27 exs., Nishinakama, Amami I., Ryukyus, 10. iv. 1976, H. Makihara leg. ; 4 exs., id., 11. iv. 1976, H. Mikihara leg.
24. *Uloma ichoi* Nakane, 1956
Spec. exam. : 1 ex., Naze, Amami Is., 5. v. 1960, T. Shibata leg.; 1 ex., Ashikebu, Amami, Ryukyu Is., 23. iv. 1968, H. Makihara leg.
- †25. *Alphitobius diaperinus* (Panzer, 1797)
Spec. exam. : 1 ex.(light trap), Nishinakama, Amami I., Ryukyus, 7. vi. 1970, H. Makihara leg.
26. *Leptoscapa unifasciata* Kaszab, 1964
Spec. exam. : 1 ex.(holotype), Ikari, Amami-Oshima, 22. v. 1960, T. Shibata leg.; 1 ex.(paratype), id., 30. vi. 1960, T. Shibata leg.
27. *Hypophloeus* (*Paraphloeus*) *amamiensis* Kaszab, 1964
Spec. exam. : 2 exs.(holo- & paratype), Kominato, Amami Is., 29. v. 1960, K. Yamada leg.

Tenebrionini

28. *Setenis oshimanus* Miwa, 1935
Spec. exam. : 3 exs., Nishinakama, Amami, Ryukyu, 1-7. vi. 1970, H. Makihara leg. ; 1 ex., Naze, Amami I., Ryukyus, 27. vi. 1973, H. Makihara leg. ; 1 ex.(light), Naze, Amami-Oshima, Kagoshima, Japan, 3. vii. 1975, H. Makihara leg.
29. *Menephilus arciscelis* Marseul, 1876
Spec. exam.: 1 ex., Sakibaru, Amami Is., 26. vi. 1960, T. Shibata leg. ; 1 ex., Nishinakama, Amami, Ryukyu, 1-7. vi. 1970, H. Makihara leg.; 2 exs., Hatsuno, Amami I., Ryukyus, 19. iv. 1974, H. Makihara leg. ; 1 ex., Nishinakama, Amami I., Ryukyus, 10. iv. 1976, H. Makihara leg.
- †30. *Catapiestus subrufescens* Pic, 1911
Spec. exam. : 1 ex., Mt. Yuwan-dake 300-600 m, Amami Oshima I., 29. vii. 1963, J. L. Gressitt leg. ; 1 ex., Nishinakama, Amami I., Ryukyus, 10. iv. 1976, H. Makihara leg.
31. *Cryphaeus satoi* Kaszab, 1964

Spec. exam. : 1 ex., Nishinakama, Amami I., Ryukyus, 23. v. 1973, H. Makihara leg.

Cnodalonini

32. *Tetraphyllus amamiensis* Kaszab, 1964

Spec. exam. : 1 ex., Nase, Amami, Ryukyu Is., 7. viii. 1969, H. Makihara leg.; 3 exs., Naze, Amami-Oshima, Nansei Is., Japan, 26. v. 1970, H. Makihara leg. ; 2 exs., Nishinakama, Amami, Ryukyu, 1-7. vi. 1970, H. Makihara leg.; 2 exs., Hatsuno, Amami-Oshima, Nansei Is., Japan, 3. vii. 1970, H. Irie leg.; 1 ex., id., 9. iv. 1972, H. Irie leg.; 1 ex., Hatsuno, Amami-I., Ryukyus, 12. iv. 1976, H. Makihara leg.

33. *Tetraphyllus lunuliger laevis* subsp. **nov.**

These specimens examined here are closely related to *T. lunuliger* (Marseul, 1876), but may clearly be separated from the latter through the following characters :

T. lunuliger lunuliger

Upper surface densely, strongly punctured ; propleura strongly rugose ; in metasternum apical triangle area which is separated by metafemoral line strongly rugose ; metepisternum roughly punctured ; parameres of male genitalia gently deflexed.

Length : 5.2-6.5 mm. Width : 3.6-4.5 mm.

Distribution : Honshu, Shikoku, Kyushu, Tanegashima I. & Yakushima I.

T. lunuliger laevis

Upper surface sparsely, weakly punctured ; propleura nearly smooth ; in metasternum apical triangle area which is separated by metafemoral line very feebly rugose ; metepisternum very sparsely aciculate ; parameres of male genitalia reflexed.

Length : 5.6-6.9 mm. Width : 4.0-5.0 mm.

Distribution : Amami-Oshima I., Tokunoshima I. & Okinawa I.

Type materials : Holotype ♂ (Type No. 2059, Kyushu Univ.), Nishinakama, Amami I., Ryukyus, IO. iv. 1976, H. Makihara leg. Paratopotypes: ♂ & ♀, 23. v. 1973, H. Makihara leg. ; ♀, same data as holotype. Paratypes : 2s ♂ & ♀, Inokawa, Tokunoshima., Ryukyu, 28-31. v. 1970, H. Makihara leg.; 5♂♂ & ♀, Oku, Okinawa I., Nansei Is., Japan, 31. v. 1974, H. Irie leg.; ♀, Mt. Nago-dake, Okinawa I., Nansei Is., Japan, 5. vi. 1974, H. Irie leg. ; ♂ & ♀, Hiji, Okinawa I., Nansei Is., Japan, 6. iv. 1975, H. Irie leg.

Type depository : Holotype is preserved in the Entomological Laboratory, Faculty of Agriculture, Kyushu University.

34. *Hemicera alternata nodokai* Nakane, 1963
Spec. exam. : 1 ex., Ikari, Amami Is., 6. v. 1960, T. Shibata leg.; 3 exs., Ashikebu, Amami, Ryukyu Is., 25. iv. 1968, H. Makihara leg.; 1 ex., Hatsuno, Amami I., Ryukyus, 17. iv. 1974, H. Makihara leg.; 1 ex., Naze, Amami I., Ryukyus, 20. iv. 1974, H. Makihara leg.; 2 exs., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.
35. *Hemicera* f. *ukiensis* Kaszab, 1951
Spec. exam.: 1 ex., Nishinakama, Amami, Ryukyu, 26-28. vii. 1969, H. Makihara leg.; 3 exs., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.
36. *Phaedis* (*Phaedis*) *helopioides amamianus* subsp. nov.

Z. Kaszab (1964) and I (1966) recorded *P. (P.) helopioides* Pascoe from this island. But later I reexamined the specimens treated by them, and as a result I came to the conclusion that these specimens should be separated from *helopioides*. Therefore, the population from Amami-Oshima I. is described here as *P. (P.) helopioides amamianus*.

On the other hand, T. Nakane described *P. (P.) helopioides purpurascens* based on the specimens collected on Takarajima I., Amami-Oshima I. and Tokunoshima I. in 1968. The two forms, so far as the specimens from Amami-Oshima I. are concerned, may be separated from each other by the following characters:

P. (P.) helopioides purpurascens

Generally larger than *amamianus* in size (length: 7.1-10.3mm. width: 3.0-4.4 mm.) ; punctures on vertex to occiput denser; pronotal margin moderately rounded ; elytra comparatively strongly aciculate ; parameres of male genitalia weakly reflexed from their bases.

Distribution : Takarajima I. & Tokunoshima I.

P.(P.) helopioides amamianus

Generally smaller than *purpurascens* in size (length : 6.3-9.6 mm. width : 2.7-4.0 mm.) ; punctures on vertex to occiput sparser; pronotal margin very weakly rounded ; elytra very feebly, sparsely aciculate ; parameres of male genitalia continuously, roundly deflexed from body of genitalia.

Distribution : Amami-Oshima I.

Type materials : Holotype ♂ (Type No. 2060, Kyushu Univ.), Yuwandake, Amami I., Ryukyus, 11. v. 1972, Y. Yoshiyasu leg. Paratypes: ♂ & 2 ♀♀, Ashikebu, Amami, Ryukyu, 27. v. 1970, H. Mikihara leg.; ♂, Nishinakama, Amami, Ryukyu, 1-7. vi. 1970, H. Makihara leg. ; 2 ♂♂, Hatsuno, Amami, Ryukyu, 5. vi. 1970, H. Makihara leg. ; ♂, Nishinakama,

Amami I., Ryukyus, 22. v. 1973, H. Makihara leg. ; ♀, Mt. Yuwan, Amami I., Ryukyus, 23. iii. 1974, K. Ueda, M. Takagi & Y. Yoshiyasu leg.; ♂ & ♀, Yuwan-dake, Amami-Oshima, Kagoshima, Japan, 28-29. vi. 1975, H. Makihara leg. ; ♀, Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.; ♀, Naze, Amami I., Ryukyus, 13. v. 1976, H. Makihara leg.

Type depository : Holotype is preserved in the Entomological Laboratory, Faculty of Agriculture, Kyushu University.

37. *Metaclisa nagaii* Nakane, 1968

Spec. exam.: 1 ex., Yuwan, Amami Is., 7. viii. 1961, K. Yamada leg.; 1 ex., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.

38. *Obriomaia palpalis palpaloides* Nakane, 1964

Spec. exam.: 2 exs.(at light), Naze, Amami I., Ryukyus, 27. vi. 1973, H. Makihara leg. ; 1 ex., Yuwan-dake, Amami-Oshima, Kagoshima, Japan, 28-29. vi. 1975, H. Makihara leg.

39. *Obriomaia rufiventris* Kaszab, 1964

Spec. exam. : 1 ex., Taken, Amami, Ryukyu Is., 27. iv. 1968, H. Makihara leg. ; 2 exs., Nishinakama, Amami, Ryukyu, 3-5. viii. 1969, H. Makihara leg. ; 1 ex., Ashikebu, Amami-Oshima, Nansei Is., Japan, 27. v. 1970, H. Makihara leg.; 2 exs., Nishinakama, Amami, Ryukyu, 1-7. vi. 1970, H. Makihara leg.; 2 exs., Hatsuno, Amami-Oshima, Nansei Is., Japan, 9. iv. 1972, H. Irie leg. ; 1 ex., Nishinakama, Amami I., Ryukyus, 22. v. 1973, H. Makihara leg. ; 1 ex., id., 23. v. 1973, H. Makihara leg.; 1 ex., Hatsuno, Amami I., Ryukyus, 18. iv. 1974, H. Makihara leg.; 1 ex., Naze, Amami I., Ryukyus, 20. iv. 1974, H. Makihara leg.; 1 ex., Hatsuno, Amami-Oshima, Kagoshima, Japan, 30. vi. 1975, H. Makihara leg. ; 1 ex., Nishinakama, Amami, Ryukyu, 11. iv. 1976, H. Makihara leg. ; 1 ex., Hatsuno, Amami I., Ryukyus, 12. iv. 1976, H. Makihara leg.

40. *Obriomaia semiviolacea* Nakane, 1968

Spec. exam. : 1 ex., Hatsuno, Amami-Oshima, Nansei Is., Japan, 15. v. 1972, H. Irie leg.

41. *Pseudonautes purpurivittatus* (Marseul, 1876)

Spec. exam.: 15 exs., Nishinakama, Amami, Ryukyu, 26-28. vii. 1969, H. Makihara leg.; 4 exs., id., 3-5. viii. 1969, H. Makihara leg. ; 1 ex., Mt. Yuwan, Is. Amami-Oshima, 25. vi. 1971, Coll. M. Chûjô ; 2 exs., Nishinakama, Amami I., Ryukyus, 22. v. 1973, H. Makihara leg. ; 3 exs., Yuwan-dake, Amami-Oshima, Kagoshima, Japan, 28-29. vi. 1975, H. Makihara leg. ; 6 exs., Hatsuno, Amami-Oshima, Kagoshima,

Japan, 30. vi. 1975, H. Makihara leg.; 5 exs., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.

Adeliini

42. **Laena rotundicollis insularis** Kaszab, 1964
Spec. exam.: 1 ex., Nishinakama, Amami, 16. vi. 1970, H. Makihara leg.; 1 ex.(holotype), Ikari, Amami Is., 18. v. 1960, T. Shibata leg.

Helopini

43. **Tarpela amamiensis** Kaszab, 1964
Spec. exam.: 1 ex., Kominato, Is. Amami-Oshima, Ryukyus, 24. iii. 1968, K. Ioki leg.; 13 exs., Hatsuno, Amami, Ryukyu Is., 29. iv. 1968, H. Makihara leg. ; 7 exs., Nishinakama, Amami, Ryukyus, 1-7. vi. 1970, H. Makihara leg. ; 1 ex.(light trap), Naze, Amami I., Ryukyus, 25. v. 1973, H. Makihara leg.; 2 exs., Hatsuno, Amami I., Ryukyus, 17. iv. 1974, H. Makihara leg. ; 1 ex., id. 19. iv. 1974, H. Makihara leg.; 8 exs., Nishinakama, Amami, Ryukyu, II. iv. 1976, H. Makihara leg.; 1 ex., Hatsuno, Amami I., Ryukyus, 12. iv. 1976, H. Makihara leg.

Amarygmini

44. **Plesiophthalmus brevipennis** Lewis, 1896
Spec. exam.: 2 exs., Ashikebu, Amami-Oshima, Nansei Is., Japan, **27. v. 1970**, H. Makihara leg. ; 2 exs., Nishinakama, Amami, Ryukyu, 1-7. vi. 1970, H. Makihara leg.; 1 ex., Hatsuno, Amami-Oshima, Kagoshima, Japan, 30. vi. 1975, H. Makihara leg. ; 2 exs., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.
45. **Plesiophthalmus mizusawai** Yamazaki, 1968
Spec. exam.: None (recorded by H. Yamazaki, 1968).
NOTE: I recorded **Plesiophthalmus fuscoenescens** Fairmaire from this island (1966, Jour. Fac. Agr., Kyushu Univ. 14 (1) :27-28.), but this was my wrong arrangement in manuscript.
46. **Elixota iridicollis** Nakane, 1968
Spec. exam.: 1 ex.(at light), Naze, Amami I., Ryukyus, 27. vi. 1973, H. Makihara leg. ; 1 ex.(at light), Amami, Ryukyus, 26. vi. 1974, K. Setoya & K. Ueda leg.; 2 exs., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.

Strongyliini

47. **Strongylium amamianum** Nomura, 1963

Spec. exam.: 1 ex., Ikari, Amami Is., 16. vi. 1961, T. Shibata leg.; 1 ex., id., 21. vi. 1961, T. Shibata leg. ; **1 ex.**, id., 30. vi. 1961, T. Shibata leg. ; 1 ex., Hatsuno, Amami Is., 11. vii. 1961, T. Shibata leg. ; 1 ex., Yuwan-dake, Amami-Oshima, Kagoshima, Japan, 28-29. vi. 1975, H. Makihara leg. ; 1 ex., Hatsuno, Amami-Oshima, Kagoshima, Japan, 30. vi. 1975, H. Makihara leg.; 7 exs., Nishinakama, Amami-Oshima, Japan, 1-4. vii. 1975, H. Makihara leg.

48. **Strongylium cultellatum** Mäklin, 1866
Spec. exam. : 2 exs., Yuwan-dake 550 m, Amami-Oshima, 18. vii. 1963, C. M. Yoshimoto leg.
49. **Strongylium marseuli yuwanum** Nomura, 1963
Spec. exam.: 2 exs., Ikari, Amami Is., 2. vii. 1961, T. Shibata leg.; 1 ex., id., 3. vii. 1961, T. Shibata leg. ; 1 ex., id., 4. vii. 1961, T. Shibata leg. ; 4 exs., Hatsuno, Amami-Oshima, Nansei Is., Japan, 3. vii. 1970, H. Irie leg.; 8 exs., Nishinakama, Amami-Oshima, Nansei Is., Japan, 1-4. vii. 1975, H. Makihara leg.
NOTE: In male of this species eyes extremely closed each other and comparatively, widely separated from each other in female.
50. **Strongylium oshimanum** Fairmaire, 1897
Spec. exam. : 1 ex., (Mt.)Yuwan-dake 550 m, Amami-Oshima I., 17. vii. 1963, C. M. Yoshimoto leg. ; 24 exs., Nishinakama, Amami-Oshima, Kagoshima, Japan, 1-4. vii. 1975, H. Makihara leg.
51. **Strongylium shibatai** Nomura, 1963
Spec. exam.: None (recorded by S. Nomura, 1963).
52. **Ainu masumotoi** Nakane, 1963
Spec. exam.: 1 ex., Shinmura—Yuwan, Amami-Oshima, 4. iv. 1956, S. Miyamoto leg.
53. **Eucrossoscelis broscosomoides** Nakane, 1963
Spec. exam.: 1 ex.(paratype), Santaro-pass, Amami Is., 30. v. 1960, T. Shibata leg.; 11 exs., Hatsuno, Amami-Oshima, Nansei Is., Japan, 9. iv. 1972, H. Irie leg. ; 2 exs., id., 14. v. 1972, H. Irie leg.

TOKUNOSHIMA I.

Phaleriini

- †1. **Micropedinus pallidipennis** Lewis, 1894
Spec. exam.: 1 ex., Mennawa, Tokunoshima I., 30. vii. 1968, K. Nozato leg.

Diaperini

- †2. **Platydema subfascia subfascia** (Walker, 1858)

Spec. exam.: 20 exs., Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg.

†3. *Ceropria induta induta* (Wiedemann, 1819)

Spec. exam.: 4 exs., Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg.

Ulomini

†4. *Uloma excisa excisa* Gebien, 1913

Spec. exam.: 3 exs., Mikyo, Is. Tokuno-shima, Ryukyus, 11. iv. 1968, K. Ioki leg. ; 34 exs., Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg.

Tenebrionini

5. *Menephilus arciscelis* Marseul, 1876

Spec. exam. : 16 exs., Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg.

6. *Setenis oshimanus* Miwa, 1935

Spec. exam. : 1 ex., Mikyo 200 m, Tokunoshima, 27. vii. 1963, J. L. Gressitt leg.

Cnodalonini

†7. *Tetraphyllus lunuliger laevis* M. T. Chûjô

Spec. exam.: Mentioned above (3 paratypes).

†8. *Hemicera alternata nodokai* Nakane, 1963

Spec. exam.: 3 exs., Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg.

†9. *Hemicera fukiensis* Kaszab, 1951

Spec. exam. : 1 ex., Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg.

10. *Phaedis (Phaedis) helopioides purpurascens* Nakane, 1968

Spec. exam.: None (recorded by T. Nakane, 1969).

11. *Pseudonautes purpurivittatus* (Marseul, 1876)

Spec. exam.: 6 exs., Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg.

Amarygmini

12. *Plesiophthalmus makiharai* sp. nov.

Oblong oval, dark brown with bluish tinge, tarsi paler. Head wholly covered with yellow pubescence, strongly, densely punctured ; clypeus gently, roundly deflexed forwards ; widely depressed along clypeal suture ;

preocular area strongly reflexed, weakly expanded outwards ; interocular area with shallow, longitudinal groove. Eye very large, feebly convex. Pronotum roundly convex, base widest, gently narrowed forwards, base : front = ca. 3 : 2, sparsely aciculate, wholly covered with golden pubescence ; front margin narrowly emarginated, lateral margin weakly, roundly expanded, emarginated like front margin, base not emarginated. Scutellum nearly triangular, very sparsely aciculate. Elytra strongly convex, narrowly emarginated, widest at $\frac{3}{5}$ from base, punctate-striae very feebly grooved, interstices very sparsely, weakly aciculate.

Antennae reaching to hind coxae ; 1st very thick, strongly thickened towards apex, 2nd very short, 3rd longest, relative length of each segment (base to apex) = 6 : 2 : 19 : 10 : 15 : 12 : 11 : 9 : 8 : 8 : 9. Prosternum sparsely punctured, with comparatively long pubescence ; mesosternum with dense punctures and pubescence ; metasternum nearly smooth, with sparse pubescence. Abdominal sternite wholly covered with long, dense pubescence ; apical margin of last visible abdominal sternite widely, deeply sinuated in male.

Profemur weakly flattened, thickest at $\frac{2}{3}$ from base, with obtuse femoral projection, and covered with sparse, short pubescence ; meso- and metafemur sparsely punctured, evenly pubescent. Protibia weakly




Fig. 1. *Plesiophthalmus makiharai* sp. nov. 1a: Dorsal view of pronotum.

1b: Dorsal view of male genitalia. 1c: Lateral view of male genitalia.

Fig. 2. *P. brevipennis* Lewis. 2a: Dorsal view of pronotum. 2b: Dorsal view of male genitalia. 2c: Lateral view of male genitalia.

dilated towards apex, very weakly warped inwards, apical half of inside with dense, brushy hairs; mesotibia very weakly warped; metatibia feebly waved. Every tarsus with dense, brushy hairs on sole, even on apical segment. Relative length of each protarsal segment (base to apex)=22 : 6 : 4 : 14. Male genitalia very thick, apical 2/3 of parameres strongly narrowed towards apex, side of narrowed part with many hook-shaped, thick and short spines bending towards base.

Length : 12.0-13.0 mm. Width : 6.2-6.6 mm.

Distribution : Tokunoshima Island.

Type materials : Holotype ♂ (Type No. 2061, Kyushu Univ.), Inokawa, Tokunoshima, Ryukyu, 28-31. v. 1970, H. Makihara leg. Paratopotypes ♂ & ♀, same data as holotype.

Type depository : Holotype is preserved in the Entomological Laboratory, Faculty of Agriculture, Kyushu University.

This species is very close to *P. brevipennis* Lewis, 1896 from Amami-Oshima I., but they are separated from each other through the following characters :

P. brevipennis Lewis

Interocular area nearly flat; front corner of pronotum angulated, aciculations on pronotum and elytra extremely sparser; apical part of last visible abdominal sternite very feebly depressed; male genitalia much smaller, parameres much narrower, hook-shaped spines on parameres much smaller.

P. makiharai sp. nov.

Interocular area with longitudinal groove; front corner of pronotum not so angulated, aciculations on pronotum and elytra comparatively denser; apical part of last visible abdominal sternite widely, deeply sinuated; male genitalia much larger, parameres much wider, hook-shaped spines on parameres much larger.

OKINOERABU JIMA I.

Bolitophagini

†1 ***Dicraeosia carinatus carinatus*** Gebien, 1913

Spec. exam. : 8 exs., Okinoerabu I., Ryukyu Is., 31. vii. - 2. viii. 1969, H. Makihara leg. ; 4 exs., Ohyama, Okinoerabu, Nansei Is., Japan, 12. vii. 1970, H. Irie leg.; 5 exs., Oyama, Okinoerabu I., 3. vii. 1974, H. Makihara leg. ; 1 ex., id., 4. vii. 1974, H. Makihara leg.; 3 exs., id., 6. vii. 1974, H. Makihara leg.

Diaperini

- †2. **Platydema subfascia subfascia** (Walker, 1858)
Spec. exam.: 2 exs., Ohyama, Okinoerabu, Nansei Is., Japan, 19. v. 1972, H. Irie leg.

Ulomini

- †3. **Uloma bonzica bonzica** Marseul, 1876
Spec. exam. : 1 ex., Okinoerabu I., Ryukyu Is., 31. vii. - 2. viii. 1969, H. Makihara leg.
- †4. **Alphitobius diaperinus** (Panzer, 1797)
Spec. exam. : 2 exs., Okinoerabu I., Ryukyu Is., 31. vii. - 2. viii. 1969, H. Makihara leg.

Cnodalonini

- †5. **Obriomaia palpalis palpaloides** Nakane, 1963
Spec. exam.: 2 exs., Ohyama, Okinoerabu, Nansei Is., Japan, 19. v. 1972, H. Irie leg. ; 1 ex., id., 20. v. 1972, H. Irie leg. ; 1 ex., Wadamari, Okinoerabu I., Ryukyus, 2. vii. 1974, H. Makihara leg.; 1 ex., Oyama, Okinoerabu I., Ryukyus, 6. vii. 1974, H. Makihara leg.

Strongyliini

- †6. **Strongylium amamianus** Nomura, 1963
Spec. exam. : 1 ex., Okinoerabu I., Ryukyu Is., 31. vii. - 2. viii. 1969, H. Makihara leg. ; 1 ex., Ohyama, Okinoerabu, Nansei Is., Japan, 12. vii. 1970, H. Irie leg.

Acknowledgements

I wish to express my appreciation to Prof. Y. Hirashima, the head of Hikosan Biological Laboratory, for making this study possible and for his kind advice in the preparation of the manuscript. Also, I express my cordial thanks to Prof. Emeritus K. Yasumatsu, Prof. T. Shirōzu and Assoc. Prof. K. Yano of Kyushu University for their continual kind guidance. Particular thanks are due to Prof. Emeritus M. Chūjō of Kagawa University for his various help to my study. My hearty thanks are due to Mr. H. Makihara of Kyushu University and Mr. H. Irie of Fukuoka City who kindly gave me so many valuable Ryukyuan tenebrionid specimens.