

INDEX TO CONTRIBUTION SERIES 2, ENTOMOLOGICAL
LABORATORY, FACULTY OF AGRICULTURE, KYUSHU
UNIVERSITY

Hirashima, Yoshihiro

Tadauchi, Osamu

Ogata, Kazuo

<https://doi.org/10.5109/2517>

出版情報 : ESAKIA. 28, pp.97-123, 1989-03-03. Entomological Laboratory, Faculty of Agriculture,
Kyushu University

バージョン :

権利関係 :

INDEX TO CONTRIBUTION SERIES 2,
ENTOMOLOGICAL LABORATORY, FACULTY OF AGRICULTURE,
KYUSHU UNIVERSITY

Compiled by

YOSHIHIRO HIRASHIMA, OSAMU TADAUCHI and KAZUO OGATA

Entomological Laboratory, Faculty of Agriculture,
Kyushu University, Fukuoka 812, Japan

We thank the late Prof. K. Yasumatsu for his preparation of the list of Contribution Series 2, Entomological Laboratory, Faculty of Agriculture, Kyushu University, on which the present index is based.

- 2-001. HIDAKA, Terunobu 1958. Biological investigation on *Telenomus gifuensis* Ashmead (Hym. : Scelionidae), an egg-parasite of *Scotinophara lurida* Burmeister (Hem. : Pentatomidae) in Japan. *Acta Hym.*, 1: 75-93.
- 2-002. MORIMOTO, Katsura 1958. On the tribe Lobotrachelini from Japan (Col., Curculionidae, Zygopinae). *Ins. Mats.*, 22: 15-21.
- 2-003. HIDAKA, Terunobu 1958. Studies on the Lygaeidae III, a new species of the genus *Pachybrachius* from Japan and her adjacent territories (Heteroptera, Lygaeidae). *Ins. Mats.*, 22: 37-39.
- 2-004. MORIMOTO, Katsura 1958. Description of a new species of the genus *Pselaphorhynchites* Schilsky (Col., Attelabidae, Rhynchitinae). *Mushi*, 32: 97-100.
- 2-005. 高橋三雄 (TAKAHASHI, Mitsuo) 1958. 日本産 *Oropeza* 属ガガンボ3種の蛹について. [On the pupae of three Japanese species of the genus *Oropeza* Needham (Diptera, Tipulidae)] *昆蟲*, 26: 118-122, 1 pl. (In Japanese with English summary)
- 2-006. 平嶋義宏 (HIRASHIMA, Yoshihiro) 1958. シロオビツツハナバチとオオツツハナバチの営繭習性に関する研究. (Comparative studies on the cocoon spinning habits of *Osmia excavata* Alfken and *Osmia pedicornis* Cockerell (Hymenoptera, Megachilidae)] *九大農学芸誌*, 16: 481-497. (In Japanese with English summary)
- 2-007. MORIMOTO, Katsura 1959. On the genus *Miarus* Stephen from Japan (Col., Curculionidae, Gymnetrinae). *Kontyû*, 27: 190-195.
- 2-008. HIDAKA, Terunobu 1959. Studies on the Lygaeidae V, three new species of the genus *Cligenes* Distant from Japan and her adjacent territories. *Akitu*, 8: 1-6.
- 2-009. TAKAHASHI, Mitsuo 1958. Revision of Japanese Dixidae (Diptera, Nematocera). *Mushi*, 32: 1-18, 6 pls.

- 2-010. 中尾舜一 (NAKAO, Shun-ichi) 1958. ツ3 ツクボウシの鳴音の長さの日変化と棲息密度の影響. [On the diurnal variation of a song-length of *Meimuna opalifera* Walker and the effect of population density upon it] 昆虫, 26 : 201-210. (In Japanese with English summary)
- 2-011. KAWASHIMA, Kenjirō 1958. Bionomics and earlier stages of some Japanese Neuroptera (II) *Eumicromus numerosus* (Navàs) (Hemerobiidae). *Mushi*, 32 : 43-46, 1 pl.
- 2-012. ESAKI, Teiso and HIDAKA, Terunobu 1958. The taxonomic studies of Lygaeidae, Heteroptera. 1. A new species of the genus *Tomocoris* Woodward from Japan. *Kontyū*, 26 : 220-221.
- 2-013. HIRASHIMA, Yoshihiro 1958. Bees of the Amami Islands. I (Hymenoptera, Apoidea). *Mushi*, 32 : 69-76, 2 pls.
- 2-014. SLATER, James A. and HIDAKA, Terunobu 1958. Studies on the Ligaeidae, II. A new species of the genus *Entisberus* from Japan (Hemiptera, Lygaeidae). *Mushi*, 32 : 93-95.
- 2-015. ISHIKAWA, Ryōsuke 1958. Two new species of *Pompilinus* from Japan (Hymenoptera, Pompilidae). *Mushi*, 32 : 109-114.
- 2-016. ESAKI, Teiso and MIYAMOTO, Syōiti 1959. A new genus and species of Helotrephidae (Hemiptera-Heteroptera). *Sieboldia*, 2 : 83-89, 3 pls.
- 2-017. ESAKI, Teiso and MIYAMOTO, Syōiti 1959. Veliidae of Japan and its adjacent territory (Hemiptera-Heteroptera) II. *Sieboldia*, 2 : 91-108, 4 pls.
- 2-018. ESAKI, Teiso and MIYAMOTO, Syōiti 1959. A new or little known *Hypselosoma* from Amami-Oshima and Japan, with the proposal of a new tribe for the genus (Hemiptera). *Sieboldia*, 2 : 109-120. 4 pls.
- 2-019. MORIMOTO, Katsura 1959. Description of a new species of the genus *Derelomus* Schonherr (Col., Curculionidae), with notes on the biology and immature stages. *Entom. Rev. Japan*, 10 : 46-48, 1 pl.
- 2-020. KAMIYA, Hiroyuki 1959. A revision of the tribe Chilacorini of Japan and the Loochoos (Coleoptera : Coccinellidae). *Kontyū*, 27 : 99-104, 1 pl.
- 2-021. YASUMATSU, Keizō 1959. Revisional studies on Japanese Cynipoidea. 2. A new species of the genus *Paribalia* Weld (Hymenoptera). *Kontyū*, 27 : 93-95.
- 2-022. ISHIKAWA, Ryōsuke 1960. On the genus *Evagetes* of Japan (Hymenoptera, Pompilidae). *Ins. Mats.*, 23 : 57-62.
- 2-023. 黒子浩 (KUROKO, Hiroshi) 1959. 小蛾数種の学名について. [Notes on the nomenclature of some Microlepidoptera in Japan] 蝶と蛾, 10 : 34-35. (In Japanese)
- 2-024. KUROKO, Hiroshi 1960. Notes on the *Liocrobyla* of Japan, with descriptions of two new species (Lepidoptera, Gracilariidae). *Esakia*, (1) : 1-7, 3 pls.
- 2-025a. MORIMOTO, Katsura 1960. Revision of the subfamily Zygopinae from Japan (Col., Curculionidae). II. *Kontyū*, 28 : 110-115, 177-183, 1 pl.
- 2-025b. KUROKO, Hiroshi 1960. On a new subspecies and an unrecorded species of the genus *Cosmopterix* from Japan (Lepidoptera, Cosmopterigidae). *Esakia*, (1) : 9-12, 1 pl.
- 2-026. TAKAHASHI, Mitsuo 1960. A new *Ctenacroscelis* from Amami-Oshima (Diptera, Tipulidae).

Ins. Mats., 23 : 25-27.

- 2-027. HIDAKA, Terunobu 1959. Studies on the Lygaeidae X, descriptions of three new species of the genus *Blissus* Klug (Heteroptera). *Ins. Mats.*, 22: 100-111.
- 2-028. HIDAKA, Terunobu and MILLER, N. C. E. 1959. Two new reduviidae from the Ryukyu Islands (Heteroptera). *Kontyû*, 27: 134-136.
- 2-029. 平嶋義宏 (HIRASHIMA, Yoshihiro) 1959. シロオビツツハナバチの巢の雌雄の産み分けについて. [On the distribution of sexes in the nests of *Osmia excavata* Alfken (Hymenoptera, Megachilidae)] 九大農学芸誌, 17 : 45-54. (In Japanese with English summary)
- 2-030. 平嶋義宏 (HIRASHIMA, Yoshihiro) 1959. シロオビツツハナバチとコツノツツハナバチの処女生殖に関する生態学的研究. [Biological studies on the parthenogenesis in *Osmia excavata* Alfken and *Osmia cornifrons* (Radoszkowski) (Hymenoptera, Megachilidae)] 九大農学芸誌, 17 : 55-68. (In Japanese with English summary)
- 2-031. CHÛJÔ, Michio and MORIMOTO, Katsura 1960. Curculionid-beetles from the Hachijô Islands (1). *Entom. Rev. Japan*, 11 : 3-6.
- 2-032. CHÛJÔ, Michio and MORIMOTO, Katsura 1959. Description of a new genus and species of Curculionid-beetles from the Island Okinawa in the Loo-Choo Archipelago. *Akitu*, 8: 25-29.
- 2-033. TAKAHASHI, Mitsuo 1960. New species of Japanese Ctenophorini with the notes and key to the already known species (Diptera, Tipulidae). Part 1. Japanese species of the genus *Tanyptra*. *Mushi*, 33 : 9-18, 2 pls.
- 2-034. CHÛJÔ, Michio and MORIMOTO, Katsura 1959. Curculionid-beetles of Niigata Prefecture collected by Dr. K. Baba (2nd report). *Kontyû*, 27 : 146-155.
- 2-035. MORIMOTO, Katsura 1960. Revision of the genus *Ixalma* Pascoe from Japan (Col., Curculionidae). *Ins. Mats.*, 23: 46-51.
- 2-036. TAKAHASHI, Mitsuo 1960. New species of Japanese Ctenophorini with the notes and key to the already known species (Diptera, Tipulidae). Part II. Japanese species of *Ctenophora* (*Phoroctenia*) and *Ctenophora* (*Ctenophora*). *Mushi*, 34 : 101-113, 2 pls.
- 2-037. 日高輝展 (HIDAKA, Terunobu) 1959. 日本産未記録ナガカメムシ2種. [Studies on the Lygaeidae VII, two unrecorded species from Japan] あきつ, 8 : 43-46. (In Japanese with English summary)
- 2-038. MORIMOTO, Katsura 1959. Description of a new species of the genus *Trachyrhinus* Sharp (Coleoptera, Curculionidae). *Jap. J. Zool.*, 12 : 247-250.
- 2-039. 神谷寛之 (KAMIYA, Hiroyuki) 1959. キアシ3ロヒメテント3の学名について. [On the identity of *Stethorus punctillum* of Japanese authors (Coleoptera : Coccinellidae)] 昆蟲, 27 : 140-143. (In Japanese with English description)
- 2-040. HIDAKA, Terunobu 1959. Studies on the Lygaeidae. XIII. New or little known Lygaeidae from Japan (Heteroptera). *Kontyû*, 27 : 199-201.
- 2-041. YANO, Kôji 1959. On the larva and pupa of *Commatarcha palaeosema* Meyrick, with its biological notes (Lepidoptera, Carposinidae). *Kontyû*, 27 : 214-217, 1 pl.
- 2-042. MORIMOTO, Rokuya 1960. Experimental study on the trophallactic behavior in *Polistes*

- (Hymenoptera, Vespidae). *Acta Hym.*, 1: 99-103.
- 2-043. HIDAKA, Terunobu 1959. Studies on the Lygaeidae. VI. Biological notes on *Metochus abbreviatus* Scott (Hemiptera). *Kontyû*, 27: 224-228.
- 2-044. HIDAKA, Terunobu 1959. Studies on the Lygaeidae. XVIII. A new genus of the subfamily Blissinae from Japan (Heteroptera). *Kontyû*, 27: 269-271.
- 2-045. 安松京三・永富昭 (YASUMATSU, Keizô and NAGATOMI, Akira) 1959. ミカンバエの防除に関する研究 1. その防除に必要な二・三の基礎的調査. [Studies on the control of *Dacus (Tetradacus) tsuneonis* Miyake (Diptera: Trypetidae). 1. Some fundamental and biological investigations essential for its control] 九大農学芸誌, 17: 129-146, 1 pl. (In Japanese with English summary)
- 2-046. 安松京三・中尾舜一 (YASUMATSU, Keizô and NAKAO, Shun-ichi) 1959. ミカンバエの防除に関する研究 2. その経済的防除法の確立. [Studies on the control of *Dacus (Tetradacus) tsuneonis* Miyake (Diptera: Trypetidae). 2. Establishment of an economically effective method for its control] 九大農学芸誌, 17: 147-166, 1 pl. (In Japanese with English summary)
- 2-047. 守本陸也 (MORIMOTO, Rokuya) 1959. フタモンアシナガバチの営巣活動I (日本産社会性蜂類の研究 VI). [On the nesting activity of the founding female of *Polistes chinensis antennalis* Perez. I (Studies on the social Hymenoptera of Japan. VI)] 九大農学芸誌, 17: 99-113. (In Japanese with English summary)
- 2-048. 守本陸也 (MORIMOTO, Rokuya) 1959. フタモンアシナガバチの営巣活動II (日本産社会性蜂類の研究 VII). [On the nesting activity of the founding female of *Polistes chinensis antennalis* Pérez. II (Studies on the social Hymenoptera of Japan. VII)] 九大農学芸誌, 17: 115-128. (In Japanese with English summary)
- 2-049. 安松京三・吉井宅男 (YASUMATSU, Keizô and YOSHII, Takuo) 1959. 九州に於けるスギタマバエの重要天敵スギタマヤドリヒメコバチ. [*Tetrastichus sugitamabae* sp. nov., an important parasite of *Contarinia inouyei* Mani in Kyushu, Japan (Hymenoptera, Eulophidae)] 九大農学芸誌, 17: 167-170, 1 pl. (In Japanese with English summary)
- 2-050. HIDAKA, Terunobu 1960. Studies on the Lygaeidae XXIII. A new species of the genus *Ampera* Distant from Japan. *Akita*, 9: 11-12.
- 2-051. Missing number
- 2-052. YASUMATSU, Keizô 1960. A new species of Elasmidae from East Africa (Hymenoptera). *Esakia*, (1): 13-15.
- 2-053. 神谷寛之 (KAMIYA, Hiroyuki) 1960. 新潟県のテントウムシ科. [Coccinellidae of Niigata Prefecture] 新潟県の昆虫, (4): 10-15. (In Japanese)
- 2-054. YASUMATSU, Keizô 1960. The occurrence of the subfamily Leptanillinae in Japan (Hymenoptera, Formicidae). *Esakia* (1): 17-20, 1 pl.
- 2-055. YASUMATSU, Keizô 1960. Notes on two species of Japanese Bethyloidea (Hymenoptera). *Esakia*, (1): 21-25, 1 pl.
- 2-056. YASUMATSU, Keizô and MURAKAMI, Yôzô 1960. A revision of the genus *Stenammas* of Japan (Hym., Formicidae, Myrmicinae). *Esakia*, (1): 27-31, 1 pl.

- 2-057. MIYAMOTO, Syōiti and HIDAKA, Terunobu 1960. Entomological results of the scientific survey to the Tokara Islands, VIII. Hemiptera-Heteroptera. *Kontyū*, **28** : 42-47.
- 2-058. ISHIKAWA, Ryōsuke 1959. Two new species of Pompilidae from Japan (Hymenoptera). *Kontyū*, **27** : 253-256.
- 2-059. MORIMOTO, Katsura 1960. Revision of the subfamily Curculioninae from Japan. I (Coleoptera). *Mushi*, **33**: 89-104.
- 2-060. HIRASHIMA, Yoshihiro 1960. Bees of the Amami Islands. II (Hymenoptera, Apoidea). *Mushi*, **33**: 53-62.
- 2-061. HIRASHIMA, Yoshihiro 1960. An interesting habit of the full-grown larvae of *Halictus affinis* Smith, apparently correlated with the function of the malpighian tubes (Hymenoptera, Halictidae). *Mushi*, **33**: 85-88.
- 2-062. KAMIYA, Hiroyuki 1960. A new tribe of Coccinellidae (Coleoptera). *Kontyū*, **28** : 22-26, 1 pl.
- 2-063. TAKARA, Tetsuo and HIDAKA, Terunobu 1960. Provisional list of Hemiptera-Heteroptera in the Ryukyu Islands. Supplemental notes 1. *Sci. Bull. Div. Agr., Home Econ. & Eng., Univ. Ryukyus*, (7) : 181-188.
- 2-064. YASUMATSU, Keizō 1960. The identity of *Paralipsis enervis* (Nees) and *P. eikoeae* (Yasumatsu) (Hym., Aphidiidae). *Kontyū*, **28** : 57.
- 2-065. CHŪJŌ, Michio and KIMOTO, Shinsaku 1960. Descriptions of three new genera and a new species of Chrysomelid-beetles from Japan, with some notes on the Japanese species. *Niponius*, **1(4)** : 1-10.
- 2-066. MURAKAMI, Yōzō 1960. Seasonal dimorphism in the Encyrtidae (Hymenoptera, Chalcidoidea). *Acta Hym.*, **1** : 199-204, 3 pls.
- 2-067. KIFUNE, Teiji 1961. Biological notes on two Japanese species of the genus *Zonitis* Fabricius (Coleoptera, Meloidae) (Studies on Meloidae-1). *Mushi*, **35** : 51-61.
- 2-068a. HIDAKA, Terunobu 1961. Studies on the Lygaeidae XXIV. Revision of the genera *Mizaldus* and *Ampera* from Japan. *Kontyū*, **29** : 91-93.
- 2-068b. HIDAKA, Terunobu 1962. Studies on the Lygaeidae XXII. Revision of the genera *Drymus* Fieber and *Lamproplax* Douglas and Scott from Japan. *Kontyū*, **30** : 273-281.
- 2-069. YANO, Kōji 1960. New or little known species of the genus *Platyptilia* Hübner from Japan (Lepidoptera, Pterophoridae). *Mushi*, **34**: 137-141.
- 2-070. KŌNO, Hiromichi and MORIMOTO, Katsura 1960. Curculionidae from Shansi, north China (Coleoptera). *Mushi*, **34**: 71-87.
- 2-071. ISHIKAWA, Ryōsuke 1960. A new species of *Apotomopterus* from Japan (Coleoptera, Carabidae). *Kontyū*, **28**: 168-169.
- 2-072. YANO, Kōji 1960. A revision of the species of the genus *Zenodoxus* Grote et Robinson from Japan, with descriptions of two new species from Formosa (Lepidoptera, Aegeriidae). *Kontyū*, **28** : 230-238.
- 2-073. HIDAKA, Terunobu and IZZARD, R. J. 1960. Studies on the Lygaeidae XX. Two new species

- of the genus *Pylorgus* Stål, 1874, from Japan (Heteroptera). *Kontyti*, 28 : 131-133.
- 2-074. NAKANE, Takehiko and KIMOTO, Shinsaku 1961. Entomological results from the scientific survey of the Tokara Islands. Coleoptera : Chrysomelidae. ***Bull. Osaka Mus. Nat. Hist.***, (13) : 71-79.
- 2-075a. NAKANE, Takehiko and KIMOTO, Shinsaku 1961. A list of Chrysomelid-beetles collected by Dr. T. Shiraki from the Loochoo Islands, with descriptions of new species I (Coleoptera). *Kontyû*, 29: 14-21.
- 2-075b. NAKANE, Takehiko and KIMOTO, Shinsaku 1961. A list of Chrysomelid-beetles collected by Dr. T. Shiraki, from the Loochoo Islands, with descriptions of some new species II (Coleoptera). *Kontyû*, 29 : 106-110.
- 2-076. GRESSITT, J. L. and KIMOTO, Shinsaku 1961. The Chrysomelidae (Coleopt.) of China and Korea, Part 1. ***Pac. Ins. Mon.***, 1A : 1-299.
- 2-077. CHÛJÔ, Michio and KIMOTO, Shinsaku 1961. Systematic catalog of Japanese Chrysomelidae (Coleoptera). *Pac. Ins.*, 3 : 117-202.
- 2-078. YANO, Kôji 1961. On the species of the genus *Nippoptilia* Matsumura from Japan, with description of a new species (Lepidoptera, Pterophoridae). ***Pub., Ent. Lab., Univ. Osaka Pref.***, (6) : 71-78, 1 pl.
- 2-079. MORIMOTO, Katsura 1961. On new Curculionidae from Japan (Coleoptera). ***Kontyti***, 29: 22-27.
- 2-080. KUROKO, Hiroshi 1961. A study on *Lyonetia anthemopa* Meyrick from Japan (Lepidoptera, Lyonetiidae). ***Pub., Ent. Lab., Univ. Osaka Pref.***, (6) : 17-22, 1 pl.
- 2-081. YANO, Kôji 1961. Descriptions of two new species of Pterophoridae from Japan (Lepidoptera). *Kontyû*, 29: 151-156.
- 2-082. YASUMATSU, Keizô and KURANAGA, Zentaro 1961. *Elasmus issikii* n. sp., a parasite of the larva of *Evetria cristata* in Japan (Hym., Elasmidae). ***Pub., Ent. Lab., Univ. Osaka Pref.***, (6) : 201-202.
- 2-083. YANO, Kôji 1961. A new genus of Pterophoridae from Japan (Lepidoptera). *Mushi*, 35 : 87-90.
- 2-084. 安永邦輔・森本桂 (YASUNAGA, Kunisuke and MORIMOTO, Katsura) 1961. マツノシ3ホシゾウムシとその近似種。 [*Cryptorrhynchus insidiosus* Roelofs and its allied species in Japan] 九大農芸誌, 18 : 253-256, 1 pl. (In Japanese with English summary)
- 2-085. YANO, Kôji 1961. Studies on six species of the genera *Paranthrene* Hübner and *Conopia* Hübner from Japan (Lepidoptera, Aegeriidae). *J. Fac. Agr., Kyushu Univ.*, 11 : 209-236, 11 pls.
- 2-086. KIMOTO, Shinsaku 1961. A revisional note on the type specimens of Japanese Chrysomelidae which are preserved in the museums of Europe and the United States I. *Kontyû*, 29: 159-166.
- 2-087. MURAKAMI, Yôzô 1961. Supplementary note on the seasonal dimorphism in the Encyrtidae (Hymenoptera, Chalcidoidea). *Mushi*, 35: 71-73.
- 2-088. 守本陸也 (MORIMOTO, Rokuya) 1960. アシナガバチ類についての応用昆虫学的研究I(日本産社会性蜂類の研究. X). [*Polistes* wasps as natural enemies of agricultural and forest pests. I (Studies on the social Hymenoptera of Japan. X)] 九大農芸誌, 18 : 109-116. (In Japanese with

English summary)

- 2-089. 守本陸也 (MORIMOTO, Rokuya) 1960. 7 シナガバチ類についての応用昆虫学的研究II(日本産社会性蜂類の研究. XI). [*Polistes* wasps as natural enemies of agricultural and forest pests. II (Studies on the social Hymenoptera of Japan. XI)] 九大農学芸誌, 18: 117-132. (In Japanese with English summary)
- 2-090. 守本陸也 (MORIMOTO, Rokuya) 1961. 7 シナガバチ類についての応用昆虫学的研究III(日本産社会性蜂類の研究. XII). [*Polistes* wasps as natural enemies of agricultural and forest pests. III (Studies on the social Hymenoptera of Japan. XII)] 九大農学芸誌, 18: 243-252. (In Japanese with English summary)
- 2-091. 守本陸也 (MORIMOTO, Rokuya) 1961. 7 シナガバチ類の社会に於ける優劣順位I (日本産社会性蜂類の研究. XII). [On the dominance order in *Polistes* wasps I (Studies on the social Hymenoptera in Japan. XII)] 九大農学芸誌, 18: 339-351. (In Japanese with English summary)
- 2-092. 萱嶋泉 (KAYASHIMA, Izumi) 1960. 農作物害虫の天敵としての蜘蛛の研究(I). キャベツ畠における蜘蛛の日々の活動状況とハナグモを放飼した後のハナグモの定着状態に関する研究. [Studies on spiders as natural enemies of crop pests (I). Daily activities of spiders in the cabbage fields, establishment of spiders liberated in the fields and evaluation of the effectiveness of spiders against crop pests] 九大農学芸誌, 18: 1-24. (In Japanese with English summary)
- 2-093. MORIMOTO, Katsura 1966. Curculionidae from Afghanistan. *Results of Kyoto Univ. Sci. Exp. Karakoram and Hindukush*, 8: 227-228.
- 2-094. MORIMOTO, Katsura 1963. Insect Fauna of Afghanistan and Hindukush VII. Coleoptera : Curculionidae. *Results of Kyoto Univ. Sci. Exp. Karakoram and Hindukush*, 4: 149-151.
- 2-095. 三枝豊平 (SAIGUSA, Toyohei) 1962. ミノガ科進化の過程における習性と形態についての概観. [On some basic concepts of the evolution of psychid-moths from the points of view of the comparative ethology and morphology] 蝶と蛾, 12: 120-143. (In Japanese with English summary)
- 2-096. YASUMATSU, Keizô 1961. The genera *Eucharis* and *Ropronia* from Shansi, north China (Hymenoptera). *Mushi*, 35: 67-69.
- 2-097. HIRASHIMA, Yoshihiro 1961. Monographic study of the subfamily Nomiinae of Japan (Hymenoptera, Apoidea). *Acta Hym.*, 1: 241-303.
- 2-098 KAMIYA, Hiroyuki 1961. Discovery of the family Hemipeplidae in Japan (Coleoptera : Heteromera). *Mushi*, 35: 75-77.
- 2-099. KUROKO, Hiroshi 1961. The genus *Antispila* from Japan, with descriptions of seven new species (Lepidoptera, Heliozelidae). *Esakia*, (3): 11-24, 6 pls.
- 2-100. KUROKO, Hiroshi 1961. Descriptions of *Microsetia sexguttella* Thunberg and its allied new species from Japan (Lepidoptera, Gelechiidae). *Esakia*, (3): 1-9, 3 pls.
- 2-101. 野原啓吾 (NOHARA, Keigo) 1961. ヤノネカイガ 3 ムシの発生予察に関する研究. [Material for forecasting the occurrence of *Unaspis yanonensis* Kuwana (Homoptera : Diaspidae)] 九大農学芸誌, 18: 335-338. (In Japanese with English summary)
- 2-102. 黒子浩 (KUROKO, Hiroshi) 1961. 潜葉性小蛾に関する研究I. 日本未記録のホソガ科数種. [Studies on Lepidopterous leaf-miners from Japan I. Unrecorded species belonging to

- Gracilariidae] 九大農学芸誌, 18 : 311-322, 2 pls. (In Japanese with English summary)
- 2-103. 黒子浩 (KUROKO, Hiroshi) 1961. ゴマフヒゲナガの生活史. [The life history of *Nemophora raddei* Rebel (Lepidoptera, Adelidae)] 九大農学芸誌, 18 : 323-334, 2 pls. (In Japanese with English summary)
- 2-104. AZIM, Anwarul 1961. Mass-production of *Chrysomphalus bifasciculatus* Ferris and its Hymenopterous parasites. *Mushi*, 35 : 97-109.
- 2-105. HIDAKA, Terunobu 1961. Studies on the Lygaeidae XXV. A new genus of the subfamily Blissinae from Japan. *Kontyû*, 29 : 255-257.
- 2-106. KUROKO, Hiroshi 1961. On the eggs and first-instar larvae of two species of Mantispidae. *Esakia*, (3) : 25-32, 5 pl.
- 2-107. HIRASHIMA, Yoshihiro 1961. Some bees collected by the Osaka City University Biological Expedition to Southeast Asia 1957-58. *Nat. Life in SE Asia*, 2 : 115-124.
- 2-108. TAKARA, Tetsuo and HIDAKA, Terunobu 1961. Provisional list of Hemiptera-Heteroptera in the Ryukyu Islands. Supplemental notes 2. *Sci. Bull. Div. Agr., Home & Eng., Univ. Ryukyus*, (8) : 156-161.
- 2-109. YANO, Kôji 1961. Pterophoridae (Lepidoptera) of Chiang Mai, northwestern Thailand. *Nat. Life in SE Asia*, 2 : 101-102.
- 2-110. KIMOTO, Shinsaku 1963. Insect Fauna of Afghanistan and Hindukush VII. Coleoptera: Chrysomelidae. *Results of Kyoto Univ. Sci. Exp. Karakoram and Hindukush*, 4 : 153-154.
- 2-111. 森本桂 (MORIMOTO, Katsura) 1962. El 本産ヒゲナガゾウムシ科, オトシブミ科及びミツギリゾウ 3 A シ科目録. [Provisional check list of the families Anthribidae, Attelabidae and Brentidae of Japan] 九大農学芸誌, 19 : 159-181.
- 2-112. 森本桂 (MORIMOTO, Katsura) 1962. El 本産ゾウムシ科目録 (I). [Provisional check list of the family Curculionidae of Japan. I] 九大農学芸誌, 19 : 183-217.
- 2-113. 森本桂 (MORIMOTO, Katsura) 1962. 日本産ゾウムシ科 (II) とオサゾウムシ科目録. [Preliminary check list of the families Curculionidae (II) and Rhynchophoridae of Japan] 九大農学芸誌, 19 : 341-368.
- 2-114a. KAMIYA, Hiroyuki 1961. A revision of the tribe Scymnini from Japan and the Loochoos (Coleoptera : Coccinellidae). Part. I. Genera *Clitostethus*, *Stethorus* and *Scymnus* (except subgenus *Pullus*). *J. Fac. Agr., Kyushu Univ.*, 11 : 275-301, 1 pl.
- 2-114b. KAMIYA, Hiroyuki 1961. A revision of the tribe Scymnini from Japan and the Loochoos (Coleoptera : Coccinellidae). Part II. Genus *Scymnus* (subgenus *Pullus*). *J. Fac. Agr., Kyushu Univ.*, 11 : 303-330, 1 pl.
- 2-115. HIDAKA, Terunobu 1962. Studies on the Lygaeidae XXVI. Revision of the genus *Lethaeus* Dallas from Japan and her adjacent territories, *Mushi*, 36 : 77-83.
- 2-116. DEBACH, Paul and AZIM, Anwarul 1962. *Aphytis japonicus* n. sp., a parasite of *Chrysomphalus bifasciculatus* Ferris in Japan (Hymenoptera : Aphelinidae). *Mushi*, 36 : 1-8.
- 2-117. SAIGUSA, Toyohi 1961. Systematic studies of *Diplodoma* and its allied genera in Japan I. Description of adult insects (Lepidoptera, Psychidae). *Sieboldia*, 2 : 261-315, 4 pls.

- 2-118. 守本陸也 (MORIMOTO, Rokuya) 1961. アシナガバチ類の社会に於ける優劣順位II(日本産社会性蜂類の研究XIII). [On the dominance order in *Polistes* wasps. II (Studies on the social Hymenoptera in Japan. XIII)] 九大農学芸誌, 19:1-17. (In Japanese with English summary)
- 2-119. 神谷寛之 (KAMIYA, Hiroyuki) 1962. 鹿児島県甌列島のテントウムシ科甲虫相 [On the Coccinellid-fauna of the Koshiki Islands, off the western coast of S. Kyushu, Japan] *Kontyû*, 30:82-86. (In Japanese with English summary)
- 2-120. MORIMOTO, Katsura 1962. Comparative morphology and phylogeny of the superfamily Curculionoidea of Japan (Comparative morphology, phylogeny and systematics of the superfamily Curculionoidea of Japan. I). *J. Fac. Agr., Kyushu Univ.*, 11: 331-373.
- 2-121. MORIMOTO, Katsura 1962. Descriptions of a new subfamily, new genera and species of the family Curculionidae of Japan (Comparative morphology, phylogeny and systematics of the superfamily Curculionoidea of Japan. II). *J. Fac. Agr., Kyushu Univ.*, 11: 375-409.
- 2-122. YASUMATSU, Keizô 1962. Notes on synonymies of five ants widely spread in the Orient (Hym.: Formicidae). *Mushi*, 36: 93-97.
- 2-123. 安永邦輔・大島康義・鏝塚昭三 (YASUNAGA, Kunisuke, OSHIMA, Yasuyoshi and KUWATSUKA, Shozo) 1962. 松喰虫の誘引物質に関する研究 (第1報). 赤松樹皮より誘引物質として安息香酸の分離. [Studies on attractants of the pine bark beetles. Part I. Isolation of an attractant, benzoic acid, from the red pine bark] 農化, 36: 802-804.
- 2-124. 安永邦輔 (YASUNAGA, Kunisuke) 1962. マツ3イムシの誘引物質に関する研究 (第2報). 安息香酸の誘引力に関する野外試験. [Studies on attractants of the pine bark beetles. Part II. Field tests on the attractability of benzoic acid] 日林誌, 44: 197-200.
- 2-125. 村上陽三 (MURAKAMI, Yôzô) 1962. オオワタコナカイガラムシの天敵に関する研究 I. [Studies on natural enemies of a mealybug, *Phenacoccus pergandei* Cockerell. I] 九大農学芸誌, 19: 381-388. (In Japanese with English summary)
- 2-126a. ISHIKAWA, Ryôtsuke 1962. Studies on the subgenus *Leptocarabus* (I) (Coleoptera, Carabidae). *Kontyû*, 30: 110-115.
- 2-126b. 村上陽三 (MURAKAMI, Yôzô) 1962. オオワタコナカイガラムシの天敵に関する研究 II. [Studies on natural enemies of a mealybug, *Phenacoccus pergandei* Cockerell. II] 九大農学芸誌, 19: 389-402. (In Japanese with English summary)
- 2-127. 安永邦輔 (YASUNAGA, Kunisuke) 1962. 九州地方松穿孔虫の天敵に関する研究. [Studies on the natural enemies of the beetles injurious to pine trees in Kyushu] 昆蟲, 30: 41-49. (In Japanese)
- 2-128. YANO, Kôji 1966. Pterophoridae and Aegeriidae (Lepidoptera) from Afghanistan. *Results of Kyoto Univ. Sci. Exp. Karakoram and Hindukush.*, 8: 331.
- 2-129. HIDAKA, Terunobu 1965. A list of the Formosan Lygaeidae collected by Dr. T. Shirozu. *Spec. Bull. Lep. Soc. Jap.*, (1): 222-225.
- 2-130. YANO, Kôji 1965. Some plume-moths from Formosa (Lepidoptera, Pterophoridae). *Spec. Bull. Lep. Soc. Jap.*, (1): 36-39.
- 2-131. HIDAKA, Terunobu 1962. Studies on the Lygaeidae XXVII. A New species of the genus *Bryannellocoris*. *Kontyû*, 30: 166-168.

- 2-132. 広瀬義躬 (HIROSE, Yoshimi) 1962. 福岡市附近にみられるマツカレハの発生消長の局地性. 九病虫研究会報, 8 : 14-16. (In Japanese)
- 2-133. YASUMATSU, Keizô and HIRASHIMA, Yoshihiro 1965. Aculeate Hymenoptera collected by Lepidopterological Society of Japan Expedition to Formosa in 1961. *Spec. Bull. Lep. Soc. Jap.*, (1) : 175-177.
- 2-134. HIRASHIMA, Yoshihiro and KIFUNE, Teiji 1962. A new wasp-attacking strepsipteron from Japan (Strepsiptera : Xenidae) (Studies on the Japanese Strepsiptera I). *Kontyû*, 30 : 175-178.
- 2-135. Missing number
- 2-136. Missing number
- 2-137. KAMIYA, Hiroyuki 1963. On the systematic position of the genus *Usechus* Motschulsky, with a description of a new species from Japan (Coleoptera). *Mushi*, 37 : 19-26.
- 2-138. MORIMOTO, Katsura 1962. Key to families, subfamilies, tribes and genera of the superfamily Curculionoidea of Japan excluding Scolytidae, Platypodidae and Cossoninae. *J. Fac. Agr., Kyushu Univ.*, 12 : 21-66.
- 2-139. HIRASHIMA, Yoshihiro 1962. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 1. Biology. *J. Fac. Agr., Kyushu Univ.*, 12 : 1-20.
- 2-140. 加藤勉 (KATO, Tsutomu) 1962. ルビーアアカヤドリコバチに対する新農薬の影響についての基礎的研究. [Effects of modern pesticides on *Anicetus beneficus* Ishii et Yasumatsu (Hym., Encyrtidae), the most effective parasite of *Ceroplastes rubens* Maskell] 九大農学芸誌, 20 : 1-12. (In Japanese with English summary)
- 2-141. 野原啓吾 (NOHARA, Keigo) 1962. ヤノネカイガ 3 ムシの生態に関する研究. [Studies on the biology of *Unaspis yanonensis* (Kuwana) (Homoptera: Diaspidae)] 九大農学芸誌, 20 : 13-27. (In Japanese with English summary)
- 2-142. Missing number
- 2-143. ISHIKAWA, Ryôtsuke 1962. Notes on some genera and species of the tribe Pepsini of Japan (Hymenoptera, Pompilidae). *Acta Hym.*, 1 : 327-360, 1 pl.
- 2-144. KIMOTO, Shinsaku 1962. A phylogenetic consideration of Chrysomelinae based on immature stages of Japanese species (Coleoptera). *J. Fac. Agr., Kyushu Univ.*, 12 : 67-88, 1 pl.
- 2-145. KIMOTO, Shinsaku 1962. Descriptions of immature stages of Japanese Chrysomelinae belonging to the generic groups *Chrysolina*, *Gonioctena*, *Potania*, *Phola* and *Phaedon* (Coleoptera). *J. Fac. Agr., Kyushu Univ.*, 12 : 89-103, 3 pls.
- 2-146. KIMOTO, Shinsaku 1962. Descriptions of immature stages of Japanese Chrysomelinae belonging to the generic group *Chrysomela* (Coleoptera). *J. Fac. Agr., Kyushu Univ.*, 12 : 105-116, 2 pls.
- 2-147. HIRASHIMA, Yoshihiro 1962. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 2. Systematics, 1. *J. Fac. Agr., Kyushu Univ.*, 12 : 117-154.
- 2-148. HIDAKA, Terunobu 1963. Studies on the Lygaeidae XXIX. New species of *Scolopostethus* and *Eremocoris* from Japan. *Kontyû*, 31 : 58-60.

- 2-149. 野原啓吾 (NOHARA, Keigo) 1962. ヒメアカボシテントウの周年経過および捕食活動に関する研究. [Studies on the life history and predatory behaviour of *Chilocorus kuwanue* Silvestri (Coleoptera, Coccinellidae)] 九大農学芸誌, 20 : 29-32. (In Japanese with English summary)
- 2-150. 野原啓吾 (NOHARA, Keigo) 1962. ヒメアカボシテントウ3の越冬について. [On the overwintering of *Chilocorus kuwanue* Silvestri (Coleoptera, Coccinellidae)] 九大農学芸誌, 20 : 33-39. (In Japanese with English summary)
- 2-151. YASUMATSU, Keizô 1962. A new species of *Telenomus* from the Ryukyus (Hym., Scelionidae). *Kontyû*, 30 : 260-261.
- 2-152. 神谷寛之 (KAMIYA, Hiroyuki) 1962. 福岡市近郊の柑橘園で採集されたテントウムシ類. [Coccinellid beetles collected in the citrus groves in the suburbs of Fukuoka City, Japan (Coleoptera).] *Kontyû*, 30 : 242-247. (In Japanese with English summary)
- 2-153. YAMAMOTO, Hideho 1962. Revisional studies on the Lasiocampidae of Japan. 1. The genus *Somadasys* Gaede 1932 (Lepidoptera). *J. Fac. Agr., Kyushu Univ.*, 12 : 171-199.
- 2-154. 野原啓吾 (NOHARA, Keigo) 1963. 萩近郊柑橘園でのテントウムシ類の活動について. [Observations on the activity of Coccinellid-beetles in the citrus groves near Hagi, Honshu] 九大農学芸誌, 20 : 157-168. (Japanese with English summary)
- 2-155. 野原啓吾・原田侃・小野隆章 (NOHARA, Keigo, HARADA, Tsuyoshi and ONO, Takaaki) 1965. 農薬のテントウムシ類に及ぼす影響について. [On the effect of some insecticides upon the Coccinellid-beetles] 九大農学芸誌, 22 : 1-7. (In Japanese with English summary)
- 2-156. 秦野多喜生・加藤勉 (HATANO, Takio, and KATO, Tsutomu) 1963. ヘイケボ5'ル1令幼虫に対する農薬の影響についての室内実験. [Laboratory studies on the effects on agricultural chemicals on the first stage larvae of a firefly, *Luciola lateralis* Motschulsky] 九大農学芸誌, 20 : 265-269. (In Japanese with English summary)
- 2-157. GRESSITT, J. L. and KIMOTO, Shinsaku 1963. The Chrysomelidae (Coleopt.) of China and Korea, Part 2. *Pac. Ins. Mon.*, 1B : 301-1026.
- 2-158. 前田泰生 (MAETA, Yasuo) 1963. スズバチネジレバネに関する生態学的知見. (1) その生態および生活史について. [Some biological notes on *Pseudoxenos iwatai* Esaki (1). Its biology and life history] 昆蟲, 31 : 1-15, 2 pls. (In Japanese with English summary)
- 2-159. AZIM, Anwarul 1963. *Aphytis cylindratus* Compere (Hymenoptera, Aphelinidae), an effective parasite of *Pseudaonidia duplex* Cockerell. *Mushi*, 37 : 53-63.
- 2-160. AZIM, Anwarul 1963. The biology of *Microterys okitsuensis* Compere and its oviposition behavior (Hymenoptera : Encyrtidae). *Mushi*, 37 : 65-78.
- 2-161. 前田泰生 (MAETA, Yasuo) 1963. スズバチネジレバネに関する生態学的知見 (II). その生態および生活史について. [Some biological notes on *Pseudoxenos iwatai* Esaki (II). Its biology and life history] 昆蟲, 31 : 113-126. (In Japanese with English summary)
- 2-162. 前田泰生 (MAETA, Yasuo) 1963. スズバチネジレバネに関する生態学的知見 (III). その寄生(突出)部位について. [Some biological notes on *Pseudoxenos iwatai* Esaki (III). Its parasitic position on the body of host wasps] 昆蟲, 31 : 127-139. (In Japanese with English summary)
- 2-163. YANO, Kôji 1963. Taxonomic and biological studies of Pterophoridae of Japan (Lepidoptera). *Pac. Ins.*, 5 : 65-209.

- 2-164. HIDAKA, Terunobu 1963. Studies on the Lygaeidae VIII. The new species of the genus *Dieuches* from Japan. *Kontyû*, 31: 169-173.
- 2-165. YASUMATSU, Keizô 1963. Some Hymenopterous parasites of Japanese Syrphidae. *Mushi*, 37: 123-126, 2 pls.
- 2-166. 村上陽三 (MURAKAMI, Yôzô) 1963. オオワタコナカイガラムシの天敵に関する研究 III. [Studies on natural enemies of a mealybug, *Phenacoccus pergandei* Cockerell. III] 九大農学芸誌, 20: 229-240. (In Japanese with English summary)
- 2-167. CHÛJÔ, Michitaka 1963. A new species of *Gonocephalum* Solier from Okinawa and Takara Is. (Coleoptera, Tenebrionidae). *Kontyû*, 31: 149-153.
- 2-168. Missing number
- 2-169. Missing number
- 2-170. AZIM, Anwarul 1963. Systematic and biological studies on the genus *Aphytis* Howard (Hymenoptera, Aphelinidae) of Japan. Part 1. Taxonomy. *J. Fac. Agr., Kyushu Univ.*, 12: 265-290.
- 2-171. 加藤勉 (KATO, Tsutomu) 1963. ルビーアカヤドリコバチ第1世代の蛹に対する農薬の影響. [Effects of insecticides on the second generation pupae of *Anicetus beneficus* Ishii et Yasunatsu (Hym., Encyrtidae), the most effective parasite of *Ceroplastes rubens* Maskell] 九病虫研会報, 9: 79-81. (In Japanese with English summary)
- 2-172. MIYATAKE, Yorio 1963. A revision of the subfamily Psyllinae from Japan (Hemiptera: Psyllidae) I. *J. Fac. Agr., Kyushu Univ.*, 12: 323-357.
- 2-173. 宮本正一, 日高輝展 (MIYAMOTO, Shôiti and HIDAKA, Terunobu) 1963. 八重山群島調査隊の採集した異翅類 [Heteroptera collected by the Kyushu University Expedition to the Yaeyama Group, 1962] 九大海外学術調査委員会学術報告, (1): 75-82.
- 2-174. 宮本正一, 宮武頼夫 (MIYAMOTO, Shôiti and MIYATAKE, Yorio) 1963. 九州大学八重山群島調査隊の採集した同翅類 [Homoptera taken by the Kyushu University Expedition to the Yaeyama Group, 1962] 九大海外学術調査委員会学術報告, (1): 83-90.
- 2-175a. 中條道崇 (CHÛJÔ, Michitaka) 1963. 九州大学調査隊により採集調査された八重山群島のハンミョウ科, コガネムシ科およびゴミムシダマシ科甲虫 [Cicindelid, Scarabaeid and Tenebrionid beetles (Coleoptera) from the Yaeyama Group collected by the Kyushu University Expedition] 九大海外学術調査委員会学術報告, (1): 91-94.
- 2-175b. 神谷寛之 (KAMIYA, Hiroyuki) 1964. 八重山群島のテントムシ類(第二報) [On the Coccinellid-fauna of the Yaeyama Group, the Ryukyus (Insecta: Coleoptera) (The second report)] 九大海外学術調査委員会学術報告, (2): 145-148.
- 2-176. 広瀬義躬 (HIROSE, Yoshimi) 1963. マツカレハ孵化幼虫の捕食虫としてのアリ類. [Ants as predators of the hatching larvae of the pine moth, *Dendrolimus spectabilis* Butler] 九害虫研報, 9: 86-89. (In Japanese with English summary)
- 2-177. CHÛJÔ, Michitaka 1963. A new species of the genus *Basanus* Lacordaire from Japan and Korea (Coleoptera, Tenebrionidae). *Niponius*, 2(4): 17-19.
- 2-178. AZIM, Anwarul 1963. Systematic and biological studies on the genus *Aphytis* Howard

(Hymenoptera, Aphelinidae) of Japan. Part 2. Biology and mass production. *J. Fac. Agr., Kyushu Univ.*, 12: 291-321.

- 2-179. HIRASHIMA, Yoshihiro 1963. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 2. Systematics, 2. *J. Fac. Agr., Kyushu Univ.*, 12: 241-263.
- 2-180. TAKARA, Tetsuo and HIDAKA, Terunobu 1963. Provisional list of Hemiptera-Heteroptera in the Ryukyu Islands. Supplemental notes 3. Rep. Sci. *Bull. Div. Agr., Home Econ. & Eng. Univ. Ryukyus*, (10) : 1-4, 1 pl.
- 2-181. 梶田泰司 (KAJITA, Hiroshi) 1964. ツノロウカイガラムシの寄主植物とその大量生産について. [A revised list of host plants of *Ceroplastes pseudoceriferus* Green with a preliminary study on its mass culture] 九大農学芸誌, 21 : 1-6. (In Japanese with English summary)
- 2-182. HIDAKA, Terunobu 1964. Studies on the Lygaeidae XII. Revision of the genus *Rhyparochromus* from Japan. *Kontyû*, 32 : 378-383.
- 2-183. MIYATAKE, Yorio 1964. A revision of the subfamily Psyllinae from Japan. II (Hemiptera : Psyllidae). *J. Fac. Agr., Kyushu Univ.*, 13 : 1-37.
- 2-184. HIRASHIMA, Yoshihiro 1964. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 2. Systematics, 3. *J. Fac. Agr., Kyushu Univ.*, 13 : 39-69.
- 2-185. HIRASHIMA, Yoshihiro 1964. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 2. Systematics, 4. *J. Fac. Agr., Kyushu Univ.*, 13: 71-97.
- 2-186. KIMOTO, Shinsaku 1964. The Chrysomelidae of Japan and the Ryukyu Islands. I. *J. Fac. Agr., Kyushu Univ.*, 13: 99-118.
- 2-187. KIMOTO, Shinsaku 1964. The Chrysomelidae of Japan and the Ryukyu Islands. II. *J. Fac. Agr., Kyushu Univ.*, 13: 119-139.
- 2-188. KIMOTO, Shinsaku 1964. The Chrysomelidae of Japan and the Ryukyu Islands. III. *J. Fac. Agr., Kyushu Univ.*, 13: 141-164.
- 2-189. HIROSE, Yoshimi 1963. Discovery of the genus *Poropoea* parasitic on the eggs of attelabid beetles in Japan (Hymenoptera, Trichogrammatidae). *Acta Hp.*, 2 : 29-35.
- 2-190. 梶田泰司 (KAJITA, Hiroshi) 1964. ツノロウカイガラムシの寄生蜂およびその寄生率. [On the parasites of *Ceroplastes pseudoceriferus* Green] 九大農学芸誌, 21 : 7-11. (In Japanese with English summary)
- 2-191. 広瀬義躬 (HIROSE, Yoshimi) 1964. 3 ロマツ海岸林におけるマツカレハの卵寄生蜂の活動. [The activity of the egg parasites of the pine-moth, *Dendrolimus spectabilis* Butler in the Japanese black pine forest on the sea coast] 九大農学芸誌, 21 : 13-24. (In Japanese with English summary)
- 2-192. YASUMATSU, Keizô 1963. A new species of *Elasmus* from the Ryukyus (Hymenoptera, Elasmidae). *Plant Protect. Bull.*, Taiwan, 5: 144-146.
- 2-193. MIYATAKE, Yorio 1964. Psyllidae in the collection of the Osaka Museum of Natural History, with description of a new species (Hemiptera : Homoptera). *Bull. Osaka Mus. Nat. Hist.*, (17) : 19-32.
- 2-194. 加藤勉・志賀正和 (KATO, Tsutomu and SHIGA, Masakazu) 1964. ムギヒゲナガアブラムシの

- mummy 内の寄生蜂におよぼす農薬の影響. [Effect of some insecticides on the Hymenopterous parasites within the mummified *Macrosiphum avenae* Fabricius] 九病虫研究会報, 10 : 23-26. (In Japanese with English summary)
- 2-195. 加藤勉 (KATO, Tsutomu) 1964. 九州地方の柑橘園におけるルビーロウムシの発生およびその寄生蜂, 主としてルビーアカヤドリコバチの活動におよぼす農薬散布の影響. [On the increase of *Ceroplastes rubens* in some citrus groves of Kyushu and the effect of insecticide applications on the activity of *Anicetus beneficus*, an effective parasite of the scale] 九病虫研究会報, 10 : 61-64. (In Japanese with English summary)
- 2-196. HIDAKA, Terunobu 1964. Lygaeidae from the Ryukyus. *Kontyû*, **32** : 287-298.
- 2-197. YASUMATSU, Keizô and HIRASHIMA, Yoshihiro 1964. Red-haired leaf-cutter bees of the group of *Megachile bicolor* from Japan, the Ryukyus and Formosa (Hymenoptera, Megachilidae). *Kontyû*, **32** : 175-187.
- 2-198. HIDAKA, Terunobu 1964. The Lygaeid and Reduviid bugs collected by the second scientific expedition of Kyushu University to the Yaeyama Group, 1963. [九州大学第二次八重山群島学術調査隊によって採集されたナガカメムシおよびサシガメについて] *Rep. Comm. Foreign Sci. Res., Kyushu Univ.*, (2) : **111-115**.
- 2-199. MIYATAKE, Yorio 1964. On the Psyllidae from the Yaeyama Group, the Ryukyus (Hemiptera : Homoptera). [八重山群島のキ3ラムシ類について] *Rep. Comm. Foreign Sci. Res., Kyushu Univ.*, (2) : **121-131**, 2 pls.
- 2-200. SATÔ, Masataka and MIYATAKE, Yorio 1964. Aquatic beetles of Iriomote-jima collected by the member of the second expedition of Kyushu University to the Yaeyama Group, the Ryukyus. [九州大学第二次八重山群島学術調査隊によって採集された西表島の水棲甲虫類] *Rep. Comm. Foreign Sci. Res., Kyushu Univ.*, (2) : **135-143**.
- 2-201. YANO, Kôji 1964. On some moths from the Yaeyama Group, the Ryukyu Islands. [八重山群島の蛾類について] *Rep. Comm. Foreign Sci. Res., Kyushu Univ.*, (2) : **165-171**.
- 2-202. 宮本正一・宮武頼夫 (MIYAMOTO, Syôiti and MIYATAKE, Yorio) 1964. 八重山群島調査隊の採集した蟬類. [Cicadidae collected by the Kyushu University Expedition to the Yaeyama Group, 1963] 九大海外学術調査委員会学術報告, (2) : 117-120, 1 pl.
- 2-203. 加藤勉 (KATO, Tsutomu) 1964. カメノコロウカイガラムシの秋期の移動についての観察. [Observation on the migration of *Ceroplastes japonicus* Green (Homoptera, Coccidae) in early autumn] 昆蟲, **32** : 512-516. (In Japanese with English summary)
- 2-204. 広瀬義躬・加藤勉 (HIROSE, Yoshimi and KATO, Tsutomu) 1964. 福岡市におけるオオミノガの蛹寄生蜂について. [Pupal parasites of *Clania variegata* Snellen (Lepidoptera, Psychidae) in Fukuoka] 九病虫研究会報, 10 : **57-60**. (In Japanese with English summary)
- 2-205. 小林正弘 (KOBAYASHI, Masahiro) 1964. スギタマバエの寄生蜂, *Inostemma* sp. および *Platygaster* sp. の産卵部位と越冬世代における産卵数について. [On the site and numbers of eggs oviposited by *Platygaster* sp. and *Inostemma* sp., the parasites of *Contarinia inouyei* Mani] 九病虫研究会報, 10 : 67-69. (In Japanese with English summary)
- 2-206. 安松京三・平嶋義宏 (YASUMATSU, Keizo and HIRASHIMA, Yoshihiro) 1964. 日本および琉球列島産のクマバチについて 附, J. C. Harrell による巣の記録. [Carpenter bees of Japan and the Ryukyus, with a note on Xylocopidae nest by J. C. Harrell (Hymenoptera, Apoidea)] 昆蟲,

- 32 : 341-351. (In Japanese with English summary)
- 2-207. KUROKO, Hiroshi 1964. Revisional studies on the family Lyonetiidae of Japan (Lepidoptera). *Esakia*, (4) : 1-61, 17 pls.
- 2-208. KIMOTO, Shinsaku 1964. The Chrysomelidae of Japan and the Ryukyu Islands. IV. *J. Fac. Agr., Kyushu Univ.*, 13 : 235-262.
- 2-209. KIMOTO, Shinsaku 1964. The Chrysomelidae of Japan and the Ryukyu Islands. V. *J. Fac. Agr., Kyushu Univ.*, 13 : 263-286.
- 2-210. KIMOTO, Shinsaku 1964. The Chrysomelidae of Japan and the Ryukyu Islands. VI. *J. Fac. Agr., Kyushu Univ.*, 13 : 287-308.
- 2-211. YANO, Kôji 1964. Notes on Pterophoridae from the Ryukyus (Lepidoptera). *Kontyû*, 32 : 437-442.
- 2-212. YANO, Kôji 1964. Pterophoridae from Japan, Formosa and Hainan collected by Dr. S. Issiki (Lepidoptera). *Tyô to Ga*, 16 : 53-57.
- 2-213. 梶田泰司 (KAJITA, Hiroshi) 1965. ツノロウアカヤドリコバチの産卵行動および産卵数. [On the egg laying habit and the reproductive capacity of *Anicetus ceroplastis* Ishii] 九大農学芸誌, 21 : 341-351. (In Japanese with English summary)
- 2-214. KIMOTO, Shinsaku 1965. The Chrysomelidae of Japan and the Ryukyu Islands. VII. *J. Fac. Agr., Kyushu Univ.*, 13 : 369-400.
- 2-215. KIMOTO, Shinsaku 1965. The Chrysomelidae of Japan and the Ryukyu Islands. VIII. *J. Fac. Agr., Kyushu Univ.*, 13 : 401-429.
- 2-216. KIMOTO, Shinsaku 1965. The Chrysomelidae of Japan and the Ryukyu Islands. IX. *J. Fac. Agr., Kyushu Univ.*, 13 : 431-459.
- 2-217. Missing number
- 2-218. HIRASHIMA, Yoshihiro 1965. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 2. Systematics, 6. *J. Fac. Agr., Kyushu Univ.*, 13 : 493-517.
- 2-219. MIYATAKE, Yorio 1965. Notes on Psyllidae from the Ryukyu Islands (Hemiptera : Homoptera). *Kontyû*, 33 : 171-189.
- 2-220. 平嶋義宏 (HIRASHIMA, Yoshihiro) 1965. 浮塵子考. [Bibliographical study of Fujinshi or Unka] 九大農学芸誌, 21 : 401-416. (In Japanese with English summary)
- 2-221. 志賀正和 (SHIGA, Masakazu) 1965. ナタネ畑におけるモモ7カアブラAシの定着と分布. [Alighting and distribution of the green peach aphid, *Myzus persicae* (Sulzer) in a rape field] 九病虫研会報, 11 : 74-78. (In Japanese)
- 2-222. MIYAKE, Yorio 1969. Notes on the immature stages of *Insnesia drypetes* Y. Miyatake from the Y aeyama Group, the Ryukyus (Hemiptera : Psyllidae). *Bull. Osaka Mus. Nat. Hist.*, 22 : 15-18.
- 2-223. KIMOTO, Shinsaku 1966. The Chrysomelidae of Japan and the Ryukyu Islands. X. Subfamily Alticinae III. *J. Fac. Agr., Kyushu Univ.*, 13 : 601-633.

- 2-224. KIMOTO, Shinsaku 1966. The Chrysomelidae of Japan and the Ryukyu Islands. XI. *J. Fac. Agr., Kyushu Univ.*, 13: 635-671.
- 2-225. YASUMATSU, Keizô and HIRASHIMA, Yoshihiro 1965. Bees (excluding Halictidae) of the Ryukyu Islands taken in the 1963 and 1964 surveys (Hymenoptera, Apoidea). *Kontyû*, 33: 247-259.
- 2-226. 梶田泰司 (KAJITA, Hiroshi) 1965. ツノロウアカヤドリコバチの生存日数について. [On the longevity of *Anicetus ceroplastis* Ishii (Hymenoptera : Encyrtidae)] *昆蟲*, 33: 267-270. (In Japanese with English summary)
- 2-227. 梶田泰司 (KAJITA, Hiroshi) 1965. クワコナカイガラムシの発育におよぼす代用飼料としてのカボチャ品種の影響. [The influences of the horticultural varieties of pumpkin upon the development of *Pseudococcus comstocki* Kuwana] *九大農学芸誌*, 22: 17-21. (In Japanese with English summary)
- 2-228. 野原啓吾・田坂利人 (NOHARA, Keigo and TASAKA, Toshio) 1965. ヤノネカイガ3 Aシの寄生頻度と夏橙の葉成分との関係について. [On the relation between the chemical components of the leaves of *Citrus natsudaidai* Hayata and the population density of *Unaspis yanonensis* Kuwana] *九大農学芸誌*, 22: 23-27. (In Japanese with English summary)
- 2-229. SAKAGAMI, Shôichi F., HIRASHIMA, Yoshihiro and OHÉ, Yoshiaki 1966. Bionomics of two new Japanese halictine bees (Hymenoptera, Apoidea). *J. Fac. Agr., Kyushu Univ.*, 13: 673-703.
- 2-230. 梶田泰司 (KAJITA, Hiroshi) 1965. 被寄生ツノロウカイガラムシの外観的な特徴について. [Some visible characters of parasitized *Ceroplastes pseudoceriferus* Green] *九大農学芸誌*, 22: 29-34. (In Japanese with English summary)
- 2-231. 中筋房夫 (NAKASUJI, Fusao) 1965. ハエの蛹化場所の深さの違いによる寄生蜂の活動の相違. [Difference of the activity of hymenopterous parasites with special reference to the depth of the pupation site of fly larvae] *昆蟲*, 33: 441-445. (In Japanese with English summary)
- 2-232. 中筋房夫 (NAKASUJI, Fusao) 1965. ハエのウジを食べるルリエンマムシの捕食性について. [On the predaceous habits of a histerid, *Saprinus speciosus* Erichson, feeding on maggots of medically important flies] *昆蟲*, 33: 434-440, 1 pl.
- 2-233. 梶田泰司 (KAJITA, Hiroshi) 1965. 3 ワコナカイガラムシの代用寄主としてのカボチャおよびジャガイモについて. [On the substitute host-supporting media of *Pseudococcus comstocki* Kuwana] *九大農学芸誌*, 22: 89-93. (In Japanese with English summary)
- 2-234. YASUMATSU, Keizô and HIRASHIMA, Yoshihiro 1965. Two new species of *Megachile* from Taiwan (Hymenoptera, Apoidea). *Kontyû*, 33: 373-384.
- 2-235. NAKANISHI, Akinori 1965. Description of a new Ichneumonid parasite of *Pryeria sinica* Moore (Hymenoptera : Ichneumonidae). *Kontyû*, 33: 456-458.
- 2-236. YASUMATSU, Keizô 1965. On the identity of *Entoria okinawaensis* Shiraki (Phasmida). *Mushi*, 38: 123-124.
- 2-237. YANO, Kôji 1965. A revision of the genus *Paranthrene* Hiibner from Japan (Lepidoptera, Aegeriidae). *Mushi*, 39: 1-8.
- 2-238. YOSHIMOTO, C. M. and YASUMATSU, Keizô 1965. The Eucoilinae of the Ryukyu Archipelago (Hymenoptera : Cynipoidea). *Pac. Ins.*, 7: 643-660.

- 2-239. DELOACH, Culver J. and MIYATAKE, Yorio 1966. Seasonal abundance and degree of parasitism of the Asiatic rice borer, *Chilo suppressalis* (Lepidoptera :Pyralidae) in Fukuoka Prefecture, Japan. *Mushi*, 39 : 31-46.
- 2-240. 広瀬義躬 (HIROSE, Yoshimi) 1966. 蔬菜栽培地帯のニンジンの花畑に集まる寄生蜂類. [Parasitic Hymenoptera visiting the flowers of carrot planted in the truck rop field] 九大農学芸誌, 22 :217-223. (In Japanese with English summary)
- 2-241. CHŪJŌ, Michitaka 1966. Taxonomic study of the Tenebrionidae (Coleoptera) of the Ryukyu Islands. *J. Fac. Agr., Kyushu Univ.*, **14** : 1-32, 2 pls.
- 2-242. 小林正弘 (KOBAYASHI, Masahiro) 1966. スギタマバエの寄生蜂, スギタマヤドリヒメコバチの卵形成および卵吸収. [Oögenesis and oösrption of *Tetrastichus sugitamabae* Yasumatsu et Yoshii (Hymenoptera, Eulophidae), a parasite of *Contarinia inouyei* Mani (Diptera, Cecidomyiidae)] 九大農学芸誌, 22 :311-318.
- 2-243. 志賀正和 (SHIGA, Masakazu) 1966. ナタネ畑におけるモモアカアブラムシの捕食虫としてのクモ類の生態. [An ecological study of spiders as predators of the green peach aphid, *Myzus persicae* (Sulzer), in a rape field] 九病虫研会報, 12 : 3-6.
- 2-244. HIRASHIMA, Yoshihiro 1966. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 2. Systematics, 7. *J. Fac. Agr., Kyushu Univ.*, **14** : 89-131.
- 2-245. 梶田泰司 (KAJITA, Hiroshi) 1966. 37コナカイガ3ヤドリバチの産卵数および寄主令期選択性について. [Studies on the utilization of natural enemies as "biotic insecticides." On the number of eggs deposited by *Pseudaphycus malinus* Gahan and its host selection] 九大農学芸誌, 22 : 319- 324. (In Japanese with English summary)
- 2-246. YUKAWA, Junichi 1967. Studies on the Japanese gall midges I, with special reference to the tribe Micromyini from Kyushu Island (Diptera: Cecidomyiidae). *J. Fac. Agr., Kyushu Univ.*, **14** : 183-202.
- 2-247a. KAJITA, Hiroshi 1966. On the longevity of *Pseudaphycus malinus* Gahan (Hymenoptera : Encyrtidae). *Acta Hym.*, 2 : 145-148.
- 2-247b. HIRASHIMA, Yoshihiro 1965. Systematic and biological studies of the family Andrenidae of Japan (Hymenoptera, Apoidea). Part 2. Systematics, 5. *J. Fac. Agr., Kyushu Univ.*, **13** : 461-491.
- 2-248. HIRASHIMA, Yoshihiro 1966. Comments on the genus *Pithitis* Klug with record of a species new to the Philippines (Hymenoptera, Anthophoridae). *Kontyû*, 34 : 315-316.
- 2-249. HIRASHIMA, Yoshihiro 1967. Discovery of *Gephyrohylaeus* from the Philippines (Hymenoptera, Colletidae). *Kontyû*, **35** : 62-64.
- 2-250. HIRASHIMA, Yoshihiro 1966. Comments on *Nomia* (*Ptilonomia*) with descriptions of two new species from New Guinea (Hymenoptera, Halictidae). *Kontyû*, **34** : 293-297.
- 2-251. MIYATAKE, Yorio 1966. On some species of Psyllidae from the Hachijo Islands (Homoptera). *Kontyû*, **34** : 327-330.
- 2-252. DRAKE, Eugene F. 1966. Comparisons between the external morphology of the larvae of *Apanteles chilonis* [Munakata] and *A. flavipes* (Cameron) (Hymenoptera, Braconidae). *Mushi*, **40** : 29-37.

- 2-253. 広瀬義躬 (HIROSE, Yoshimi) 1967. マツカレハの卵塊の大きさの2型とその由来. [Occurrence of two types of egg mass size in the pine moth, *Dendrolimus spectabilis* Butler (Lepidoptera : Lasiocampidae)] 九大農学芸誌, 23 : 15-21. (In Japanese with English summary)
- 2-254. 梶田泰司 (KAJITA, Hiroshi) 1967. 3 ワコ3カイガラヤドリバチの低温保存. [Studies on the utilization of natural enemies as "biotic insecticides." The low temperature storage of pupae of *Pseudaphycus malinus* Gahan] 九大農学芸誌, 23 : 23-28. (In Japanese with English summary)
- 2-255a. HIRASHIMA, Yoshihiro 1967. Metallic forms of *Nomia* (*Mellitidia*) of New Guinea in the collection of Bishop Museum (Hymenoptera, Halictidae). *J. Fac. Agr., Kyushu Univ.*, 14 : 311-331.
- 2-255b. 梶田泰司 (KAJITA, Hiroshi) 1967. 3 ワコナカイガラヤドリバチの温度順化を加味した低温保存. [Studies on the utilization of natural enemies as "biotic insecticides." On the acclimatization of rearing temperature for the low temperature storage of larvae or pupae of *Pseudaphycus malinus* Gahan] 九大農学芸誌, 23 : 29-32. (In Japanese with English summary)
- 2-256. YUKAWA, Junichi, 1967. A new species of the genus *Heterogenella* from Kyushu, Japan (Diptera, Cecidomyiidae). *Kontyû*, **35** : **22-24**.
- 2-257. YASUMATSU, Keizô 1967. Distribution and bionomics of natural enemies of rice stem borers (Research on the natural enemies of rice stem borers). *Mushi*, **39** Suppl. : 33-44.
- 2-258. MURAKAMI, Yôzô, MORIMOTO, Rokuya and KAJITA, Hiroshi 1967. Possibility of biological control of *Pseudococcus comstocki* in Japan. *Mushi*, 39 Suppl. : 85-96.
- 2-259. HIRASHIMA, Yoshihiro 1967. A new subgenus and species of *Hylaeus* from New Guinea (Hymenoptera, Colletidae). *Kontyû*, **35** : **134-138**.
- 2-260. YASUMATSU, Keizô 1967. Notes on *Bracon onukii* Watanabe, a parasite of four species of Lepidopterous bores (Hymenoptera : Braconidae). *Mushi*, **40** : **181-188**.
- 2-261. CHU, Yau-i 1967. The discovery of a new *Damaster* from Formosa (Coleoptera, Carabidae). *Mushi*, **41** : **59-62**.
- 2-262. CHÛJÔ, Michitaka 1967. A check list of Formosan Tenebrionidae (Coleoptera) I. *Kontyû*, **35** : **375-381**.
- 2-263. YUKAWA, Junichi 1967. Some new little known species of non-gall making Cecidomyiidae from Hiko-san (Diptera). *Mushi*, **41** : **63-70**.
- 2-264. CHÛJÔ, Michitaka 1968. A check list of the Formosan Tenebrionidae (Coleoptera) II. *Kontyû*, **36** : **14-17**.
- 2-265. SHIGA, Masakazu 1967. Ecological studies on the green peach aphid, *Myzus persicae* (Sulzer) and the cabbage aphid, *Brevicoryne brassicae* (Linnaeus) in Japan, with special reference to their biological control. *Mushi*, **41** : **75-89**.
- 2-266. LEE, Chang Eon 1967. Tingidae from Korea (Heteroptera). *Mushi*, **41** : 91-111.
- 2-267. YASUMATSU, Keizô and TAKETANI, Akihiko 1967. Some remarks on the commonly known species of the genus *Diplolepis* Geoffroy in Japan. *Esakia*, (6) : **77-87**, 4 pls.
- 2-268. YASUMATSU, Keizô, NISHIDA, Toshiyuki and BESS, Henry A. 1968. On the extinction of the Asiatic rice borer *Chilo suppressalis* in Hawaii. *Proc. Hawaii. Ent. Soc.*, **20** : **239-245**.

- 2-269. HIROSE, Yoshimi, SHIGA, Masakazu and NAKASUJI, Fusao 1968. Interspecific relations among three hymenopterous egg parasites of the pine moth, *Dendrolimus spectabilis* Butler (Lepidoptera : Lasiocampidae) in the Japanese black pine forest. I. Methods of the study and general sketches of the biology of the host and parasites. *J. Fac. Agr., Kyushu Univ.*, **14** : 449-458, 1 pl.
- 2-270. HIROSE, Yoshimi, SHIGA, Masakazu and NAKASUJI, Fusao 1968. Interspecific relations among three hymenopterous egg parasites of the pine moth, *Dendrolimus spectabilis* Butler (Lepidoptera : Lasiocampidae) in the Japanese black pine forest. II. Spatial interspersions of the two egg parasites, *Trichogramma dendrolimi* and *Telenomus dendrolimi* in the pine crown. *J. Fac. Agr., Kyushu Univ.*, **14** : 459-472.
- 2-271. 志賀正和 (SHIGA, Masakazu) 1968. モモアカアブラ4シとその mummy の空間分布,ならびに寄生蜂の寄主個体数に対する反応. [The effect of aggregations of the green peach aphid, *Myzus persicae* (Sulzer), on the spatial distribution and parasitization of a hymenopterous parasite, *Aphidius gifuensis* Ashmead] 九大農学芸誌, 23 : 169-183. (In Japanese with English summary)
- 2-272. 野原啓吾・安松京三 (NOHARA, Keigo and YASUMATSU, Keizô) 1968. 夏柑園内におけるクモ類と農薬散布がそれらに及ぼす影響について. [Observations on the activity of spiders and the effect of insecticides on their populations in the citrus groves around Hagi City, Honshu, Japan] 九大農学芸誌, **23** : 151-167. (In Japanese with English summary)
- 2-273. YANO, Kôji 1968. Notes on Sciomyzidae collected in paddy field (Diptera), I. *Mushi*, **41** : 189-200, 3 pls.
- 2-274. YASUMATSU, Keizô 1969. Biological control of citrus pests in Japan. *Proc. 1st Int. Citr. Symp.*, 2 : 773-780.
- 2-275. SHIGA, Masakazu and NAKANISHI, Akinori 1968. Intraspecies competition in a field population of *Gregopimpla himalayensis* (Hymenoptera : Ichneumonidae) parasitic on *Malacosoma neustria testacea* (Lepidoptera : Lasiocampidae). *Res. Popul. Ecol.*, 10 : 69-86.
- 2-276. 広瀬義躬 (HIROSE, Yoshimi) 1968. オトシブミ類における1 揺籃内の卵数と卵寄生蜂,特にオトシブミタマゴバチ *Poropoea morimotoi* Hirose の寄生との関係. [Egg parasitism of some leaf-rolling weevils in relation to the number of eggs laid in a leaf roll, with special reference to parasitism by *Poropoea morimotoi* Hirose (Hymenoptera: Trichogrammatidae)] 昆虫, 36 : 377-388.
- 2-277. SHIMA, Hiroshi 1968. A new species of the genus *Frontina* Meigen from Kyushu, Japan (Diptera : Tachinidae). *Kontyû*, **36** : 355-358.
- 2-278. 安松京三・矢野宏二 (YASUMATSU, Keizô and YANO, Kôji) 1968. ニカメイガモドキの日本からの発見とその応用昆虫学上の意義. [Discovery of *Chilo hyrax* Beszyfiski from Japan and its significance in applied entomology (Lepidoptera, Pyralidae)] 九大農学芸誌, 23 : 197-204, 1 pl.
- 2-279. SHIGA, Masakazu and NAKANISHI, Akinori 1968. Variation in the sex ratio of *Gregopimpla himalayensis* Cameron (Hymenoptera : Ichneumonidae) parasitic on *Maracosoma neustria testacea* Motschulsky (Lepidoptera : Lasiocampidae), with considerations on the mechanism. *Kontyû*, **36** : 369-376.
- 2-280. SHIMA, Hiroshi 1968. Several host records of Goniinae from Japan (Diptera, Tachinidae). *Kontyû*, **36** : 359-362.

- 2-281. CHÛJÔ, Michitaka 1968. A check list of the Formosan Tenebrionidae (Coleoptera) III. *Kontyû*, 36 : 393-397.
- 2-282. CHÛJÔ, Michitaka 1968. Eine neue *Basanus*-art aus Japan (Col., Tenebrionidae). *Kontyû*, 36 : 398-399.
- 2-283. SHIMA, Hiroshi 1968. Study on the Japanese *Calocarcelia* Townsend and *Eucarcelia* Baranov (Diptera : Tachinidae). *J. Fac. Agr., Kyushu Univ.*, 14 : 507-533.
- 2-284. HONDA, Masako 1968. Study on the Japanese *Aneurhynchus* Westwood (Hymenoptera : Diapriidae). *J. Fac. Agr., Kyushu Univ.*, 14 : 613-627.
- 2-285. SHIMA, Hiroshi 1968. Descriptions of two new species of the genus *Pexopsis* Brauer & Bergenstamm from Japan (Diptera : Tachinidae). *Mushi*, 42 : 9-14.
- 2-286. 野里和雄 (NOZATO, Kazuo) 1969. マツツマ7カシンムシのマツ新梢での産卵部位。[The oviposition site of the egg of *Rhyacionia duplana simulata* Heinrich on pine shoot] 応動昆, 13 : 22-25.
- 2-287. YANO, Kôji 1968. Key to the rice stem borers from Asia (Lepidoptera). *Mushi*, 42 : 81-87, 3 pls.
- 2-288. CHU, Yau-i 1969. On the bionomics of *Lyctocoris beneficus* (Hiura) and *Xylocoris galactinus* (Fieber) (Anthcoridae, Heteroptera). *J. Fac. Agr., Kyushu Univ.*, 15 : 1-136.
- 2-289. OKUMA, Chiyoko 1968. Preliminary survey on the spider-fauna of the paddy field in Thailand. *Mushi*, 42 : 89-118, 6 pls.
- 2-290. Missing number
- 2-291. NOZATO, Kazuo 1969. Biology of *Itoplectis cristatae* Momoi (Hym. : Ichneumonidae), a pupal parasite of the pine shoot moths in Japan. *Kontyû*, 37 : 75-82, 1 pl.
- 2-292. HONDA, Masako 1969. Descriptions of two new species of Diapriidae (Hymenoptera) parasitic on *Eristalis* sp. and *Lathyrrophthalmus ocularis* Coquillett (Diptera : Syrphidae). *Mushi*, 42 : 155-162.
- 2-293. YASUMATSU, Keizô and HIRASHIMA, Yoshihiro 1969. Synopsis of the small carpenter bee genus *Ceratina* of Japan (Hymenoptera, Anthophoridae). *Kontyû*, 37 : 61-70.
- 2-294. Missing number
- 2-295. Missing number
- 2-296. 野里和雄 (NOZATO, Kazuo) 1969. マツツアカシンムシの蛹寄生蜂 *Itoplectis cristatae* Momoi の性比におよぼす寄主の大きさの影響。[The effect of host size on the sex ratio of *Itoplectis cristatae* Momoi (Hymenoptera : Ichneumonidae), a pupal parasite of the Japanese pine shoot moth, *Petrova* (= *Evetria*) *cristata* (Walsingham) (Lepidoptera : Olethreutidae)] 昆蟲, 37 : 134-146.
- 2-297. SHIMA, Hiroshi 1969. Notes on the Japanese *Carcelia* and *Calocarcelia* (Diptera : Tachinidae). *Kontyû*, 37 : 237-246.
- 2-298. HIRASHIMA, Yoshihiro 1971. *Megaceratina*, a new genus of bees of Africa (Hymenoptera, Anthophoridae). *J. Nat. Hist.*, 5 : 251-256.

- 2-299. YASUMATSU, Keizō and TORII, Torizo 1968. Impact of parasites, predators, and diseases on rice pests. *Ann. Rev. Ent.*, **13** : 295-324.
- 2-300.** KAJITA, Hiroshi and DRAKE, Eugene F. 1969. Biology of *Apanteles chilonis* and *A. flavipes* (Hymenoptera : Braconidae), parasites of *Chilo suppressalis*. *Mushi*, **42** : 163-179.
- 2-301. Missing number
- 2-302.** CHANNABASAVANNA, G. P. and YANO, Kōji 1969. Some observations on *Sepedon sauteri* Hendel (Diptera : Sciomyzidae) during the winter months in Fukuoka, Japan. *Mushi*, **42** : 181-187.
- 2-303.** YANO, Kōji 1969. Record of the female *Chilo hyrax* Beszyński from Japan (Lepidoptera, Pyralidae). *Mushi*, **42** : 189-191.
- 2-304.** 梶田泰司 (KAJITA, Hiroshi) 1969. 3 ワコナカイガラヤドリバチの交尾と仔の性. [Studies on the utilization of natural enemies as "biotic insecticides." Mating of *Pseudaphycus malinus* Gahan and sex of the progeny] 九大農学芸誌, **24** : 157-159. (In Japanese with English summary)
- 2-305.** 梶田泰司 (KAJITA, Hiroshi) 1969. クワコナカイガラヤドリバチの飼育における物理的要因について. [Studies on the utilization of natural enemies as "biotic insecticides." Effect of physical factors on the culture of *Pseudaphycus malinus* Gahan] 九大農学芸誌, **24** : 167-172. (In Japanese with English summary)
- 2-306.** 梶田泰司 (KAJITA, Hiroshi) 1969. 3 7 コナカイガラヤドリバチの大量飼育における密度効果. [Studies on the utilization of natural enemies as "biotic insecticides." Density effect in the mass culture of *Pseudaphycus malinus* Gahan] 九大農学芸誌, **24** : 161-166. (In Japanese with English summary)
- 2-307.** 矢野宏二・行徳直巳 (YANO, Kōji and GYOTOKU, Naomi) 1969. サトウ3ピ害虫スジメイガの日本からの発見. [Discovery of a sugar-cane borer, *Proceras venosatus* (Walker), in Japan (Lepidoptera, Pyralidae)] 昆蟲, **37** : 453-459. (In Japanese with English summary)
- 2-308.** LEE, Chang Eon 1969. Morphological and phylogenetic studies on the larvae and male genitalia of the East Asiatic Tingidae (Heteroptera). *J. Fac. Agr., Kyushu Univ.*, **15** : 137-256, 16 pls.
- 2-309. HIRASHIMA, Yoshihiro 1969. Synopsis of the genus *Pithitis* Klug of the world (Hymenoptera : Anthophoridae). *Pac. Ins.*, **11** : 649-669.
- 2-310. 広瀬義躬 (HIROSE, Yoshimi) 1969. マツカレハの卵寄生蜂主要種の比較生態, 特に天敵としての有効性に関する諸要因について. [Comparative ecology of some hymenopterous egg parasites of the pine moth, *Dendrolimus spectabilis* Butler (Lepidoptera : Lasiocampidae), with special reference to the factors affecting their efficiency as natural enemies] 九大農学芸誌, **24** : 115-148.
- 2-311. Missing number
- 2-312. SHIN, Yoo-Hang 1970. On the bionomics of *Itopectis narangae* (Ashmead) (Ichneumonidae, Hymenoptera). *J. Fac. Agr., Kyushu Univ.*, **16** : 1-75.
- 2-313. SHIMA, Hiroshi 1970. New species of *Strobliomyia* from New Guinea and New Britain (Diptera : Tachinidae). *Pac. Ins.*, **12** : 261-271.
- 2-314. SHIMA, Hiroshi 1970. New species of *Actia* s. str. from Hong Kong and Nepal (Diptera :

- Tachinidae). *Pac. Ins.*, **12** : 273-277.
- 2-315. SHIMA, Hiroshi 1970. Notes on some Japanese Siphonini (Diptera : Tachinidae). *J. Fac. Agr., Kyushu Univ.*, **16**: 179-192.
- 2-316. HIRASHIMA, Yoshihiro 1971. Subgeneric classification of the genus *Ceratina* Latreille of Asia and West Pacific, with comments on the remaining subgenera of the world (Hymenoptera, Apoidea). *J. Fac. Agr., Kyushu Univ.*, **16** : 349-375.
- 2-317. KANMIYA, Kenkichi 1971. Study on the genus *Dicraeus* Loew from Japan and Formosa (Diptera, Chloropidae). *Mushi*, **45**: 157-180.
- 2-318. YANO, Kôji 1971. Illustrated key to the rice stem-borers of major economic importance in south and east Asia. *LABCR-News*, (1) : 4-6.
- 2-319. 安松京三 (YASUMATSU, Keizô) 1972. 自然の利用と保護—自然・昆虫・人間社会— [Utilization and conservation of nature-Nature, insects and human society-] 九大農芸誌, 27 : 61-78.
- 2-320. YASUMATSU, Keizô 1971. Activities, scope and problems in rice stem-borer research. **12th Pac. Sci. Congr. Symp., Research on rice borers, related pests and their natural enemies. 9A, 1 : 3-6.**

Appendix

The following papers, which should be included in Ser. 2, are not classified in the Subject Index or the Author Index.

- A-1. 中尾舜一・大熊千代子 (NAKAO, Shun-ichi and OKUMA, Chiyoko) 1958. ミカン園に生息するクモ. [On the spiders collected in a citrus orchard near Fukuoka] 応動昆, 2(3): 192-197. (In Japanese with English summary)
- A-2. 大熊千代子 (OKUMA, Chiyoko) 1958. セスジア A A ネグモの生態. [Some observations on the habits of *Oedothorax insecticeps* Boesenberg et Strand (Araneae)] Acta Arachn., **15**(2): 21-23. (In Japanese)
- A-3. 大熊千代子 (OKUMA, Chiyoko) 1960. 彦山蜘蛛目録. I. 真正蜘蛛目 [Enumeratio Arachnidarum Montis Hikosan. I. Ataneina] 九州大学彦山生物学研究所, 彦山, 18 pp.
- A-4. CHU, Yau-i and OKUMA, Chiyoko 1970. Preliminary survey on the spider-fauna of the paddy fields in Taiwan. *Mushi*, **44**(9): 65-88.

SUBJECT INDEX TO SERIES 2

BIBLIOGRAPHY 220

EVOLUTION AND PHYLOGENY

Coleoptera

Chrysomelidae 144

Curculionoidea 120

Lepidoptera

Psychidae 095

Hemiptera

Tingidae 308

SYSTEMATICS

Araneae 289

Coleoptera

Attelabidae 004, 031, 034, 111

Anthribidae 111

Brentidae 111

Carabidae 071, 126a, 261

Chrysomelidae 065, 074, 075a, 075b, 076, 077, 086, 110, 157, 186, 187, 188, 208, 209, 210, 214, 215, 216, 223, 224

Coccinellidae 020, 039, 062, 114, 119

Curculionidae 002, 007, 019, 025a, 031, 032, 034, 035, 038, 059, 070, 079, 084, 093, 094, 112, 113

Curculionoidea 120, 121, 138

Hemipelpidae 098

Rhynchophoridae 113

Tenebrionidae 137, 167, 177, 241, 262, 264, 281, 282

Diptera

Cecidomyiidae 246, 256, 263

Chloropidae 317

Dixidae 009

Sciomyzidae 273, 302

Tachinidae 277, 283, 285, 297, 313, 314, 315

Tipulidae 026, 033, 036

Hemiptera

Anthcoridae 288

Dipsocoridae 018

Helotrephidae 016

Heteroptera 057, 063, 108

Lygaeidae 003, 008, 012, 014, 027, 037, 040, 044, 050, 068a, 068b, 073, 105, 115, 129, 131, 148, 164, 182, 196

Psyllidae 172, 183, 193, 219, 251

Reduviidae 028

Tingidae 266, 308

Veliidae 017

Hymenoptera

Aculeata 133

Andrenidae 147, 179, 184, 185, 218, 244, 247b

Anthophoridae 206, 248, 293, 298, 309, 316

Apholinidae 116, 170

Aphidiidae 064

Apoidea 060, 013, 107, 225

Bethyloidea 055

Chalcididae 096

Colletidae 249, 259

Cynipidae 021, 267

Diapriidae 165, 284, 292

Elasmidae 052, 082, 192

Encyrtidae 165

Eucoilidae 238

Eulophidae 049

Formicidae 054, 056, 122

Figitidae 165

Halictidae 097, 250, 255a

Ichneumonidae 235

Megachilidae 197, 234

Parasitica 125

Pompilidae 015, 022, 058, 143

Pteromalidae 165

Scelionidae 151

Trichogrammatidae 189

Xylocopidae, see Anthophoridae

Lepidoptera

Aegeriidae 072, 128, 237

Cosmopterigidae 025b

Gelechiidae 100

Gracilariidae 024, 102

Heliozelidae 099

Lasiocampidae 153

Lyonetiidae 080, 207

Oecophoridae 023
 Psychidae 117
 Pterophoridae 069, 078, 081, 083, 109, 128,
 130, 163, 211, 212
 Pyralidae 278, 287, 303, 307, 318
 Phasmida
 Pachymorphidae 236
 Strepsiptera
 Xenidae 134

Local fauna

Japan

Amami-Oshima Islands 013, 060
 Hachijo Islands 031
 Koshiki Islands 119
 Niigata Prefecture 034, 053
 Nansei Islands (inc. the Ryukyus)
 Coleoptera 074, 075a, 075b, 175a, 175b,
 200
 Hemiptera 057, 063, 108, 173, 174, 180, 198,
 199, 202
 Hymenoptera 225
 Lepidoptera 201
 China (Shansi) 070
 Taiwan 133
 Thailand 289

MORPHOLOGY

Eggs and immature stages

Coleoptera
 Chrysomelidae 144, 145, 146
 Diptera
 Tipulidae 005
 Hemiptera
 Dipsocoridae 018
 Helotrephidae 016
 Lygaeidae 043
 Psyllidae 199, 222
 Tingidae 308
 Hymenoptera
 Braconidae 252, 260
 Halictidae 097
 Ichneumonidae 312
 Parasitica 126b
 Scelionidae 001
 Neuroptera

Hemerobiidae 011
 Mantispidae 106
 Lepidoptera
 Aegeriidae 085
 Carposinidae 041
 Gelechiidae 100
 Gracilariidae 102
 Lyonetiidae 080
 Psychidae 095
 Pterophoridae 163
 Pyralidae 287, 318

Adults

Coleoptera
 Curculionoidea 120
 Hymenoptera
 Encyrtidae 066, 087
 Lepidoptera
 Psychidae 095

BEHAVIOR, BIOLOGY AND ECOLOGY

Habits and life-histories

Coleoptera
 Attelabidae 276
 Cleridae 127
 Coccinellidae 149, 150, 154
 Histeridae 232
 Meloidae 076
 Diptera
 Trypetidae 045
 Hemiptera
 Anthocoridae 288
 Aphididae 221, 265
 Cicadidae 010, 202
 Coccidae 203
 Diaspididae 141
 Lygaeidae 043
 Reduviidae 127
 Hymenoptera
 Andrenidae 139
 Anthophoridae 206
 Aphelinidae 159, 170, 178
 Braconidae 127, 300
 Chalcidoidea 230
 Cynipidae 231, 267
 Encyrtidae 160, 213, 226, 245, 247b, 304,
 305

- Eulophidae 242
 Eupelmidae 310
 Formicidae 176
 Parasitica 126b
 Platygasteridae (= Platygasteridae) 205
 Pteromalidae 231
 Scelionidae 310
 Trichogrammatidae 276, 310
 Halictidae 061, 097, 229
 Ichneumonidae 275, 279, 291, 296, 312
 Megachilidae 006, 029, 030
 Lepidoptera
 Adelidae 103
 Carposinidae 041
 Gracilariidae 024
 Lasiocampidae 132, 253, 269
 Lyonetiidae 080
 Psychidae 095
 Pyalidae 239
 Tortricidae 286
 Neuroptera
 Hemerobiidae 011
 Mantispidae 106
 Strepsiptera
 Xenidae 161
Host relationship
 Gracilariidae (Lepidoptera) 102
 Heliozelidae (Lepidoptera) 099
 Lyonetiidae (Lepidoptera) 080, 207
 Psyllidae (Hemiptera) 199
 Pterophoridae (Lepidoptera) 163
 Strepsiptera 161, 162
 Tachinidae (Diptera) 280
Flower visiting habits
 Hymenoptera parasitica 240
Social insects
 Vespidae 042, 047, 048, 088, 089, 090, 091, 118
APPLIED ENTOMOLOGY
General 319, 320
Behavior and bionomics: pest species 101, 132, 228, 230, 253
Behavior and bionomics : natural enemies
 001, 088, 092, 126, 127, 159, 166, 176, 190, 191, 204, 239, 240, 243, 257, 269, 270, 271
Biological control 045, 046, 089, 090, 195, 258, 260, 265, 271, 274, 299, 310
Natural enemy-pest relationship 049, 104, 125, 127, 152, 165, 190, 257, 260
Rearing and mass production 104, 178, 181, 227, 233, 254, 255b, 288, 306, 312
Effects of insecticide 140, 155, 156, 171, 194, 195, 272
Attractants 123, 124
Extinction of pest 268
Miscellaneous 243, 272, 289

AUTHOR INDEX TO SERIES2

- A
- AZIM, Anwarul 104, 116, 159, 160, 170, 178
- B
- BESS, Henry, A. 268
- C
- CHANNABASAVANNA, G. P. 302
 CHU, Yau-i (朱耀沂) 261, 288
 CHÛJÔ, Michio (中條道夫) 031, 032, 034, 065, 077
 CHÛJÔ, Michitaka (中條道崇) 167, 175, 177, 241, 262, 264, 281, 282
- D
- DEBACH, Paul 116
 DELOACH, Culver J. 239
 DRAKE, Eugene F. 252, 300
- E
- ESAKI, Teiso (江崎悌三) 012, 016, 017, 018
- G
- GRESSITT, J. L. 076, 157
 GYOTOKU, Naomi (行徳直巳) 307
- H
- HARADA, Tsuyoshi (原田侃) 155
 HARRELL, J. C. 206
 HATANO, Takio (秦野多喜生) 156
 HIDAKA, Terunobu (日高輝展) 001, 003, 008, 012, 014, 027, 028, 037, 040, 043, 044, 050, 057, 063, 068a, 068b, 073, 105, 108, 115, 129, 131, 148, 164, 173, 180, 182, 196, 198
 HIRASHIMA, Yoshihiro (平嶋義宏) 006, 013, 029, 030, 060, 061, 097, 107, 133, 134, 139, 147, 179, 184, 185, 197, 206, 218, 220, 225, 229, 234, 244, 247b, 248, 249, 250, 255a, 259, 293, 298, 309, 316
 HIROSE, Yoshimi (広瀬義躬) 132, 176, 189, 191, 204, 240, 253, 269, 270, 276, 310
- HONDA, Masako (本田昌子) 284, 292
- I
- ISHIKAWA, Ryôsuke (石川良輔) 015, 022, 058, 071, 126a, 143
 IZZARD, R. J. 073
- K
- KAJITA, Hiroshi (梶田泰司) 181, 190, 213, 226, 227, 230, 233, 245, 247a, 254, 255b, 258, 300, 304, 305, 306
 KAMIYA, Hiroyuki (神谷寛之) 020, 039, 053, 062, 098, 114a, 114b, 119, 137, 152
 KANMIYA, Kenkichi (上宮健吉) 317
 KATO, Tsutomu (加藤勉) 140, 156, 171, 194, 195, 203, 204
 KAWASHIMA, Kenjiro (川島健治郎) 011
 KAYASHIMA, Izumi (萱嶋泉) 092
 KIFUNE, Teiji (木船悌嗣) 067, 134
 KIMOTO, Shinsaku (木元新作) 065, 074, 075a, 075b, 076, 077, 086, 110, 144, 145, 146, 157, 186, 187, 188, 208, 209, 210, 214, 215, 216, 223, 224
 KOBAYASHI, Masahiro (小林正弘) 205, 242
 KONO, Hiromichi (河野広道) 070
 KURANAGA, Zentarô (倉永善太郎) 082
 KUROKO, Hiroshi (黒子浩) 023, 024, 025b, 080, 099, 100, 102, 103, 106, 207
 KUWATSUKA, Shozo (楸塚昭三) 123
- L
- LEE, Chang Eon (李昌彦) 266, 308
- M
- MAETA, Yasuo (前田泰生) 158, 161, 162
 MILLER, N. C. E. 028
 MIYAMOTO, Shôiti (宮本正一) 016, 017, 018, 057, 173, 174, 202
 MIYATAKE, Yorio (宮武頼夫) 172, 174, 183, 193, 199, 200, 202, 219, 222, 239, 251
 MORIMOTO, Katsura (森本桂) 002, 004, 007, 019, 025a, 031, 032, 034, 035, 038, 059, 070, 079, 084, 093, 094, 111, 112, 113, 120, 121, 138

MORIMOTO, Rokuya (守本陸也) 042047,048,
088, 089, 090, 091, 118, 258

MURAKAMI, Yôzô (村上陽三) 056, 066, 087,
125, 126b, 166, 258

N

NAGATOMI, Akira (永富昭) 045

NAKANE, Takehiko (中根猛彦) 074, 075a, 075b

NAKANISHI, Akinori (中西明德) 235, 275, 279

NAKAO, Shun-ichi (中尾舜一) 010, 046

NAKASUJI, Fusao (中筋房夫) 231, 232, 269, 270

NISHIDA, Toshiyuki (西田俊幸) 268

NOHARA, Keigo (野原啓吾) 101, 141, 149, 150,
154, 155, 228, 272

NOZATO, Kazuo (野里和雄) 286, 291, 296

O

OHÉ, Yoshiaki (大江芳明) 229

OKUMA, Chiyoko (大態千代子) 289

ONO, Takaaki (小野隆章) 155

OSHIMA, Yasuyoshi (大島康義) 123

S

SAIGUSA, Toyohei (三枝豊平) 095, 117

SAKAGAMI, Shôichi F. (坂上昭一) 229

SATO, Masataka (佐藤正孝) 200

SHIGA, Masakazu (志賀正和) 194, 221, 243, 265,
269, 270, 271, 275, 279

SHIMA, Hiroshi (島洪) 277, 280, 283, 285, 297,
313, 314, 315

SHIN, Yoo-Hang (申裕恒) 312

SLATER, James A. 014

T

TAKAHASHI, Mitsuo (高橋三雄) 005, 009, 026,
033, 036

TAKARA, Tetsuo (高良鉄夫) 063, 108, 180

TAKETANI, Akihiko (竹谷昭彦) 267

TASAKA, Toshio (田坂利人) 228

TORII, Torizo (鳥居酉蔵) 299

Y

YAMAMOTO, Hideho (山本英穂) 153

YANO, Kôji (矢野宏二) 041, 069, 072, 078, 081,
083, 085, 109, 128, 130, 163, 201, 211, 212, 237,
273, 278, 287, 302, 303, 307, 318

YASUMATSU, Keizô (安松京三) 021, 045, 046,
049, 052, 054, 055, 056, 064, 082, 096, 122, 133,
151, 165, 192, 197, 206, 225, 234, 236, 238, 257,
260, 267, 268, 272, 274, 278, 293, 299, 319, 320

YASUNAGA, Kunisuke (安永邦輔) 084, 123,
124, 127

YOSHII, Takuo (吉井宅男) 049

YOSHIMOTO, C. M. 238

YUKAWA, Junichi (湯川淳一) 246, 256, 263