

Nitidulidae from Korea (Coleoptera, Insecta)

Chujo, Michitaka

Lee, Chang Eon

<https://doi.org/10.5109/2575>

出版情報 : ESAKIA. 34, pp.195-202, 1994-03-24. Entomological Laboratory, Faculty of Agriculture, Kyushu University

バージョン :

権利関係 :

Nitidulidae from Korea (Coleoptera, Insecta)^{1), 2)}

Michitaka CHŪJŌ

Hikosan Biological Laboratory, Faculty of Agriculture,
Kyushu University, Fukuoka, Japan 824-07

and

Chang Eon LEE

Department of Biology, College of Natural Science, Kyungpook
National University, Taegu, 702-701 Korea

Abstract. Collection of the family Nitidulidae from Korea made in 1991 and 1992 under the Korea-Japan Co-operative Science Program comprises 20 species, in which 11 species are newly recorded from mainland of Korea.

NITIDULIDAE

Carpophilinae

1. *Carpophilus hemipterus* (Linné)*

Dermestes hemipterus Linné, 1758, Syst. Nat., 10: 358 (Europe).

Spec. exam.: 1 ex., Jung Sam Ri, Joo Chun Meon, Sam Chung Gun, Gyeong Sang Nam do, Korea, 24. ix. 1991, M. T. Chūjō leg.

Gen. distr.: Korea; Japan (Hokkaido, Honshu, Shikoku, Kyushu & Yakushima Is.), Cosmopolitan.

1) Results from the Korea-Japan Co-operative Science Program on “The Evolution and Biogeography of the Insects in the East Asia”. No. 21.

2) Contribution from the Hikosan Biological Laboratory, Faculty of Agriculture, Kyushu University (Ser. 4. No. 12).

* Asterisk shows the species which has hitherto been unrecorded from mainland of Korea.

Nitidulinae

2. *Haptoncus concobr* Murray*

Haptoncus concolor Murray, 1864, Trans. Linn. Soc. London, 24: 402 (New Guinea).

Spec. exam.: 2 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, S. Nomura leg.

Gen. distr.: Korea; Japan (Honshu, Shikoku, Kyushu, Izu Is., Tsushima Is. & Ryukyus), S. Asia & Madagascar.

3. *Haptoncus oocularis* (Fairmaire)

Epuraea oocularis Fairmaire, 1849, Rev. Zool., 1(2): 363 (Tahiti).

Spec. exam.: 9 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, S. Nomura leg.

Gen. distr.: Korea; Japan proper (excl. Hokkaido), China, S. Asia, Oceanean Isls., Madagascar & Africa.

4. *Epumea parilis* Reitter

Epuraea parilis Reitter, 1873, Verh. naturf. Ver. Brünn, 12: 26 & 37 (Japan).

Spec. exam.: 2 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 14-19. v. 1992, M. T. Chûjô leg.

Gen. distr.: Korea (incl. Chejudo) & Japan (Hokkaido, Honshu, Shikoku, Kyushu & Yakushima Is.).

5. *Ipidia variolosa* Reitter

Ipidia variolosa Reitter, 1879, Deutsche Ent. Zeit., 23(2): 215-216 (E. Siberia).

Spec. exam.: 1 ex., Naelyeong Ri, Samnae Myeon, Cheonla-buk do, S-Korea, 13. vii. 1991, M. T. Chûjô leg.; 4 exs., Jeong Lyong Chy, San Nae Meon, Nam Weon Gun, Jeong Ra Bug do, Korea, 28. ix. 1991, M. T. Chûjô leg.; 16 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 14-19. v. 1992, M. T. Chûjô leg.; 1 ex., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19, vii. 1992, S. Nomura leg.

Gen. distr.: Korea; Japan proper, Formosa & E. Siberia.

6. *Atarphia quadripunctata* Reitter*

Atarphia quadripunctata Reitter, 1884, Wiener Ent. Zeit., 3: 263 (Japan).

Spec. exam.: 1 ex., Jeonglyeon Chi, Samnae Myeon, Cheonla-buk do, S-Korea, 16. vii. 1991, M. T. Chûjô leg.

Gen. distr.: Korea & Japan (Honshu, Shikoku, Kyushu & Tsushima Is.).

7. *Physoronia hilferi* (Reitter)*

Soronia Hilferi Reitter, 1877, Deutsche Ent. Zeit., 21: 109-110 (Japan).

Spec. exam.: 1 ex., Naelyeong Ri, Samnae Myeon, Cheonla-buk do, S-Korea, 13. vii. 1991, M. T. Chûjô leg.; 1 ex., Jeong Lyeon Chi, Samnae Myeon, Cheonla-buk do, S-Korea, 16. vii. 1991, M. T. Chûjô leg.; 2 exs., Doo Ryu Dong, Joo Chun Meon, Sam Chung Gun, Gyeong Sang Nam do, Korea, 25. ix. 1991, M. T. Chûjô leg.; 23 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 14-19. v. 1992, M. T. Chûjô leg.

Gen. distr.: Korea & Japan (Hokkaido, Honshu, Shikoku, Kyushu, Sado Is., Tsushima Is. & Yakushima Is.).

8. *Amphicrossus japonicus* Reitter*

Amphicrossus japonicus Reitter, 1873, Verh. naturf. Ver. Briinn, 12: 100 (Japan).

Spec. exam.: 12 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, M. T. Chûjô leg.

Gen. distr.: Korea; Japan (Honshu, Shikoku, Kyushu & Tsushima Is.) & Formosa.

9. *Amphicrossus lewisi* Reitter*

Amphicrossus Zewisi Reitter, 1873, Verh. naturf. Ver. Brünn, 12: 100 (Japan).

Spec. exam.: 2 exs., Kwang Nung, Pochon-gun, Kyonggido, Korea, 16-19. vii. 1992, S. Nomura leg.

Gen. distr.: Korea; Japan (Honshu, Shikoku & Kyushu) & Formosa.

10. *Aethina inconspicua* Nakane

Aethina inconspicua Nakane, 1963, Iconogr. Ins. Japonicum Colore nat. edit., 3: 193, Pl. 97, Fig. 3 (Japan: Honshu); id., 1967, Fragm. Col., Tokyo, (17): 67-68.

Spec. exam.: 2 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 14-19. vii. 1992, M. T. Chûjô leg.

Gen. distr.: Korea & Japan (Hokkaido, Honshu, Shikoku, Kyushu & Tsushima Is.).

11. *Pocadites dilatimanus* (Reitter)*

Stelidota dilatimana Reitter, 1877, Deutsche Ent. Zeit., 21(1): 110-111 (Japan).

Spec. exam.: 1 ex., Naelyon Ri, Samnae Myeon, Cheonla-buk do, S-Korea, 13. vii. 1991, M. T. Chûjô leg.; 17 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 14-19. vii. 1992, M. T. Chûjô leg.

Gen. distr.: Korea (incl. Chejudo); Japan proper.

12. *Pocadites japonicus* (Reitter)*

Pocadius japonicus Reitter, 1873, Verh. naturf. Ver. Briinn: 94 (Japan).

Spec. exam.: 1 ex., Naelyeong Ri, Samnae Myeon, Cheonla-buk do, S-Korea, 13. vii. 1991, M. T. Chûjô leg.

Gen. distr.: Korea & Japan (Hokkaido, Honshu, Shikoku, Kyushu & Sado Is.).

13. *Cylloides ater* (Herbst)

Strongylus ater Herbst, 1892, Kaf., 4: 188, Tab. 43, Fig. 8 (N. & M. Europe).

Spec. exam.: 7 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 14-19. vii. 1992, M. T. Chùjô leg.

Gen. distr.: Korea (incl. Chejudo); Japan proper, Siberia, Caucasus & Europe.

Cryptarchinae

14. *Lasiodactylus borealis* Hisamatsu*

Lasiodactylus borealis Hisamatsu, 1968, Trans. Shikoku Ent. Soc., 10(1): 11-12, Figs. 1-3 (Japan: E. Honshu).

Spec. exam.: 4 exs., Nae Lyong Ri, San Nae Meon, Nam Weon Gun, Jeong Ra Bug do, Korea, 26. ix. 1991, M. T. Chùjô leg.

Gen. distr.: Korea & Japan (Honshu, Shikoku & Tsushima Is.).

15. *Cryptaracha strigata* (Fabricius)

Nitidula strigata Fabricius, 1787, Mant. Ins., 1: 51 (Europe).

Spec. exam.: 1 ex., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, S. Nomura leg.

Gen. distr.: Korea (incl. Chejudo); Japan proper, Formosa, Siberia, Europe & N. America.

16. *Librodor ipsooides* (Reitter)

Chryptaracha ipsooides Reitter, 1879, Deutsch Ent. Zcit., 23: 218 (E. Siberia).

Spec. exam.: 1 ex., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 19. vii. 1992, K. Morimoto leg.; 1 ex., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, S. Nomura leg.; 1 ex., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, M. T. Chùjô leg.

Gen. distr.: Korea; Japan (Hokkaido, Honshu & Shikoku), Sakhalin & E. Siberia.

17. *Librodor japonicus* (Motschulsky)

Ips japonicus Motschulsky, 1857, Etud. Ent., 6: 28 (Japan) (as Ipidae).

Spec. exam.: 3 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19, vii. 1992, S. Nomura leg.

Gen. distr.: Korea (incl. Chejudo); Japan (Hokkaido, Honshu, Shikoku, Kyushu, Sado Is. & Tsushima Is.), China, Formosa & Indonesia.

18. *Librodor pantherinus* (Reitter)*

Cryptaracha pantherina Reitter, 1879, Deutsche Ent. Soc., 23: 217 (E. Siberia).

Spec. exam.: 1 ex., Naelyong Ri, SamNae Myeon, Cheonla-buk do, S-Korea, 13. vii. 1991, M. T. Chùjô leg.; 1 ex., Doo Ryu Dong, Joo Chun Meon, Sam Chung Gun, Gyeong Sang Nam do, Korea, 23. ix. 1991, M. T. Chùjô leg.

Gen. distr.: Korea; Japan (Hokkaido, Honshu, Shikoku & Kyushu), Sakhalin & E. Siberia.

19. *Librodor parvipustulatus* (Kolbe)

Ips parvipustulata Kolbe, 1886, Arch. Nat., 52(1): 180, Taf. 11, Fig. 2 (Japan to N. China incl. Korea)(as Ipidae).

Spec. exam.: 1 ex.(light trap), Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19, vii. 1992, K. Morimoto leg.; 1 ex.(light trap), Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19, vii. 1992, M. T. Chûjô leg.; 4 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, S. Nomura leg.

Gen. distr.: Korea; Japan & N. China.

20. *Librodor rufiventris* (Reitter)*

Ips rufiventris Reitter, 1879, Deutsche Ent. Zeit., 23(2): 219 (E. Siberia).

Spec. exam.: 5 exs., Kwang Nung, Pochon-gun, Kyonggi-do, Korea, 16-19. vii. 1992, S. Nomura leg.

Gen. distr.: Korea; Japan (Hokkaido, Honshu, Shikoku, Kyushu, Rishiri Is., Iki Is. & Tsushima Is.) & E. Siberia.

ACKNOWLEDGEMENTS

We are very grateful to Director General Jae Myeong Jo of Forest Research Institution, Korea and Director Seung Kul Park of Chung-bu Forest Experiment Station, Korea for their various help to our collecting trip under the Korea-Japan Co-operative Science Program on "The Evolution and Biogeography of the Insects in the East Asia. And also, we express our cordial thanks to Prof. Dr. Chang Young Lee and Dr. Jong Kuk Kim, Kwangweon National University, Korea for their miscellaneous help through our collecting trip.

We wish to express our appreciation to Prof. Dr. K. Morimoto, Entomological Laboratory of Kyushu University for his continual kind and valuable guidance. And we are thankful to Assoc. Prof. Dr. O. Tadauchi and Assist. Prof. S. Nomura of Entomological Laboratory of Kyushu University for various co-operation for this work.

REFERENCES

- Cho, P. S., 1957. A Systematic Catalog of Korean Coleoptera. *Humanities and Sciences, Korea Univ.*, 2: 1-154 (In Korean).
- 1963,4. Insects of Quelpart Island (Cheju-do). *ibid.*, 6: 159-242 (In Korean).
- Chûjô, M. T. et al., 1992. Nitidulidae from Chejudo Island. *Esakia, Kyushu Univ. Publ. Ent.*, (32): 19-24, Figs. 1-9.
- Hisamatsu, S., 1958. A revision of the Japanese Cryptarchinae (Col., Nitidulidae). *Gensei*, (8): 1-7, 26 figs. (In Japanese).
- 1968. The genus *Lasiodactylus* Perty in Japan (Coleoptera: Nitidulidae). *Trans. Shikoku Ent. Soc.*, 10 (1): 11-12, Figs. 1-3.
- 1985. Nitidulidae. In Coleoptera of Japan in Color, Hoikusha Publ. Co. Ltd., Osaka, Japan, Vol. III, pp. 174-197 (In Japanese).
- Kolbe, H. J., 1886. Beiträge zur Kenntniss der Coleopteren-Fauna Koreas. *Arch. Nat.*, 52 (1): 180-181.
- Medvedev, G. S., 1992. Key to the identification of insects of the Soviet Far East. III. Colcoptera. pp. 114-167, Figs. 51-81. Nauka, Leningrad (in Russian).
- Nakane, T., 1963. Iconogr. Ins. Japonicorum Colore nat edit., 3: 193, Pl. 97, Fig. 3 (In Japanese).
- 1967, New or little known Coleoptera from Japan and its adjacent regions. *Fragm. Col., Tokyo*, 17: 67-68.
- Reitter, E., 1873. Systematische Einthailung der Nitidulien. *Verh. naturf. Ver. Brünn*, 12 (1): 5-194.
- 1877. Beiträge zur Käferfauna von Japan, meist auf R. Hiller's Sammlungen basirt. Japansche Nitidulidae. *Deutsche Ent. Zeitschr.*, 21 (1): 109-111.
- 1879. Verzeichniss der von H. Christoph in Ost-Sibirien gesammelten Clavicomien etc. *Deutsche Ent. Zeitschr.*, 23 (2): 215-219.
- 1884. Die Nitiduliden Japans. *Wiener Ent. Zeit.*, 3: 263 (Japan).
- Seok, D. M., 1970. The Insect Fauna of the Is. Quelpart. Boo Sin Sai K. K., Seoul. 186 pp. (In Korean).

Explanation of Plate 2

1. *Carpophilus hemipterus* (Linné) Length: 3.2mm.
2. *Haptoncus concolor* Murray .. L.: 2.0mm.
3. *Haptoncus oocularis* (Fairmaire) .. L.: 3.2mm.
4. *Ipidia variolosa* Reitter,.. L.: 4.5mm.
5. *Atarphia quadripunctata* Reitter .. L.: 4.1mm.
6. *Physoronia hilleri* (Reitter) L.: 3.9mm.
7. *Amphicrossus japonicus* Reitter .. L.: 4.9mm.
8. *Amphicrossus lewisi* Reitter L.: 5.2mm.
9. *Aethina inconspicua* Nakane L.: 3.0mm.
10. *Pocadites dilatimanus* (Reitter) L.: 3.7mm.
11. *Pocaditesjapotzicus* (Reitter) L.: 4.5mm.
12. *Lasiodactylus borealis* Hisamatsu .. L.: 6.4mm.
13. *Cryptaracha strigata* (Fabricius) __ L.: 3.4mm.
14. *Librodor ipsooides* (Reitter) .. L.: 8.2mm.
15. *Librodor juponicus* (Motschulsky) .. L.: 10.7mm.
16. *Librodor rufiventris* (Reitter) .. L.: 6.5mm.




PLATE 2

