A novel hybrid MCDM approach followed by fuzzy DEMATEL-ANP-TOPSIS to evaluate Low Carbon Suppliers

Gupta, Vivek
Sant Longowal Institute of Engineering & Technology

Jayant, Arvind
Sant Longowal Institute of Engineering & Technology

<https://doi.org/10.5109/4491640>

出版情報 : Evergreen. 8 (3), pp.544-555, 2021-09. 九州大学グリーンテクノロジー研究教育センター
バージョン :
権利関係 :

A novel hybrid MCDM approach followed by fuzzy DEMATEL-ANP-TOPSIS to evaluate Low Carbon Suppliers

Vivek Gupta¹, Arvind Jayant^{2,*}

¹Sant Longowal Institute of Engineering & Technology, Sangrur, Punjab, India

²Sant Longowal Institute of Engineering & Technology, Sangrur, Punjab, India

*Author to whom correspondence should be addressed:

E-mail: vivekgups@gmail.com

(Received July 26, 2020; Revised 28 May, 2021; accepted July 25, 2021).

Abstract: Environmental protection has globally driven the encouragement of design and development of low carbon supply chain management systems at global level. It is known that “Low carbon” approaches and principles play an effective role for industries to minimize the carbon emission from environment. In the real business environment, it becomes very difficult to select more relevant factors among various qualitative and quantitative variables involved in low carbon business operations. A novel hybrid MCDM model, which involved Decision making trial & evaluation laboratory (DEMATEL), Analytical network process (ANP) and techniques for order performance by similarity to ideal solution (TOPSIS) followed by fuzzy methodologies has been developed for evaluation & selection low carbon suppliers. In this paper, a novel hybrid framework has been proposed, which can provide sound support for implementations of LCSCM practices by effective evaluation of concerned criterions. However, some previous fuzzy methods are not capable to consider decision making randomness due to lack of concerned information.

The result shows that the novel hybrid MCDM approach to evaluate low carbon supplier to the improvement of LCSCM alternatives is the one which have greater final performance index having value of 0.2350 with corresponding index of supplier (T3), which is the best criteria in this method. Therefore, present work proposed a hybrid multi-criteria decision-making method using fuzzy DEMATEL-ANP-TOPSIS, which measured the cause and effect relationship shows the best result.

Keywords: Low carbon supply chain management (LCSCM), (MCDM) Multiple Criteria Decision Making; Fuzzy Analytic Network Process (FANP); Fuzzy Technique for Order Preference by Similarity to Ideal Solution (FTOPSIS), Fuzzy decision-making trial and evaluation laboratory’ (fuzzy DEMATEL), Supplier selection, Decision making randomness.

1. Introduction

Past few years, design and development of indian industry improved in terms of manufacturing standard, which is the main reason for environment decay. In all developping countries like india the main focus of industries is to earn profit at low cost so the adoption of LCSCM system is necessary to protect environment. Low carbon supply chain management (LCSCM) system at global level has increased their importance because of increasing issues of environment. Presently the whole world together think about such environment protection for example "Kyoto Protocol" of kyoto city of japan held in 11 december 1997 which was the agreement between developing countries. According to this protocol all developing countries follows some environment healthy policies against these rapid industrialization. It is well known that the main purpose of all industries is to enhance their manufacturing performance and earn more profit but their statistics should be friendly for

environment. LCSCM system give some suggestive policies to make a healthy correlation between environment protection management and industrialization. By adopting all the issues, MCDM (Multi Criteria Decision Making) methods plays to be a strong role to make a great decision with better flexibility. To select the best supplier, these MCDM tools are proved to be a important technique. In present work, ANP & TOPSIS tools are used to declaire these criterias performance as economic and environmental point of view.

DEMATEL method is used to establish the interrelation between available set of variables. The calculation part is done by applying microsoft excel & MATLAB interface. The remaining part of present research is organized with the following steps: Step 2 shows the literature review of LCSCM applied supplier selection papers, Step 3 shows the flowchart of the study, Step 4 shows a case study problem in which the performance index is to be measured, step 5 shows some

managerial implication and last step 6 shows conclusion & results.

2. Literature Review

There are many issues in manufacturing industries, which imparts vital effect on environment includes: local environment, global environment, basic health issues etc. Past many years, there environmental problems has been considered. For the reduction of these issues, the low carbon supply chain management techniques are very useful. The interest of the industry regarding these techniques makes importance of suppliers selection in terms of environmental performance (Huzaifi., 2020; T. Fujisaki., 2016; H. Han., 2019)⁽²⁰⁻²²⁾. All these techniques are important in terms of overall cost management (proper use of material, quality management, apply new advanced techniques in industry, proper human resource management etc). Production in the industry impart adverse effect on natural environment include use of raw materials, global atmosphere, health issue and some safety issues. These kinds of environment related issues increase the application of supply chain operation system within the industries. These increasingly application of supply chain system can raise the environmental importance & performance of suppliers (A. Pal, K. Uddin., 2008; Yusei Masaki., 2016; Masahito Tanaka., 2017)⁽²³⁻²⁵⁾. There are many benefits of this supply chain system for firm includes: overall reduction of cost (proper utilization of raw material, fines reduction, insurance price or risk reduction); increasing improvement of quality; application of rules and regulations; proper use of human resource management system (Aiello, G., 2009; X. Liu, Z. Tao, H. Chen, and L. Zhou., 2017; Amiri, M., Zandieh, M., Soltani, R., & Vahdani, B., 2009)⁽¹⁷⁻¹⁹⁾. Low carbon supply chain management systems are become popular among practitioners and researchers. LCSC is a very good idea which include group of concepts which is useful for industry suppliers to improve the performance of their production process and quality products for both customers and suppliers. It has been seen in the past decade that LCSC management system provides the opportunities for industries to achieve sustainability and environmental goals. The commonly used LCSCM practices are supplier's environmental performance, suppliers to ensure the product quality against environment and for the examination of overall cost of waste material (Chen, S. J., & Hwang, C. L., 1992; Chen-Yi, H., Ke-Ting, C., & Gwo-Hshiung, T., 2007)⁽²⁶⁾.⁽²⁷⁾. (Kumar, M., Vrat, P., & Shankar, R., 2006)⁽²⁸⁾, explained the new principle of environmental Low Carbon supplier examination with the use of MCDM analysis method. (Lin, R.-H., 2009; Liou, J. J. H., Yen, L., & Tzeng, G.-H., 2008; Liu, K. F. R., & Lai, J.-H., 2009)⁽²⁹⁻³¹⁾ proposed a linear possibilistic two-phase programming methodology for complex objective supplier examination and Green Disclosure Practices in

India. (Bhasin, Niti & Kar., 2010)⁽³²⁾, explained the performance of environmental suppliers by using Fuzzy MCDM methodology: fuzzy Preference organization ranking method for evaluations enrichment (PROMETHEE) hypothesis. In 2010,(Luo, Z.-M, Zhou, J.-Z., Zheng, L.-P., Mo, L., & He, Y.-Y.)⁽³³⁾ Proposes examination of major waste industrial transportation with the use of multi step fuzzy TOPSIS and fuzzy AHP methodology. (Mohanty, R. P., Agarwal, (2005); Punniyamoorthy, M., 2011)^(34, 35) explained the Low Carbon supplier hypothesis for firm. (Ramik, J., 2007)⁽³⁶⁾, proposes a novel MCDM technique based on fuzzy ANP, Fuzzy DEMATEL and fuzzy VIKOR for examination of watershed with the use of various strategies. (Roghanian, E., Rahimi, J., & Ansari, A., 2010)⁽³⁷⁾, explains the evaluation of construction model projects and the interrelation between risk factors involved with the use of fuzzy DEMATEL & fuzzy ANP techniques.

Table 1. Application areas of FANP-FDEMATEL-FTOPSIS

Sr. No	Author Name	Applications
1	Büyükoçkan et al., (2012) ⁽¹²⁾	Offer a more precise and accurate analysis by integrating interdependent relationships within and among a set of criteria.
2	Kuo et al., (2015) ⁽¹¹⁾	For evaluating carbon performance of suppliers
3	Fahimeh et al., (2015) ⁽¹⁶⁾	to evaluate and select advanced manufacturing technologies
4	Uygun et al., (2016) ⁽¹⁰⁾	The proposed method can be widely used as a structural model for Low Carbon supplier selection.
5	Tang et al., (2011) ⁽⁹⁾	Application of the fuzzy analytic hierarchy process to the lead-free equipment selection decision
6	Kabir et al., (2011) ⁽⁸⁾	Modified fuzzy analytical hierarchy process for multiple criteria inventory classification
7	Ashrafzadeh ., (2012) ⁽⁷⁾	The Application of Fuzzy Analytic Hierarchy Process Approach for the Selection of Warehouse Location: A Case Study
8	Adelina et al., (2017) ⁽⁶⁾	Evaluation of low carbon Supply Chain Management Strategies
9	Ahmed et al., (2018) ⁽¹³⁾	Organizations and decision makers need to change their traditional thinking when it comes to how to manage SC
10	Shaverdi et al., (2016) ⁽⁵⁾	Economic cocoon traits improvement in silkworm breeding.
11	Ali Asghar., (2013) ⁽⁴⁾	Green Supply Chain Management Evaluation in Publishing Industry Based.
12	Lupo et al., (2013) ⁽³⁾	Strategic Analysis of Transit Service Quality.
13	Mohammad et al., (2019) ⁽¹⁴⁾	Developing a new model using Fuzzy TOPSIS methods in supplier selection problem in Supply Chain Management-A case study of SADRA Company in IRAN.
14	Tahrir et al., (2014) ⁽²⁾	Supplier Assessment and Selection Using Fuzzy Analytic Hierarchy Process in a Steel Manufacturing Company
15	Odeyale et al., (2014) ⁽¹⁾	Evaluation and selection of an effective green supply chain management strategy: A case study.
16	Pang et al., (2017) ⁽¹⁵⁾	The proposed method can be widely used as a structural model for Low Carbon supplier selection.

3. Proposed low carbon supplier examination framework

Fig.1: Methodology of proposed low carbon supply chain management model

Present work developed a novel hybrid approach followed by (FDEMATEL) fuzzy Decision-making trial & evaluation laboratory, (FANP) fuzzy Analytical network process and (FTOPSIS) fuzzy techniques for order performance by similarly to ideal solution tools to get LCSCM strategic results. The basic model of LCSCM supplier examination framework is shown in figure1. First of all it is necessary to define the applied techniques, and next is to select the low carbon supplier examination criteria. The each model is divided into many sub sections³⁸⁾.

3.1 Proposed Approaches For The Low Carbon Supplier Examination Framework.

3.1.1. FDEMATEL (Fuzzy Decision-Making Trial & Evaluation Laboratory).

DEMATEL technique is used to solve complex problems associated with multiple structural factors. It was developed by Geneva institute of Battelle. By using this method, we can easily build and analyze structural model and produce a causal relationship between the different variables. DEMATEL is also useful to generate cause and relationship function. We can measure the exact real criteria of multiple variables by total relation matrix. Fuzzy associated with DEMATEL is used to solve complex problem by dividing the above problem into sub matrix which is shown in fig.2.

Fig.2: Steps of FDEMATEL technique.

3.1.2. FANP (Fuzzy Analytical network process).

ANP is originated by saaty (1995)³⁸. In ANP technique, firstly we collect the project proposal from various resources (company employees, industry administrative staff). Generate a pool of the entire project or all possible solutions. From above all set, eliminate the less useful projects, and rest of the projects have been assigned to different department. Each of the department examined the all sets of variables and generates a report. Then collect all set of criteria from each department and generate an ANP network. Then calculate weighted decision matrix by all set of criteria. Next step is to generate unweighted super matrix. By calculating the super matrix, choose the best project from all. Step involved in FANP technique is shown in fig.3.

Fig.3: Steps of FANP technique.

3.1.3. FTOPSISIS (fuzzy techniques for order performance by similarly to ideal solution)

The technique for order preference by similarity to an ideal solution (TOPSIS) was developed by Yoon & Hwang (1982) which was experimented by HWANG & Chen (1993)²⁶. In this method we have to find out the value of ideal solution which has shortest distance from positive ideal solution and farthest distance from negative ideal solution. This technique contains following parts:

Part 1: Develop the fuzzy decision matrix.

Part 2: Develop normalized fuzzy decision matrix with the help of linguistic term and fuzzy set numbers.

Part 3: Calculate the weighted normalized fuzzy decision matrix & compute the weighted value of each matrix.

Part 4: Develop the rank of the variables & closeness coefficient of variables.

Fig.4: Difference between a system hierarchy and system network

Low carbon logistics proportions:

There are many complex internal and external elements & variables, which is to be management with the proper use of LCSCM system. These variables are described by low carbon logistics proportions for the particular industry. These variables have their low to high priority such as manufacturing, distribution system, low carbon logistics system, packaging etc. the main factor, which is to be properly managed is the direct impact of these variables in the environment. First of all the selection of material used in the production industry is done on the basis of their ecofriendly nature. The pollution rate of all these materials should be minimum. The first part of the LCSCM system is the selection of vendor and procurement. The design of the production system is influenced by low carbon supply chain. All the internal factor and processes like TQM (Total quality management), Flexible manufacturing, raw material proper utilization, re cycling system, remanufacturing system etc are very useful for LCSCM.

Low carbon industrial activities proportions:

There are many low carbon industrial activities includes reusing, remanufacturing, recycling, disposal waste and reduce wastage of materials etc. the reusing part includes the resupply of the scrap or waste materials during production. During the production or

manufacturing process in industry, some waste materials generate, which should be directly use again to manufacture the similar product that will increase the productivity and profit ratio of industry. Remanufacturing involves the again manufacturing of those products which are as good as parent products by setting up their quality standard and can be used for a long time. Recycling is the process by which used product can be recycled to make the similar product by improving their quality standard. All these important factors can increase the overall production of any industry. LCSCM process is directly associated with these factors.

Industrial attainments proportions:

The performance and attainment of a manufacturing industry is depending upon following factors:

- Average cost of product
- Quality benchmark
- On time delivery and permeability etc.

The performance of any industry is totally based on all these factors. If any industry follows all these rules, then environmental protection can be controlled. A good business perspective based industry should utilize all these factors effectively also it should support low carbon supply chain management processes. It has been seen that many researchers followed these attainments proportions in their literature. These performance indices are not static in nature but they change over time. The product life cycle is also influenced by them. In case of industrial attainment proportions, the least effective factor is cost, and most effective factors are time and flexibility.

Low carbon supplier examination assessment criteria:

For the examination of low carbon suppliers industry, many assessment criteria are as follows:

- Financial based assessment
- Man power based assessment
- Advanced technology based assessment
- Low carbon atmosphere based assessment

The advancement of all the factors shows the capability of industry in LCSCM system. Some of the critical factors like business atmosphere, close bonding and attitude towards quality show the appropriate use of LCSCM.

4. Case Study

4.1 justification of examination framework in common manufacturing industry

In a manufacturing industry many sub departments are involved in which each department has their own working cycle and production part. The assessment of the industry with effective LCSCM system is very important. The main factors of any general industry are industrial attainment, objective, low carbon logistics, low carbon supplier examination criteria and low carbon

industrial activities etc.

Fig.5: Examination framework network model

4.2 Step wise demonstration of applied inter related framework

Step 1: presentation of the hypothesis involved. Set up the objective of study and formed the expert committee with n number of members. Find out the attributes and format the criteria for examination of model. The evaluation criteria have already been discussed in the previous section in part 3.2. The examination model is shown in the fig-4.

Step 2: Establish the fuzzy linguistic term for the examination and build the relationship between the available variable with the help of expert committee opinion through group wise division analysis method. Table 1 shows the linguistic scale comparison between the effectiveness of all the variables.

There are eleven linguistic terms with their different degree of influence. The corresponding fuzzy membership functions for each linguistic term are shown in fig. 5. The casual relation between the variables is done by fuzzy DEMATEL.

Step 2.1: Prepare the direct relation fuzzy matrix. Pair wise matrix with their comparison has been made with the suggestion of expert in terms of direction and influence with criteria of $n \times n$ matrix $\tilde{B}$, there $b_{ij} = (p_{ij}, q_{ij}, r_{ij})$ which is denoted by the degree of randomness by which criteria i related to criteria j. the direct relation fuzzy matrix is shown in the table 4 for industrial attainment proportions.

Step 2.2: Establish the normalization direct relation fuzzy matrix. By using DEMATEL method prepare the normalized fuzzy direct relation matrix with the help of relation matrix as discussed in the first step. The direct relation matrix $\tilde{B}$ & normalized direct relation matrix $\tilde{Y}$ is expressed by equation 1.

The normalized direct relation matrix is expressed as:

$$b_{ij} = (p_{ij}, q_{ij}, r_{ij}) \quad \text{and} \quad B = 1 / \max_{1 \leq i \leq n} \sum_{j=1}^n r_{ij}, \quad \text{then} \\ \tilde{Y} = S \times \tilde{B} \dots \dots \dots (1)$$

Step 2.3: Compute the fuzzy total relation matrix with the help of given formula,

$$\text{Let } \tilde{Y}_{ij} = (p_{ij}, q_{ij}, r_{ij}),$$

Then express all the three sub matrices, where the sub matrices are:

$$Y_1 = \begin{pmatrix} 0 & P_{12} & \dots & P_{1n} \\ P_{21} & 0 & \dots & P_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ P_{n1} & P_{n2} & \dots & 0 \end{pmatrix} \quad Y_2 = \begin{pmatrix} 0 & Q_{12} & \dots & Q_{1n} \\ Q_{21} & 0 & \dots & Q_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ Q_{n1} & Q_{n2} & \dots & 0 \end{pmatrix} \quad Y_3 = \begin{pmatrix} 0 & R_{12} & \dots & R_{1n} \\ R_{21} & 0 & \dots & R_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ R_{n1} & R_{n2} & \dots & 0 \end{pmatrix}$$

Fig.6 Applied Examination Model Detail

According to these sub matrices, we can define total relation matrix as:

$$\tilde{T} = \tilde{Y} (I - \tilde{Y})^{-1} \dots \dots \dots (2)$$

Equation 4 shows the formula of total relation matrix.

Step 2.4: Calculate inter dependent matrix. Defuzzify the total relation matrix ($\tilde{T}$) by the formula shown in equation (3) and draw the table such that the sum of each column in total relation matrix become equal to unity by using fuzzy normalization technique.

$$[F(t)]_{ij} = \left(\frac{1}{2}\right) \int_0^1 (\inf_{x \rightarrow \infty} (t)_{ij} + \sup_{x \rightarrow \infty} (t)_{ij}) dx \dots (3)$$

The unweighted super matrix of ANP will be acquired

with the use of inter dependent matrix. The inter dependent matrix for industrial attainment proportion is shown in table 7 and it is denoted by matrix $\tilde{B}$ of the super matrix.

Step 3: Fuzzy ANP technique is applied in this step. In case of ANP method, pair wise allocation & comparison of all variables in each part are calculated with the help of their comparative importance. Then the strength of each pair of elements are calculated through triangular fuzzy numbers and indicated the preference of the decision made with the similar hierarchy.

Table 2. Linguistic scales for relative importance

Applied Term	Abbreviation	Value of Fuzzy Scale	Fuzzy Analytical Network Process
Blank	NO	(0, 0, 1)	($\infty, \infty, 1$)
Too Low	VLO	(0, 0.11, 0.21)	(0, 1/0.11, 1/0.21)
Low	LO	(0.11, 0.21, 0.31)	(1/0.11, 1/0.21, 1/0.31)
Little Low	FLO	(0.21, 0.31, 0.41)	(1/0.21, 1/0.31, 1/0.41)
Greater or Smaller Low	MLO	(0.31, 0.41, 0.51)	(1/0.31, 1/0.41, 1/0.51)
Middle Value	MD	(0.41, 0.51, 0.61)	(1/0.41, 1/0.51, 1/0.61)
Greater or Smaller Good	MDG	(0.51, 0.61, 0.71)	(1/0.51, 1/0.61, 1/0.71)
Little Good	FGD	(0.61, 0.71, 0.81)	(1/0.61, 1/0.71, 1/0.81)
Good	GD	(0.71, 0.81, 0.91)	(1/0.71, 1/0.81, 1/0.91)
High Good	VGD	(0.81, 0.91, 1)	(1/0.81, 1/0.91, 1)
Extreme	EL	(0.91, 1, 1)	(1/0.91, 1, 1)

$$B' = \begin{pmatrix} b'_{11} & b'_{12} & \dots & b'_{1n} \\ b'_{21} & b'_{22} & \dots & b'_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ b'_{n1} & b'_{n2} & \dots & b'_{nn} \end{pmatrix} \dots \dots \dots (7)$$

Where $b'_{ij} = (p'_{ij}, q'_{ij}, r'_{ij})$ shows the comparative preferences of criteria (preference i as compared to j), where $i = j = 1, 2, 3, \dots, n$.

The matrix of linguistic scale & fuzzy examination between low carbon logistics proportions and objective for examination is shown in fig.6 which is matrix B of super matrix.

Step 3.1: Evaluate the comparative preferences weight. The preference vector of each pair wise comparative matrix needs to justify all super matrices with sub matrix.

Compute the value of w_k (triangular fuzzy priorities) where $k = 1, 2, 3, \dots, n$ from the justified matrix. To calculate the value of each weight, use logarithmic least square technique.

Fig.6: Fuzzy Triangular membership function for linguistic values.

Table 3: Abbreviation for super matrix with their matrix

	Object ive	LCP	IA	IA P	EA
Objective	0	0	0	0	0
Low Carbon Logistics Proportions (LCP)	B	F	E	0	0
Industrial Attainment (IA)	0	E	C	0	0
Low Carbon Industrial Activities Proportions (IAP)	0	D	0	0	0
Low Carbon Supplier Examination Assessment Criteria (EA)	0	G	H	J	0

Where $w_k = (w_{tk}^p, w_{tk}^q, w_{tk}^r)$, where $k = 1, 2, 3, \dots, n$

Step 3.2: Defuzzification is done for all weight which are measured from fuzzy matrices. The preference of defuzzification is same as discussed in previous part in

$$w_{tk}^p = \frac{(0.21 \times 0.11 \times 0.61 \times 1/1 \times 1)^{1/5}}{(1 \times 0.91 \times 1/0.41 \times 1/0.31 \times 1/0.31)^{1/5} + (1 \times 0.91 \times 1/0.41 \times 1/0.21 \times 1/0.21)^{1/5} + (0.41 \times 0.41 \times 1/0.71 \times 1/0.71)^{1/5} + (0.31 \times 0.21 \times 0.71 \times 1/1 \times 1)^{1/5} + (0.31 \times 0.21 \times 0.71 \times 1/1 \times 1)^{1/5}} = 0.07069$$

$$w_{tk}^q = \frac{(0.31 \times 0.21 \times 0.71 \times 1/1 \times 1)^{1/5}}{(1 \times 0.91 \times 1/0.41 \times 1/0.31 \times 1/0.31)^{1/5} + (1 \times 0.91 \times 1/0.41 \times 1/0.21 \times 1/0.21)^{1/5} + (0.41 \times 0.41 \times 1/0.71 \times 1/0.71)^{1/5} + (0.31 \times 0.21 \times 0.71 \times 1/1 \times 1)^{1/5} + (0.31 \times 0.21 \times 0.71 \times 1/1 \times 1)^{1/5}} = 0.08962$$

$$w_{tk}^r = \frac{(0.41 \times 0.31 \times 0.81 \times 1/0.91 \times 1)^{1/5}}{(1 \times 0.91 \times 1/0.41 \times 1/0.31 \times 1/0.31)^{1/5} + (1 \times 0.91 \times 1/0.41 \times 1/0.21 \times 1/0.21)^{1/5} + (0.41 \times 0.41 \times 1/0.71 \times 1/0.71)^{1/5} + (0.31 \times 0.21 \times 0.71 \times 1/1 \times 1)^{1/5} + (0.31 \times 0.21 \times 0.71 \times 1/1 \times 1)^{1/5}} = 0.10722$$

With the use of fuzzy vector & using equation-6, defuzzified weight 0.08918 is measured.

Step 4: In the super matrix, ANP technique is used to measure the effect of inter dependent matrix which is exist between the complex structures of decision matrix hierarchy. The mentioned super matrix is dividend matrix, in which each pair of super matrix shows the relationship between the variables shown in the designed model. The systematic matrix is shown in Table 3, with the abbreviation of each relationship matrix. The initial super matrix was made with the prime concern of fuzzy DEMATEL & fuzzy ANP in their respective column. The first super matrix is shown in the table 9.

Table 5. Fuzzy normal relation direct matrix of industrial attainment proportions.

$$w_k = \frac{(\prod_{i=1}^n p_{kj}^5)(\frac{1}{n})}{\sum_{i=1}^n (\prod_{i=1}^n p_{ij}^m)(\frac{1}{n})} \quad t$$

$$= (p, q, r)$$

Where $\alpha > 0, \alpha \leq 1$ & $i = j = 1, 2, 3, \dots, n$.

The correlation ratio of each matrix and the whole correlation of the hierarchy are calculated.

Then CR (consistency ratio) is used to calculate the consistency which should be less than 0.11. if this correlation occurs, then we can say that the comparison is acceptable otherwise it cannot be acceptable. In the current study the non concurrency ratio of all correlated matrices are evaluated for mid values of the fuzzy numbers. Because there is flexibility in the top & bottom values for human preference, it shows the rigid consistency.

Table 4. Direct relation fuzzy matrix for Industrial attainment proportions.

	Standard (IA1)	Price (IA2)	Interval (IA3)	Competence (IA4)
Standard (IA1)	*	(0.81, 0.91, 1)	(0.41, 0.51, 0.61)	(0, 0.11, 0.21)
Price (IA2)	(0.51, 0.61, 0.71)	*	(0.41, 0.51, 0.61)	(0, 0, 0.11)
Interval (IA3)	(0.41, 0.51, 0.61)	(0.61, 0.71, 0.81)	*	(0, 0.11, 0.21)
Competence (IA4)	(0.31, 0.41, 0.51)	(0.81, 0.91, 1)	(0.51, 0.61, 0.71)	*

equation 6.

The fuzzy weight is obtained by equation 8 as:

	Standard (IA1)	Price (IA2)	Interval (IA3)	Competence (IA4)
Standard (IA1)	0	(0.36, 0.36, 0.36)	(0.18, 0.20, 0.22)	(0.04, 0.07)
Price (IA2)	(0.23, 0.24, 0.25)	0	(0.18, 0.20, 0.22)	(0, 0, 0.04)
Interval (IA3)	(0.18, 0.20, 0.22)	(0.61, 0.28, 0.29)	0	(0.04, 0.07)
Competence (IA4)	(0.14, 0.16, 0.18)	(0.36, 0.36, 0.36)	(0.23, 0.24, 0.25)	0

Table 6. Fuzzy total relation direct matrix of industrial attainment proportions.

	Standard (IA1)	Price (IA2)	Interval (IA3)	Competence
--	----------------	-------------	----------------	------------

				(IA4)
Standard (IA1)	(0.17,0.22, 0.29)	(0.5,0.57,0 .65)	(0.3,0.37,0 .47)	(0,0.06,0 .15)
Price (IA2)	(0.32,0.37, 0.44)	(0.19,0.23, 0.32)	(0.27,0.33, 0.42)	(0,0.03,0 .11)
Interval (IA3)	(0.3,0.36,0 .45)	(0.41,0.48, 0.58)	(0.13,0.18, 0.26)	(0,0.06,0 .14)
Competence (IA4)	(0.35,0.41, 0.5)	(0.59,0.65, 0.74)	(0.4,0.46,0 .55)	(0,0.04,0 .1)

Step 4.1: The first part is to do the normalization of each column, which is obtained by dividing each weight in column by sum of all weight in the column. Then in the next part, set up the ranking of each variable according to their priorities. Similarly repeat this procedure for all weight & find out overall priorities. Then obtain the cumulative influence of each and every

variable in the super matrix which is shown in table. 10.

Step 5: Apply fuzzy TOPSIS technique to evaluate the alternatives of each variables, which can be as follows:

Step 5.1: Prepare fuzzy decision matrix for examination of the low carbon supplier variables, which contains a variables and b criteria. The fuzzy MCDM approach is shown in the below procedure.

Table 7. Fuzzy inter dependent matrix of industrial attainment proportions.

	Standard (IA1)	Price (IA2)	Interval (IA3)	Competence (IA4)
Standard (IA1)	0.205	0.285	0.303	0.294
Price (IA2)	0.245	0.165	0.231	0.205
Interval (IA3)	0.265	0.24	0.154	0.285
Competence (IA4)	0.285	0.31	0.312	0.216

Table 8. Linguistic variable and fuzzy examination matrices of low carbon logistics associated with objective.

Linguistic Notation					Fuzzy associated terms				
LC1	LC2	LC3	LC4	LC5	LC1	LC2	LC3	LC4	LC5
1	VGD				1	(0.81,0.91,1)	(1/0.51,1/0.41,1/0.31)	(1/0.41,1/0.31,1/0.21)	(1/0.41,1/0.31,1/0.21)
	1				(1/1,1/0.91,1/0.81)	1	(1/0.51,1/0.41,1/0.31)	(1/0.31,1/0.21,1/0.11)	(1/0.31,1/0.21,1/0.11)
MLO	MLO	1			(0.31,0.41,0.51)	(0.31,0.41,0.51)	1	(1/0.81,1/0.71,1/0.61)	(1/0.81,1/0.71,1/0.61)
FLO	LO	FGD	1	EL	(0.21,0.31,0.41)	(0.11,0.21,0.31)	(0.61,0.71,0.81)	1	(0.91,1,1)
FLO	LO	FGD		1	(0.21,0.31,0.41)	(0.11,0.21,0.31)	(0.61,0.71,0.81)	(1/1,1/1,1/0.91)	1

Table 9. Starting Super matrix of low carbon supplier selection for the improvement of LCSC.

	Objective	LC1	LC2	LC3	LC4	LC5	IA1	IA2	IA3	IA4	IAP1	IAP2	IAP3	IAP4	IAP5	D1	D2	D3	D4	D5
Objective	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LC1	0.44	0.1	0.3	0.3	0.2	0.3	0.2	0.5	0.1	0.1	0	0	0	0	0	0	0	0	0	0
LC2	0.53	0.4	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0	0	0	0	0	0	0	0	0	0
LC3	0.14	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.4	0	0	0	0	0	0	0	0	0	0
LC4	0.09	0.2	0.3	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0	0	0	0	0	0	0	0	0	0
LC5	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0
IA1	0	0.6	0.1	0.2	0.2	0.5	0.205	0.285	0.303	0.294	0	0	0	0	0	0	0	0	0	0
IA2	0	0.2	0.1	0.1	0.5	0.2	0.245	0.165	0.231	0.205	0	0	0	0	0	0	0	0	0	0
IA3	0	0.1	0.3	0.6	0.3	0.2	0.265	0.24	0.154	0.285	0	0	0	0	0	0	0	0	0	0
IA4	0	0.1	0.5	0.2	0.1	0.1	0.285	0.31	0.312	0.216	0	0	0	0	0	0	0	0	0	0
IAP1	0	0.4	0.4	0.5	0.5	0.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IAP2	0	0.1	0.1	0.1	0.1	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IAP3	0	0.2	0.2	0.2	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IAP4	0	0.3	0.3	0.3	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IAP5	0	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D1	0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.14	0.14	0.14	0.19	0.21	0	0	0	0	0
D2	0	0.2	0.2	0.3	0.1	0.2	0.3	0.3	0.3	0.2	0.15	0.14	0.14	0.19	0.21	0	1	0	0	0
D3	0	0.3	0.3	0.2	0.3	0.2	0.2	0.1	0.2	0.3	0.18	0.14	0.14	0.19	0.21	0	0	1	0	0
D4	0	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.1	0.2	0.25	0.24	0.33	0.22	0.14	0	0	0	1	0
D5	0	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.28	0.34	0.25	0.21	0.23	0	0	0	0	1

Table 10. Weighted Super matrix of low carbon supplier selection for the improvement of LCSC.

	Objective	LC1	LC2	LC3	LC4	LC5	IA1	IA2	IA3	IA4	IAP1	IAP2	IAP3	IAP4	IAP5
--	-----------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------

D1	0.19	0.16	0.15	0.16	0.17	0.14	0.17	0.14	0.21	0.25	0.12	0.12	0.12	0.18	0.21
D2	0.23	0.21	0.16	0.18	0.18	0.19	0.21	0.21	0.15	0.27	0.14	0.14	0.14	0.15	0.18
D3	0.21	0.19	0.18	0.21	0.17	0.11	0.22	0.22	0.21	0.11	0.18	0.14	0.15	0.15	0.14
D4	0.18	0.22	0.22	0.17	0.21	0.27	0.21	0.22	0.22	0.18	0.22	0.28	0.25	0.21	0.21
D5	0.19	0.22	0.29	0.28	0.27	0.29	0.19	0.21	0.21	0.19	0.34	0.32	0.34	0.31	0.26

Table 11. Linguistic and fuzzy decision matrix for low carbon suppliers.

	D1	D2	D3	D4	D5	D1	D2	D3	D4	D5
T1	FGD	GD	FGD	MGD	MLO	(0.61,0.71,0.81)	(0.71,0.81,0.91)	(0.61,0.71,0.81)	(0.51,0.61,0.71)	(0.31,0.41,0.51)
T2	VGD	GD	FGD	VGD	VGD	(0.81,0.91,1)	(0.71,0.81,0.91)	(0.71,0.81,0.91)	(0.81,0.91,1)	(0.81,0.91,1)
T3	VGD	EL	EL	GD	GD	(0.81,0.91,1)	(0.91,1,1)	(0.91,1,1)	(0.71,0.81,0.91)	(0.71,0.81,0.91)
T4	MGD	VGD	GD	VGD	MGD	(0.51,0.61,0.71)	(0.81,0.91,1)	(0.71,0.81,0.91)	(0.81,0.91,1)	(0.51,0.61,0.71)
T5	MGD	MGD	FGD	GD	GD	(0.41,0.51,0.61)	(0.51,0.61,0.71)	(0.61,0.71,0.81)	(0.71,0.81,0.91)	(0.71,0.81,0.91)

Table 12. Weighted decision matrix for low carbon supplier examination.

	D1	D2	D3	D4	D5
T1	(0.13,0.15,0.18)	(0.16,0.19,0.23)	(0.13,0.15,0.18)	(0.16,0.19,0.23)	(0.08,0.10,0.12)
T2	(0.16,0.18,0.22)	(0.16,0.19,0.23)	(0.18,0.21,0.23)	(0.23,0.25,0.28)	(0.23,0.25,0.28)
T3	(0.16,0.18,0.22)	(0.23,0.25,0.28)	(0.23,0.25,0.28)	(0.18,0.21,0.23)	(0.18,0.21,0.23)
T4	(0.10,0.15,0.17)	(0.18,0.21,0.23)	(0.18,0.21,0.23)	(0.23,0.25,0.28)	(0.13,0.15,0.18)
T5	(0.08,0.10,0.12)	(0.13,0.15,0.18)	(0.13,0.15,0.18)	(0.18,0.21,0.23)	(0.18,0.21,0.23)

Table 13. Fuzzy standardized direct connection matrix of industrial attainment proportion.

	Positive						Negative					
	E1	E2	E3	E4	E5	E _{TOT}	E1	E2	E3	E4	E5	E _{TOT}
T1	0.99	0.98	1.02	0.94	1.03	4.96	0.15	0.19	0.15	0.19	0.1	0.78
T2	0.98	0.98	0.96	0.87	0.91	4.7	0.18	0.19	0.21	0.25	0.25	1.08
T3	0.98	0.93	0.93	0.92	0.92	4.68	0.18	0.25	0.25	0.21	0.21	1.10
T4	1.02	0.94	0.95	0.88	0.99	4.78	0.15	0.21	0.21	0.25	0.15	0.97
T5	0.57	1.02	0.99	0.92	0.92	4.42	0.10	0.15	0.15	0.21	0.21	0.82

Table 14. Final performance index for low carbon supplier alternatives.

Performance index	
T1	0.1573
T2	0.2298
T3	0.2350
T4	0.2029
T5	0.1855

$$\bar{E} = \begin{bmatrix} D_1 & D_2 & \dots & D_n \\ x_{11} & x_{12} & \dots & x_{1n} \\ x_{21} & x_{22} & \dots & x_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ x_{n1} & x_{n2} & \dots & x_{nn} \end{bmatrix}$$

Where $\bar{E}$ represents the decision fuzzy matrix having variables B and criteria D , which is shown in the linguistic values in table 11.

Step 5.2: Normalize the decision matrix, which is to be calculated as:

$$\bar{U} = (\bar{u})_{a \times b}, \quad I = 1, 2, \dots, a; \quad j = 1, 2, \dots, b,$$

$$r_{ij} = \begin{bmatrix} p_{ij} & q_{ij} & \bar{q}_{ij} \\ \vdots & \vdots & \vdots \\ D_j & D_j & D_j \end{bmatrix}$$

Where $D_j = \max$ of D_{ij} . To solve these complicated

TOPSIS normalization calculation, the simpler scale calculation method is used. Many researchers was also applied these techniques to solve linear scale transformation followed by normalization. The value of $D_{ij} = 1$, because normalized decision matrix is always remains same.

Step 5.3: calculate the weighted matrix for the decision. Next point is to calculate the normalized weighted decision fuzzy matrix which is shown by table 12.

$$\bar{O}_{ij} = \bar{U}_{ij} * \bar{W}_{kj} \dots\dots\dots 10$$

Where $\bar{W}_{kj}$ is the value of weight obtained by supermatrix for criteria J.

$$\text{And } \bar{V} = (\bar{V}_{ij})_{a*b}, i = 1, 2, \dots, a, j = 1, 2, \dots, b$$

Step 5.4: Find out the differences from the positive and negative real values.

The real triangular fuzzy points are in between (0,1), so the positive and negative real points (FPIRP, FNIRP) are as follows:

$$B^+ = [O_1^+, O_2^+, \dots, O_n^+], \quad B^- = [O_1^-, O_2^-, \dots, O_n^-]$$

$$\text{Where } O_n^+ = (1, 1, 1), \quad O_n^- = (0, 0, 0) \dots\dots\dots 11$$

Then we should find out the distance of the opponents from FPIRP & FNIRP.

$$e_i^+ = \sum_{j=1}^N e(\bar{O}_{ij}, O_j^+), \quad i = 1, 2, \dots, a, j =$$

$$1, 2, \dots, b \dots\dots\dots 12.$$

$$e_i^- = \sum_{j=1}^N e(\bar{O}_{ij}, O_j^-), \quad i = 1, 2, \dots, a, j =$$

$$1, 2, \dots, b \dots\dots\dots 13.$$

$$e(G, H) = \sqrt{1/3}[(g_1 - h_1) + (g_2 - h_2) + (g_3 - h_3)] \dots\dots\dots 14.$$

The value of negative distances and positive distances for the low carbon supplier opponents are shown in table 13.

Step 5.5: Show the ranking of all the opponents. Compute the attainments indices of the rank. The table 14 shows all the performance attainments of the applied hypothesis choose the best strategy from all. The highest value of performance index shows the best result which is T3 with score of 0.2350.

5. Managerial implications

The present study has two important purposes, which includes some implications for decision makers & purchasing officers in which the evaluation of suppliers is measured for their sustainability. The first main purpose involves the construction of list of examination criteria with the help of literature survey and the second purpose is the development of MCDM technique for supplier selection. Build up the examination criteria for concern suppliers and calculate the relative importance,

which makes the study better understandable by the managers. In these study criteria for LCSCM practices are identified. All these factors are compared with the previously applied hypothesis for identifying the target supplier. It can help to make the full concern on the targeted area of each manufacturing industry. In this uncertain environment, an improved hypothesis is developed. By using this approach, ranking of all suppliers have done. By using all three methods, managers can identify the effective one. The results of the study are cost reduction, pollution control by LCSCM, Product quality improvement, social benefits etc, which are helpful for industry to achieve goal.

6. Conclusions

On getting the adverse effect of globalization process, industries should consider and adopt some preventive measures for the protection of earth against these hazards issues such as carbon emission, pollutive environment, ethical issue, global issues and adverse health condition. In low carbon supply chain management point of view, industries are own responsible for global and environmental decay because of their profitability nature. The primary aim of LCSCM is to maintain all parameters to regain, enhance, and generate carbon free environment and for the economical & social benefits. It is known by all industrialists that supplier selection is very important parameter. LCSCM process begins from the selection of raw material or service and followed by utilization of this product or service by the consumer. The effective utilization of low carbon supply chain management in an industry depends upon their performance & supplier selection criteria. Industries should maintain a strong relationship with their suppliers & to motivate them to make good quality product and to deliver on time. In LCSCM process the supplier selection is followed a systematic approach. Industries needs to take some preventive measures against the suppliers which have their poor performance. The manufacturing industry is one of the serious industries in India from where environmental pollution level is high. The LCSCM supplier selection problem has been already discussed in many previous literature. Also a few literature defines the analyzing part of low carbon supplier selection problems. For that particular point, this research become important to share with a industry of manufacturing sector which analyze the low carbon supplier selection methodology. The main and the critical portion the low carbon supplier selection operation is the determination of the key indicators of performance to choose extremely important supplier. The appropriate supplier selection strategy helps industries to achieve their goals. The applied supplier selection strategy should be genuine, transparent, easy to understand and logic based. The present study based on the questionnaire review as well as the industrial & institutional experts suggestions. So the

applied study measured on manufacturing industry is clearly verified & specially focused on LCSC supplier selection problem. The combined fuzzy DEMATEL-ANP-TOPSIS technique is applied to investigate the most appropriate supplier which shows their greatest performance index value. In order to verify the originality of the present methodology, a fundamental case study is developed in an Indian manufacturing industry. This combined fuzzy DEMATEL-ANP-TOPSIS approach gives the most appropriate analysis result between these set of variables. In this study fuzzy TOPSIS tool is used to evaluate the real solution of the given problem. By applying these three set of tools each parts of the criteria is to be discussed and shown separately by using tabular form. With the help of above hypothesis, it can concluded that the novel hybrid MCDM approach to evaluate low carbon supplier to the improvement of LCSCM alternatives is the one which have greater final performance index having value of 0.2350 with corresponding index of supplier (T3) is the best criteria in this method. Previously many researchers proposed their models using these three set of tools. Overall the above research model proposes a best result of many MCDM problems.

Declaration of conflicting interest

The author(s) declared no conflicts of interest for the research, authorship, and/or publication of this article.

Acknowledgement

We are thankful to the Mechanical Engineering Department, Sant Longowal Institute of Engineering & Technology, Sangrur, Punjab, for their valuable guidance and numerous companies related to production & manufacturing background for sharing the valuable details of their personal data. We are also thankful to editors, reviewers and all the connected members for their beneficial guidance.

References

- 1) Odeyale, Solomon & Oguntola, Alamu & Odeyale, Elizabeth. (2014). Evaluation and selection of an effective green supply chain management strategy: A case study. *International Journal of Research Studies in Management*. 3. 10.5861/ijrsm.2013.550.
- 2) Tahriri, Farzad & Dabbagh, Mohammad & Ale Ebrahim, Nader. (2014). Supplier Assessment and Selection Using Fuzzy Analytic Hierarchy Process in a Steel Manufacturing Company. *Journal of Scientific Research and Reports*. 3. 1319-1338. 10.6084/M9.FIGSHARE.1008767.
- 3) Lupo, T. (2016). A fuzzy framework to evaluate service quality in the healthcare industry: An empirical case of public hospital service evaluation in Sicily. *Applied Soft Computing*, 40, 468–478. doi:10.1016/j.asoc.2015.12.010.
- 4) Ali Asghar Anvary Rostamy , Vahid Baghaei , Farideh Bakhshi Takanlou , Amin Anvary Rostamy . "A Fuzzy Statistical Expert System for Cash Flow Analysis and Management under Uncertainty." *Advances in Economics and Business* 1.2 (2013) 89 - 102. doi: 10.13189/aeb.2013.010205.
- 5) Shaverdi, M., Ramezani, I., Tahmasebi, R., & Rostamy, A. A. A. (2016). Combining Fuzzy AHP and Fuzzy TOPSIS with Financial Ratios to Design a Novel Performance Evaluation Model. *International Journal of Fuzzy Systems*, 18(2), 248–262. doi:10.1007/s40815-016-0142-8
- 6) Adelina, W., & Kusumastuti, R. D. (2017). Green supply chain management strategy selection using analytic network process: case study at PT XYZ. *IOP Conference Series: Materials Science and Engineering*, 166, 012026. doi:10.1088/1757-899x/166/1/012026
- 7) Ashrafzadeh, Maysam & Mokhtab rafiei, Farimah & Mollaverdi, Naser & Zare, Zahra. (2012). Application of fuzzy TOPSIS method for the selection of Warehouse Location: A Case Study. *Interdiscipl J Contemp Res Business*. 3.
- 8) Kabir, G., & Hasin, M. A. A. (2013). Integrating modified Delphi method with fuzzy AHP for optimal power substation location selection. *International Journal of Multicriteria Decision Making*, 3(4), 381. doi:10.1504/ijmcdm.2013.056654
- 9) Tang, Y. C., & Beynon, M. J. (2009). Group decision-making within capital investment: a Fuzzy Analytic Hierarchy Process approach with developments. *International Journal of Operational Research*, 4(1), 75. doi:10.1504/ijor.2009.021619
- 10) Uygun, Ö., & Dede, A. (2016). Performance evaluation of green supply chain management using integrated fuzzy multi-criteria decision making techniques. *Computers & Industrial Engineering*, 102, 502–511. doi:10.1016/j.cie.2016.02.020
- 11) Kuo, R. J., Hsu, C. W., & Chen, Y. L. (2015). Integration of fuzzy ANP and fuzzy TOPSIS for evaluating carbon performance of suppliers. *International Journal of Environmental Science and Technology*, 12(12), 3863–3876. doi:10.1007/s13762-015-0819-9
- 12) Büyükoçkan, G., & Çifçi, G. (2012). A novel hybrid MCDM approach based on fuzzy DEMATEL, fuzzy ANP and fuzzy TOPSIS to evaluate green suppliers. *Expert Systems with Applications*, 39(3), 3000–3011. doi:10.1016/j.eswa.2011.08.162
- 13) Ahmed Khan, S., Kusi-Sarpong, S., Kow Arhin, F., & Kusi-Sarpong, H. (2018). Supplier sustainability performance evaluation and selection: A framework and methodology. *Journal of Cleaner Production*. doi:10.1016/j.jclepro.2018.09.144

- 14) Mohammed, A. (2019). Towards a sustainable assessment of suppliers: an integrated fuzzy TOPSIS-possibilistic multi-objective approach. *Annals of Operations Research*. doi:10.1007/s10479-019-03167-5
- 15) Pang, Q., Yang, T., Li, M., & Shen, Y. (2017). A Fuzzy-Grey Multicriteria Decision Making Approach for Green Supplier Selection in Low-Carbon Supply Chain. *Mathematical Problems in Engineering*, 2017, 1–9. doi:10.1155/2017/9653261
- 16) Fahimeh Aliakbari Nouri, Saber Khalili Esbouei, Jurgita Antucheviciene, A Hybrid MCDM Approach Based on Fuzzy ANP and Fuzzy TOPSIS for Technology Selection, *Informatica* 26(2015), no. 3, 369-388, DOI 10.15388/Informatica.2015.53.
- 17) Aiello, G. (2009). Clean agent selection approached by fuzzy TOPSIS decision making method. *Fire Technology*, 45, 405–418.
- 18) X. Liu, Z. Tao, H. Chen, and L. Zhou, “A new interval-valued 2-tuple linguistic bonferroni mean operator and its application to multi-attribute group decision making,” *International Journal of Fuzzy Systems*, vol. 19, no. 1, pp. 86–108, 2017.
- 19) Amiri, M., Zandieh, M., Soltani, R., & Vahdani, B. (2009). A hybrid multi-criteria decision-making model for firm's competence evaluation. *Expert Systems with Applications*, 36, 12314–12322.
- 20) Huzaifi, Muhammad & Budiyo, Arif & Sirait, Juanda. (2020). Study on the Carbon Emission Evaluation in a Container Port Based on Energy Consumption Data. *Evergreen*. 7. 97-103. 10.5109/2740964.
- 21) T. Fujisaki, “Evaluation of green paradox: case study of japan,” *Evergreen*, 5 (4) 26–31 (2018). doi:10.5109/2174855.
- 22) H. Han, M. Hatta, and H. Rahman, “Smart ventilation for energy conservation in buildings,” *Evergreen*, 6 (1) 44–51 (2019).
- 23) A. Pal, K. Uddin, K. Thu, and B.B. Saha, *Evergreen*, 5 (2), 58-66 (2018).
- 24) Yusei Masaki. *Evergreen Joint Journal of Novel Carbon Resources Sciences & Green Asia Strategy*, Vol. 03, Issue 02, pp. 59-67, September (2016)
- 25) Masahito Tanaka. *Evergreen Joint Journal of Novel Carbon Resources Sciences & Green Asia Strategy*, Vol. 04, Issue 04, pp. 1-7, December (2017)
- 26) Chen, S. J., & Hwang, C. L. (1992). Fuzzy multiple attribute decision-making methods and application. In *Lecture notes in economics and mathematical systems*. New York: Springer.
- 27) Chen-Yi, H., Ke-Ting, C., & Gwo-Hsiung, T. (2007). FMCDM with fuzzy DEMATEL approach for customers' choice behavior model. *International Journal of Fuzzy Systems*, 9(4), 236–246.
- 28) Kumar, M., Vrat, P., & Shankar, R. (2006). A fuzzy goal programming approach for vendor selection problem in a supply chain. *International Journal of Production Economics*, 101, 273–285..
- 29) Lin, R.-H. (2009). An integrated FANP–MOLP for supplier evaluation and order allocation. *Applied Mathematical Modelling*, 33, 2730–2736.
- 30) Liou, J. J. H., Yen, L., & Tzeng, G.-H. (2008). Building an effective safety management system for airlines. *Journal of Air Transport Management*, 14(1), 20–26.
- 31) Liu, K. F. R., & Lai, J.-H. (2009). Decision-support for environmental impact assessment: A hybrid approach using fuzzy logic and fuzzy analytic network process. *Expert Systems with Applications*, 36, 5119–5136.
- 32) Bhasin, Niti & Kar, Rabi & Arora, Neha. (2015). Green Disclosure Practices in India: A Study of Select Companies. *Evergreen*. 2. 5-13. 10.5109/1544075.
- 33) Luo, Z.-M., Zhou, J.-Z., Zheng, L.-P., Mo, L., & He, Y.-Y. (2010). A TFN–ANP based approach to evaluate Virtual Research Center comprehensive performance. *Expert Systems with Applications*, 37(12), 8379–8386.
- 34) Mohanty, R. P., Agarwal, R., Choudhury, A. K., & Tiwari, M. K. (2005). A fuzzy ANP based approach to R&D project selection: A case study. *International Journal of Production Research*, 43, 5199–5216.
- 35) Punniyamoorthy, M., Mathiyalagan, P., & Parthiban, P. (2011). A strategic model using structural equation modeling and fuzzy logic in supplier selection. *Expert Systems with Applications*, 38(1), 458–474.
- 36) Ramik, J. (2007). A decision system using ANP and fuzzy inputs. *International Journal of Innovative Computing, Information and Control*, 3(4), 825–837.
- 37) Roghanian, E., Rahimi, J., & Ansari, A. (2010). Comparison of first aggregation and last aggregation in fuzzy group TOPSIS. *Applied Mathematical Modelling*, 34(12), 3754–3766.
- 38) Saaty, T. L. (1996). *The analytic network process*. Pittsburgh: RWS Publications.