# Erratum: Intelligibility of chimeric locally time-reversed speech: Relative contribution of four frequency bands [ JASA Express Lett. 1(6), 065201 (2021)]

**Ueda, Kazuo** Department of Human Science, Faculty of Design, Kyusyu University

Matsuo, Ikuo Department of Information Science, Tohoku Gakuin University

https://hdl.handle.net/2324/4495874

出版情報:JASA Express Letters. 1 (9), pp.095201-1-095201-1, 2021-09-07. Acoustical Society of America バージョン: 権利関係:(c) Author(s) 2021.

## Erratum: Intelligibility of chimeric locally time-reversed speech: Relative contribution of four frequency bands [JASA Express Lett. 1(6), 065201 (2021)]

Cite as: JASA Express Lett. 1, 095201 (2021); https://doi.org/10.1121/10.0006007 Submitted: 05 August 2021 • Accepted: 10 August 2021 • Published Online: 07 September 2021

🔟 Kazuo Ueda and Ikuo Matsuo





### ARTICLES YOU MAY BE INTERESTED IN

Forces and conservation laws for motion on our spheroidal Earth American Journal of Physics **89**, 830 (2021); https://doi.org/10.1119/10.0004801

Chinese Abstracts

Chinese Journal of Chemical Physics 34, i (2021); https://doi.org/10.1063/1674-0068/34/03/ cabs

A perspective on industrial quantum networks AVS Quantum Science **3**, 030501 (2021); https://doi.org/10.1116/5.0051881





Advance your science and career as a member of the ACOUSTICAL SOCIETY OF AMERICA



JASA Express Lett. 1, 095201 (2021); https://doi.org/10.1121/10.0006007 © 2021 Author(s).



asa.scitation.org/journal/jel



### Erratum: Intelligibility of chimeric locally time-reversed speech: Relative contribution of four frequency bands [JASA Express Lett. 1(6), 065201 (2021)]

Kazuo Ueda<sup>1,a)</sup> and Ikuo Matsuo<sup>2</sup>

<sup>1</sup>Department of Human Science, Faculty of Design/Research Center for Applied Perceptual Science/Research and Development Center for Five-Sense Devices, Kyushu University, 4-9-1 Shiobaru, Minami-ku, Fukuoka 815-8540, Japan <sup>2</sup>Department of Information Science, Tohoku Gakuin University, 2-1-1 Tenjinzawa, Izumi-ku, Sendai 981-3193, Japan ueda@design.kyushu-u.ac.jp, matsuo@mail.tohoku-gakuin.ac.jp

[Editor: Charles C. Church]

https://doi.org/10.1121/10.0006007

Received: 5 August 2021 Accepted: 10 August 2021 Published Online: 7 September 2021

Input errors were found in 14 lines of the 2700-line data. The corrections cause at the most a 1% increase in mora accuracy and a 0.58% decrease in standard error of the mean for the LTR-3 stimuli with the 150-ms segment duration, thus negligibly affecting a few parts of Fig. 2 (Ueda and Matsuo, 2021). In addition, segment duration was inappropriately specified as a continuous predictor in the statistical analysis in Sec. 3 (Ueda and Matsuo, 2021). The correct choice is a categorical predictor, and the correction affects the choice of a generalized linear mixed model. A model with two random effects, i.e., listener and sentence, becomes a better model with a smaller corrected Akaike's information criterion than the model with one random effect (listener), which was used in the published report. The correct report of the analysis is as follows.

The data were analyzed for fixed effects of segment duration, target band (both categorical predictors), and their interaction and for random effects of listener and sentence. For the ORG-*n* stimuli, the model revealed *p* values smaller than 0.001 in segment duration [F(2, 1244) = 384.37] and target band [F(4, 1308) = 39.73]. The *p* value was 0.023 in their interaction [F(8, 1251) = 2.23]. For the LTR-*n* stimuli, this model revealed a *p* value smaller than 0.001 in target band [F(4, 1221) = 5.81]. The *p* values were 0.006 in segment duration [F(2, 1217) = 5.20] and 0.018 in the interaction [F(8, 1237) = 2.33]. To examine whether or not the differences between target bands were reliable, Tukey-Kramer honestly significant difference (HSD) tests were applied. For the ORG-*n* stimuli, *p* values were smaller than 0.05 for the differences between 1 and 3 (p = 0.35) and 3 and 4 (p = 0.65). For the LTR-*n* stimuli, *p* values were smaller than 0.05 for the differences between none and 2, none and 3, and 1 and 2. Other *p* values (for none and 1, none and 4, 1 and 3, 1 and 4, 2 and 3, 2 and 4, and 3 and 4) exceeded 0.05.

The subsequent discussion and the conclusions are unaffected.

#### References and links

Ueda, K., and Matsuo, I. (2021). "Intelligibility of chimeric locally time-reversed speech: Relative contribution of four frequency bands," JASA Express Lett. 1(6), 065201.

<sup>&</sup>lt;sup>a)</sup>Author to whom correspondence should be addressed, ORCID: 0000-0002-1885-0463.