

A Perspective on Advances in Cloud-based Additive Manufacturing

Shahroz Akhtar Khan
Galgotias College of Engineering and Technology

Arora, Ranjan
Aligarh Muslim University

Kumar, Harish
National Institute of Technology

Pawan Kumar Arora
Galgotias College of Engineering and Technology

<https://doi.org/10.5109/4843119>

出版情報 : Evergreen. 9 (3), pp.861-869, 2022-09. 九州大学グリーンテクノロジー研究教育センター
バージョン :
権利関係 : Creative Commons Attribution-NonCommercial 4.0 International



A Perspective on Advances in Cloud-based Additive Manufacturing

Shahroz Akhtar Khan¹, Ranjan Arora², Harish Kumar³, Pawan Kumar Arora^{1*}

¹Galgotias College of Engineering and Technology, G.B. Nagar, U.P, India

²Aligarh Muslim University, Aligarh, U.P. India

³National Institute of Technology, Delhi, India

*Author to whom correspondence should be addressed:

E-mail: pawan.arora.1976@gmail.com

(Received March 7, 2022; Revised June 8, 2022; accepted July 1, 2022).

Abstract: With advances in technology coupled with Industry 4.0, it has become a reality to provide real time information along with monitoring 3D printing process remotely. The unique benefits associated with additive manufacturing (AM) is its potential to produce complex-shaped personalized products with reduced material waste, fewer cost of manufacture, lesser consumption of energy during manufacturing, while allowing in producing the products on-demand. This paper covers the features of cloud-based Additive Manufacturing (AM) by describing about Sustainable Distributed Manufacturing, Automated Order-Processing, Smart resource efficiency improvement, Big data-driven, smart and sustainable manufacturing, resource sharing between different stakeholders, rapid product development with cloud-based AM Platform (CAMP) and cloud-based manufacturing process monitoring. The paper aims to study the recent advances that took place in cloud-based AM and enlist its salient features to help researchers and manufacturing industry adopt the same and get the basic information. Big data-driven, smart and sustainable manufacturing is the present need of manufacturing at its full potential with secure, real-time communication and intelligent process monitoring and diagnostics.

Keywords: Additive Manufacturing (AM), Cloud-based Additive Manufacturing, 3D Printing

1. Introduction

Connecting 3D printers to the cloud is a fundamental step that allows customers to configure printing processes based on their requirements. Further, the hardware can provide real-time information to the cloud so that printing processes can be monitored remotely. As 3D printing processes usually take hours to finish, it is important to understand AM material characteristics with 3D printing principle¹⁾ and identify failures as early as possible to save both time and cost. In this way, customers are able to control the printing strategies. This is one of the main influencers of printed part quality. In this era of the fourth industrial revolution, there are several enabling technologies to attain a networked environment such as the Internet of Things (IoT) and Cyber-Physical Systems (CPS). Meanwhile, the rapid development of Artificial Intelligence (AI) technologies has the potential to increase the smartness of the cloud platform so that it is able to understand what is occurring in the connected machines. However, current research on this is still at an early stage and there is limited knowledge on how to integrate these advanced technologies to realize a more autonomous and intelligent cloud environment. Therefore, the second

challenge is to enable a real-time, secure, and standard communication in the cloud environment and improve its smartness.

With the recent technological advancement, making use of resources ad-hoc in place of conventional resources in setting up the manufacturing processes is becoming a reality through AM. In order to offer better solution to the manufacturing problems in conformity to the cloud manufacturing (CM) paradigm for clarity and the accountability of AM processes, AM resources must conform to the principle of transparency²⁻⁴⁾. Managing the manufacturing resources systematically and correctly in order to launch cloud-based 3D printing services is a challenging problem. In order to handle such problems, cloud-based collaboration architecture with peer self-managing node can be one solution. The collaboration architecture can facilitate in bridging between self-managing nodes to share among them available manufacturing resources in building a scalable and dynamic AM cloud⁵⁻⁷⁾. As the essential requirement in context of Industry 4.0, it is highly recommended to adopt AM for end-part manufacture on integrating cloud-based AM technology with cyber-physical schemes⁸⁻¹⁰⁾.

Unique features of AM technology assure entirely a new path to rapid product-development. Products of varying material characteristics can be obtained by controlling some significant process parameters during their 3D printing. With its integration with CM paradigm, AM technology offers ease in accessing manufacturing resources and efficient utilization of distributed resources, allowing minimum expense. The cloud-based AM technology that is available at present targets mainly on offering services for mere 3D printing and does not focus on supporting customers throughout the process of product development. It is therefore required to think of a modern CM platform to bridge together and manage all the hard and soft resources, perform the tests, affirm its support from end-part manufacture alongside designing and process-planning¹¹⁻¹³. CM platform can also support the researchers keen to determine mechanical characteristics of additive materials¹⁴⁻¹⁶. This platform can allow the user to obtain data to study functional behaviour of additively printed parts under varying conditions¹⁷⁻¹⁹. The CM platform can enable effective AM process diagnostics and process health monitoring as well, allowing intelligent effort to put by the local servers based on the processing of related real-time data collected from sensors during manufacture.

2. Features of Cloud-based AM technology

2.1 Sustainable Distributed Manufacturing

Sustainable manufacturing is usually described by manufacture or printing of parts when the entire process of product development affirms a strong relation to three independent essential pillars; environmental (biotic and abiotic surroundings) responsibility, social welfare and economic evolution²⁰⁻²³.

The usual drift in opting sustainable distributed manufacturing is servicification through distributed cloud-based manufacturing systems (DCMS) resulting into a paradigm shift of manufacturing technology due to growing embedment of tools of information technology in manufacturing²⁴⁻²⁶. DCMS offers significant advantages assuring mass customization for the product in a shorter overall lead time under competitive costs with greater flexibility in product's supply-chain. Through DCMS industries can outperform to lean the product's supply-chain with almost no dependence to the machine, material, location and inventory enabling just-in-time manufacture with build-to-order scheme. The DCMS can led a responsive supply-chain through dynamic control across product planning and development²⁷⁻³⁰.

Such services from DCMS often find it difficult to measure the sustainability performance of a particular selection made for the supply-chain due to its dynamic behaviour letting in the variability and uncertainty in source material and manufacturing processes³¹. The DCMS attributes such as location independency and customer controlled dynamic planning- optimization

schemes may allow relative comparison of possible supply chains though the impact of delivery services may offer complexity³²⁻³⁴.




Fig.1: Sustainability Assessment Framework of DCMS

2.2 Automated Order-Processing

Although AM technology is in close accordance with Industry 4.0, researchers believe that processing of order needs to be given attention and should be designed based on consumer's preferences. Therefore, automation of order-processing has to be made on cloud-based platform where consumers will be offered options like quotation coting, customer-request register and 3D visualization apart from selection of required features, this platform needs to show concepts involved and the process-flow. According to the manufacturing constraints and the guidelines to conform to, part's geometry required to be checked automatically by a part-screening service on this platform as an important stage during order-processing³⁵⁻³⁷.

The material and process specific design-guidelines for the parts to conform to are important to consider in order to allow for the tolerances on the part to get printed in a fault-free automated CM platform. Based on these guidelines, an algorithm on the platform will inspect the submitted STL (Standard Triangle Language) file of the parts for allowable dimensions/thicknesses and gaps/holes.

The entire process of generating a successful order, that conventionally requires high user input and manual effort, can employ on the CM platform a decision support methodology building a communication interface between manufacturing service and the customer. Fig. 1 represents a scheme for the features offered by a cloud-based automated order-processing platform³⁸⁻⁴⁰.




Fig.2: A cloud-based automated order-processing platform

2.3 Smart resource efficiency improvement

Cloud-based AM technologies forming a key feature for Industry 4.0 have a potential making improvement on resource efficiency for a network a reality.

In context to the higher degree of freedom, out of available popular AM techniques, Laser Powder-Bed Fusion technique (LPBF) is gaining tremendous attention on being advantageous in many ways compared to other freeform fabrication processes. Having typical field of application as rapid prototyping, LPBF has expanded its domain and is now popularly employed in aerospace and medical. LPBF works on a process that employ laser irradiation of pre-laid powdered-metal bed to perform selective laser sintering (SLS) or selective laser melting (SLM) based on the process parameters. The common practice of opting for AM technology is to print single entities or small units which negatively affect to a large the process efficiency. It is highly recommended to employ AM to print assemblies comprising of several parts under the same building volume in order to improve the resource efficiency⁴¹⁻⁴³.

Since the time consumed in laser screening completely depends on the area of surface to be scanned, the time efficiency can significantly be improved on printing a number of parts simultaneously on the network platform. In printing the parts simultaneously, the overall processing-time can significantly be reduced which, in turn, can lower the machine power consumption leading to improved energy efficiency. In order to improve the material efficiency, the quantity of metal powder, left unused on the bed after part manufacture through laser melting of metal powder, required to be reduced and recycled⁴⁴⁻⁴⁶.

For resource-efficiency to get improved, it is essential for the AM framework to offer smart CM platform for AM services. Advanced information technology support to Industry 4.0 enables the CM platform to dynamically share the AM services at maximum potential with high resource-efficiency⁴⁷⁻⁴⁹.




Fig.3: Smart resource-efficient Framework

2.4 Big data-driven, smart and sustainable manufacturing

Smart manufacturing is now gaining more attention of researchers from academia and industry with the growing trend in employing information technology tools in manufacturing technology. The term sustainable and

smart AM (SSAM) can be used in this context to represent a technology that combines key techniques of AM, sustainable manufacturing and smart manufacturing. An AM framework is therefore needs to work based on big-data analytics. The big-data driven sustainable and smart additive manufacturing (BD-SSAM) can support in making better decisions in view of sustainability, productivity and profitability⁵⁰⁻⁵². Selecting the right suggested options in real-time offered in smart manufacturing based on the choices made by the customer will lead to better resource handling and the work flow which further leads to rapid product development.

Smart manufacturing integrates together the basic conventional manufacturing and the modern big-data based technologies, for example industrial internet of things (IIoT), Big Data Analytics (BDA) and Artificial intelligence (AI), for improved process control and making smart real-time decisions. These modern technologies also help in reducing power consumption, impact on environment and the wastage of materials during manufacturing leading to better resource-efficiency and green supply-chain. Real-time data generation and analysis is the demand for a smart manufacturing technology that is applied from raw-material handling to manicuring to product-packaging⁵³⁻⁵⁵.

SSAM offers:

- Market demand prediction
- Improved product design
- Improved product quality
- Reduced power consumption
- Smart process control




Fig.4: Big-data based architecture in SSAM

2.5 Sharing of AM resources and capabilities between different stakeholders

People from manufacturing industries always wish to predict the dynamic changes in the demand to survive with the competitors. Collaborative business-ecosystem with the stakeholders can make their predictions at ease where

new approaches, improved methods, latest technological tools can be suggested and implemented. Use of cloud computing in AM industry helps in sharing among stakeholders the manufacturing resources and technological tools. The business-ecosystem for CM platform helps business partners to connect, collaborate and be able to adapt for the dynamic business changes. This digital infrastructure can also facilitate against varying manufacturing trends and modern technology adaption, thus comply with Industry 4.0. The use of modern technology in manufacturing helps improving the productivity, ensures better performance of processes involved, and the improves profits. With the integration of modern technology, manufacturing-ecosystem can offer smart features to connect, collaborate and compete. Decentralized services can be controlled and managed effectively on CAMP. Such CM platform can process manufacturing resources and services amongst the stakeholders. The modern manufacturing-ecosystem, with smart decision making capabilities to have better control on the processes, demands manufacturers to have adequate knowledge of when and how to collaborate across the business boundaries. In order to address the challenges of dynamically varying manufacturing demands, companies present on CM platform can share their resources and services to give out the best possible manufacture. The CM ecosystem, therefore, ensures achieving a flexible distributed platform to give support in tackling the varying manufacturing demands, to set up between the stakeholders effective collaboration of resources/services and to give room to adapt for the new technology for betterment.

It is highly required to have a measure of impact of manufacturing-ecosystem on biological-ecosystem in order to rate the performance of the manufacturing companies depending on their impact on the bionics. Manufacturing-ecosystem is a metaphor that present companies in a strong business relational environment. Manufacturing companies and stakeholders need to collaborate on CM ecosystem to develop among them an innovative environment. A greater level of collaboration between company-company, producer-consumer and human-machines can be achieved with digitization and modern information technology tools.

Collaborative CM ecosystem provides benefit to each stakeholder, such as material suppliers, logistics providers, technology partners and policy-makers. Each contributes significantly to the produce the final product with improved functionalities to match the customer's needs. Product's digital representation on popular digital marketplace can make the consumer understand the product details with 'rotating view' mode. Customer can be asked for material choices and can offer customization for the product. Once the order is placed, the product can be additively printed in-house through an ad-hocor contractual AM service. Digital marketplaces help in reducing the cost and time while product's customization

helps in producing suitable and custom-built product.

The ecosystem-driven CM is the future of product-manufacture. To seize the profit, stakeholders will tend to opt for more value added-services, creative technology collaboration with flexible workforce⁵⁶⁻⁵⁸).




Fig.5: Ecosystem driven AM industry

2.6 Collaborative rapid product development with CAMP

In AM technology, complete design information is digitized in the form of product's STL file and the same can be shared among the stakeholders on a cloud-based platform. Companies across the globe are now offering cloud-based 3D part printing, from where information and services can be accessed and availed, enabling sustainable utilization of available manufacturing resources. Regular improvement should always be considered to enhance the services from CAMP keeping in mind:

- Interaction of machines with the cloud.
- Simple service definitions.
- Limited AM support.

Intelligent integration of technologies is now possible with the aid of IoT (Internet of Things) services resulting in to a manufacturing environment to smartly achieve sustainable manufacturing, can be produced²²).

In order to make the CAMP-services customer-centric research has to be conducted to find the ways of making services available through CAMP helpful for the customers to choose them efficiently⁵⁹⁻⁶¹). In this regard, architecture of an IoT enabled CAMP can be designed based on the Bayesian Networks⁶²) (BNs) where decision making can be linked to hybrid Multi Criteria Decision-Making (MCDM) method to build an informative environment for product development supporting design and process planning⁶³⁻⁶⁶). A Cyber-Physical 3D-Printer (CP3DP) is required for 3D printing. Issues resulting to printing-failures must be identified and addressed to fail-safe the entire process⁶⁷⁻⁶⁹).

2.7 A cloud-based manufacturing process monitoring

In order to have manufacturing environment allow for process monitoring, cloud-based platform needs to have intelligent diagnosis services⁷⁰⁻⁷²). The diagnosis services work based on distributed resources over the network and help in monitoring printer condition, leading to better control on the process. The manufacturing environment

integrates a cyber-physical system with sensors and communication networks⁷³⁻⁷⁵. Intelligent diagnosis can be made for set-up life consumed through knowledge based algorithm processing the data collected from sensors⁷⁶⁻⁷⁹. The diagnosis system must activate the local server to take corrective measures against the situation met and should interact with machine tool-control unit⁸⁰⁻⁸⁴.

3.0 Conclusion

With rise in technology advancement, cloud-based AM is gaining importance and the same has been studied in this paper via existing literature review. It has been seen that the current research on this is still at a very nascent stage along with lack of knowledge on how to utilize advanced technologies at their full potential. It is clear that the technology integration at CM platform is highly required to setup and allow for fine-tune between various stakeholders collaboration of resources/services. It has been seen that in order to efficiently use cloud-based AM, there is a need for real-time, secure, and standard communication in the cloud environment. This paper has also looked at the features of cloud-based AM like Sustainable Distributed Manufacturing, Automated Order Processing, Smart resource efficiency improvement, Big data-driven, smart and sustainable manufacturing, resource sharing between different stakeholders, rapid product development with cloud-based AM Platform (CAMP) and cloud-based manufacturing process monitoring. AM has all the potential to support manufacture of customized products with the adapt of modern technologies to facilitate the manufacturing processes on cloud right from order processing with the choices for materials and features where stakeholders can also easily contribute with their expert services securely, to finally dispatching the product to the customer. The AM process can easily be integrated with IIoT, BDA and AI to further improve the sustainability and the customer experience. Thus, it is coming out clearly that there is a lot of scope for future research in this area by looking at one feature at a time.

References

- 1) Shahroz Akhtar Khan, Harish Kumar, and Pawan Kumar Arora, "Retrospective investigation on emergence and development of additive manufacturing", *Indian Journal of Engineering and Materials Sciences (IJEMS)*, 28(2), 115-124, 2021. <http://nopr.niscair.res.in/handle/123456789/57663>
- 2) Felix W. Baumann and Dieter Roller, "Additive Manufacturing, Cloud-Based 3D Printing and Associated Services—Overview", *Journal of Manufacturing and material Processing*, 1 (15), 1-60 (2017).
- 3) Chen Dong, Yao Yuan, Wang Lei, "Additive Manufacturing Cloud Based on MultiAgent Systems and Rule Inference", IEEE Information Technology, Networking, Electronic and Automation Control Conference, 20-22 May 2016, Chongqing, China, (2016).
- 4) I.M. Cavalcante, E.M. Frazzon and F.A. Forcellini, "Cloud-Based Additive Manufacturing as a Strategy for Product Variety: A Simulation Study", Service Orientation in Holonic and Multi-Agent Manufacturing. SOHOMA 2018. Studies in Computational Intelligence, Springer, 803. Cham. https://doi.org/10.1007/978-3-030-03003-2_4.
- 5) Yuanbin Wang, Yuan Lin, Ray Y. Zhong and Xun Xu, "IoT-enabled cloud-based additive manufacturing platform to support rapid product development", *International Journal of Production Research*, 57:12, 3975 (2019), DOI: 10.1080/00207543.2018.1516905.
- 6) A. Kumar, A. Choudhary, A. Tiwari, C. James, H. Kumar, P.K. Arora and S.A. Khan, "An investigation on wear characteristics of additive manufacturing materials", *Materials Today: Proceedings*, ISSN 2214-7853, (2021), <https://doi.org/10.1016/j.matpr.2021.01.263>.
- 7) A. Yadav, A. Srivastav, A. Singh, M.D. Mushtaque, S.A. Khan, H. Kumar and P.K. Arora, "Investigation on the materials used in additive manufacturing: A study", *Materials Today: Proceedings*, 43, 1, 154, ISSN 2214-7853 (2021), <https://doi.org/10.1016/j.matpr.2020.10.975>.
- 8) P.K. Kedare, S.A. Khan and H. Kumar, "3D Printer Nozzle Design and Its Parameters: A Systematic Review", *Proceedings of International Conference in Mechanical and Energy Technology, Smart Innovation, Systems and Technologies*, 174 (2020), Springer, Singapore. https://doi.org/10.1007/978-981-15-2647-3_73.
- 9) Tsuyoshi Sato, "How is a Sustainable Society Established? A Case Study of Cities in Japan and Germany", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 03, Issue 02, 25, September 2016.
- 10) A.A.A. Putri, S. Hartini and R. Purwaningsih, "Sustainable Value Stream Mapping Design to Improve Sustainability Performance of Animal Feed Production Process", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 08, Issue 01, 107, March 2021.
- 11) P.N. Hari, Nagarajan, A.S. Ramanand and K.R. Haapala, "A Sustainability Assessment Framework for Dynamic Cloud-based Distributed Manufacturing", 25th CIRP Life Cycle Engineering (LCE) Conference, 30 April, *Procedia CIRP*, 69 136, (2018).
- 12) E. Rauch, M. Dallinger, P. Dallasega, and D. T. Matt, "Sustainability in Manufacturing through Distributed Manufacturing Systems (DMS)", *Procedia CIRP*, 29, 544 (2015).

- 13) D.T. Matt, E. Rauch and P. Dallasega, "Trends towards Distributed Manufacturing Systems and Modern Forms for their Design", *Procedia CIRP*, 33, 185 (2015).
- 14) Jan-Peer Rudolph and C. Emmelmann, "A Cloud-based Platform for Automated Order Processing in Additive Manufacturing", The 50th CIRP Conference on Manufacturing Systems, *Procedia CIRP*, 63, 412 (2017).
- 15) J.P. Rudolph and C. Emmelmann, "Analysis of Design Guidelines for Automated Order Acceptance in Additive Manufacturing", Proceedings of the 27th CIRP Design Conference (2017).
- 16) A. Simeone, A. Caggiano and Y. Zeng, "Smart cloud manufacturing platform for resource efficiency improvement of additive manufacturing services", 13th CIRP Conference on Intelligent Computation in Manufacturing Engineering, CIRP ICME'19, *Procedia CIRP*, 88, 387 (2020).
- 17) J. Ko, N. Takata, K. Thu and T. Miyazaki, "Dynamic Modeling and Validation of a Carbon Dioxide Heat Pump System", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 07, Issue 02, 172 (2020).
- 18) C. Qian, Y. Zhang, Y. Liu and Zhe Wang, "A cloud service platform integrating additive and subtractive manufacturing with high resource efficiency", *Journal of Cleaner Production*, 241 118379 (2019).
- 19) A. Majeed, Y. Zhang, S. Ren, J. Lv, T. Peng, S. Waqar and E. Yin, "A big data-driven framework for sustainable and smart additive manufacturing", *Robotics and Computer Integrated Manufacturing*, 67, 102026 (2021).
- 20) C. Lindemann, T. Reiher, U. Jahnke, R. Koch, "Towards a sustainable and economic selection of part candidates for additive manufacturing". *Rapid Prototyping Journal*, 21(2):216 (2015).
- 21) P. Helo, Y. Hao, R. Toshev and V. Boldosova, "Cloud manufacturing ecosystem analysis and design", *Robotics and Computer Integrated Manufacturing*, 67, 102050 (2021).
- 22) H. Prasetyo, "On-Grid Photovoltaic System Power Monitoring Based on Open Source and Low-Cost Internet of Things Platform", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 08, Issue 01, 98, (2021).
- 23) Animesh Pal, Kutub Uddin, Kyaw Thu and Bidyut Baran Saha, "Environmental Assessment and Characteristics of Next Generation Refrigerants", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 5 (2), 58–66 (2018). <https://doi.org/10.5109/1936218>.
- 24) Y. Wang, Y. Lin, R. Zhong and Xun Xu, "IoT-enabled cloud-based additive manufacturing platform to support rapid product development". *International Journal of Production Research*, 1 (2018). 10.1080/00207543.2018.1516905.
- 25) G.D. Nugraha, B. Sudiarto and K. Ramli, "Machine Learning-based Energy Management System for Prosumer", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 07, Issue 02, 309, (2020).
- 26) H. Pariaman, G.M. Luciana, M.K. Wisyaldin and M. Hisjam, "Anomaly Detection Using LSTM-Autoencoder to Predict Coal Pulverizer Condition on Coal-Fired Power Plant", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 08, Issue 01, 89 (2021).
- 27) A. Caggiano, "Cloud-based manufacturing process monitoring for smart diagnosis services", *Int. J. Comput. Integr. Manuf.*, 31 (7) (2018). <https://doi.org/10.1080/0951192X.2018.1425552>.
- 28) R.Gao, L. Wang, R. Teti, D. Dornfeld, S. Kumara, M. Mori, and M. Helu, "Cloud-Enabled Prognosis for Manufacturing", *CIRP Annals - Manufacturing Technology*, 64(2), 749 (2015). doi:10.1016/j.cirp.2015.05.011.
- 29) K. Jemielniak, and O. Otman, "Tool Failure Detection Based on Analysis of Acoustic Emission Signals", *Journal of Materials Processing Technology*, 76 (1–3), 192 (1998). doi:10.1016/S0924-0136(97)00379-8.
- 30) Arpana Mishra, Rashmi Priyadarshini, Shilpa Choudhary and R M Mehra, "Qualitative Analysis of Intra-Class and Inter-Class Clustering Routing and Clusterization in Wireless Sensor Network." *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 8 (2), 358–73 (2021). <https://doi.org/10.5109/4480718>.
- 31) Muhammad Idham Sabtu, Hawa Hishamuddin, Nizaroyani Saibani, and Mohd Nizam Ab Rahman, "A Review of Environmental Assessment and Carbon Management for Integrated Supply Chain Models", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 8 (3), 628–41 (2021). <https://doi.org/10.5109/4491655>.
- 32) J. D. Kim, and I. H. Choi, "Development of a Tool Failure Detection System Using Multi-Sensors", *International Journal of Machine Tools and Manufacture*, 36, 861 (1996), doi:10.1016/0890-6955(96)00115-0.
- 33) Alessandro Salmi, and Eleonora Atzeni, "Residual Stress Analysis of Thin AlSi10mg Parts Produced by Laser Powder Bed Fusion", *Virtual and Physical Prototyping*, 15 (1) 49-61 (2020).
- 34) Jamison L Bartlett, Brendan P Croom, Jeffrey Burdick, Daniel Henkel, and Xiaodong Li, "Revealing Mechanisms of Residual Stress Development in Additive Manufacturing Via Digital Image Correlation", *Additive Manufacturing*, 22 1-12 (2018).
- 35) Zhaopeng Tong, Xudong Ren, Jiafei Jiao, Wangfan Zhou, Yunpeng Ren, Yunxia Ye, Enoch Asuako Larson, and Jiayang Gu, "Laser Additive

- Manufacturing of FeCrCoNi High-Entropy Alloy: Effect of Heat Treatment on Microstructure, Residual Stress and Mechanical Property", *Journal of Alloys and Compounds*, 785 1144-59 (2019).
- 36) A Magnier, T Wu, SR Tinkloh, T Tröster, B Scholtes, and T Niendorf, "On the Reliability of Residual Stress Measurements in Unidirectional Carbon Fibre Reinforced Epoxy Composites", *Polymer Testing*, 97 107146 (2021).
- 37) Tatiana Mishurova, Sandra Cabeza, Katia Artzt, Jan Haubrich, Manuela Klaus, Christoph Genzel, Guillermo Requena, and Giovanni Bruno, "An Assessment of Subsurface Residual Stress Analysis in SLM Ti-6Al-4V", *Materials*, 10 (4) 348 (2017).
- 38) Muhammad P Jahan, "Electro-Discharge Machining (Edm)", *Modern Manufacturing Processes*, 377-409 (2019).
- 39) Ramesh Rudrapati, and Lakhan Rathod, 'Effects of Wire-EDM Machining Variables on Surface Roughness of D2 Steel Material', in Materials Science Forum (Trans Tech Publ, 2019), 656-61.
- 40) Asarudheen Abdudeen, Jaber E Abu Qudeiri, Ansar Kareem, Thanveer Ahammed, and Aiman Ziout, "Recent Advances and Perceptive Insights into Powder-Mixed Dielectric Fluid of EDM", *Micromachines*, 11 (8) 754 (2020).
- 41) Moritz Wiessner, Felipe TB Macedo, CP Martendal, Fredy Kuster, and Konrad Wegener, "Fundamental Investigation of EDM Plasmas, Part I: A Comparison between Electric Discharges in Gaseous and Liquid Dielectric Media", *Procedia CIRP*, 68 330-35 (2018).
- 42) YL Teng, L Li, W Zhang, N Wang, CC Feng, and JH Ren, "Machining Characteristics of PCD by EDM with Cu-Ni Composite Electrode", *Materials and Manufacturing Processes*, 35 (4) 442-48 (2020).
- 43) Felipe TB Macedo, Moritz Wiessner, GC Bernardelli, Fredy Kuster, and Konrad Wegener, "Fundamental Investigation of EDM Plasmas, Part II: Parametric Analysis of Electric Discharges in Gaseous Dielectric Medium", *Procedia CIRP*, 68 336-41 (2018).
- 44) Sumit Bhowmik, and Divya Zindani, "Overview of Hybrid Micro-Manufacturing Processes", *Springer*, 2019.
- 45) Zhaojun Kou, and Fuzhu Han, "Machining Characteristics and Removal Mechanisms of Moving Electric Arcs in High-Speed EDM Milling", *Journal of Manufacturing Processes*, 32 676-84 (2018).
- 46) AM Efendee, A Azhari, AR Hasnain, S Zainal Ariffin, and M Mukhtar, 'Investigation of Magnetic Field Effect on MRR, EWR and Surface Roughness During EDM of AISI420 Tool Steel', in IOP Conference Series: Materials Science and Engineering (IOP Publishing, 2021), p. 012018.
- 47) V Srinivas Viswanth, R Ramanujam, and G Rajyalakshmi, "Performance Study of Eco-Friendly Dielectric in EDM of AISI 2507 Super Duplex Steel Using Taguchi-Fuzzy Topsis Approach", *International Journal of Productivity and Quality Management*, 29 (4) 518-41 (2020).
- 48) S Debnath, RN Rai, and GRK Sastry, "A Study of Multiple Regression Analysis on Die Sinking EDM Machining of Ex-Situ Developed Al-4.5 Cu-SiC Composite", *Materials Today: Proceedings*, 5 (2) 5195-201 (2018).
- 49) JR Hönnige, Paul A Colegrove, B Ahmad, ME Fitzpatrick, Supriyo Ganguly, TL Lee, and Stewart W Williams, "Residual Stress and Texture Control in Ti6Al-4V Wire+ Arc Additively Manufactured Intersections by Stress Relief and Rolling", *Materials & Design*, 150 193-205 (2018).
- 50) JJ Yan, DL Zheng, HX Li, X Jia, JF Sun, YL Li, M Qian, and M Yan, "Selective Laser Melting of H13: Microstructure and Residual Stress", *Journal of Materials Science*, 52 (20) 12476-85 (2017).
- 51) Abdul Khadar Syed, Bilal Ahmad, Hua Guo, Thays Machry, David Eatock, Jonathan Meyer, Michael E Fitzpatrick, and Xiang Zhang, "An Experimental Study of Residual Stress and Direction-Dependence of Fatigue Crack Growth Behaviour in as-Built and Stress-Relieved Selective-Laser-Melted Ti6Al4V", *Materials Science and Engineering: A*, 755 246-57 (2019).
- 52) Haohui Xin, and Milan Veljkovic, "Residual Stress Effects on Fatigue Crack Growth Rate of Mild Steel S355 Exposed to Air and Seawater Environments", *Materials & Design*, 193 108732 (2020).
- 53) Qingyu Liu, Fazhan Yang, Shufeng Sun, Man Yang, and Jing Shao, "Surface Integrity of Micro EDM Surface Using Electrodes of Various Diameters", *Coatings*, 9 (12) 805 (2019).
- 54) Jonas Holmberg, Anders Wretling, Johan Berglund, and Tomas Benoit, "Surface Integrity after Post Processing of EDM Processed Inconel 718 Shaft", *The International Journal of Advanced Manufacturing Technology*, 95 (5) 2325-37 (2018).
- 55) Thomas Simson, Andreas Emmel, Anja Dwars, and Juliane Böhm, "Residual Stress Measurements on AISI 316L Samples Manufactured by Selective Laser Melting", *Additive Manufacturing*, 17 183-89 (2017).
- 56) Caterina Casavola, Alberto Cazzato, Vincenzo Moramarco, and Giovanni Pappaletta, "Residual Stress Measurement in Fused Deposition Modelling Parts", *Polymer Testing*, 58 249-55 (2017).
- 57) Mohd Yunus Khan, and P Sudhakar Rao, "Optimization of Process Parameters of Electrical Discharge Machining Process for Performance Improvement", *Int J Innov Technol Explor Eng*, 8 (11) 3830-36 (2019).
- 49) Ravinder Kumar, and Inderdeep Singh, "A Modified Electrode Design for Improving Process Performance of Electric Discharge Drilling", *Journal of Materials Processing Technology*, 264 211-19 (2019).
- 58) Deepti Ranjan Sahu, and Amitava Mandal, "Critical Analysis of Surface Integrity Parameters and

- Dimensional Accuracy in Powder-Mixed EDM", *Materials and Manufacturing Processes*, 35 (4) 430-41 (2020).
- 59) Mohammad Antar, Phillip Hayward, Justin Dunleavy, and Paul Butler-Smith, "Surface Integrity Evaluation of Modified EDM Surface Structure", *Procedia Cirp*, 68 308-12 (2018).
- 60) Jaber E Abu Qudeiri, Aiman Zaiout, Abdel-Hamid I Mourad, Mustufa Haider Abidi, and Ahmed Elkaseer, "Principles and Characteristics of Different EDM Processes in Machining Tool and Die Steels", *Applied Sciences*, 10 (6) 2082 (2020).
- 61) A Perumal, A Azhagurajan, S Baskaran, R Prithivirajan, and P Narayansamy, "Statistical Evaluation and Performance Analysis of Electrical Discharge Machining (Edm) Characteristics of Hard Ti-6al-2sn-4zr-2mo Alloy", *Materials Research Express*, 6 (5) 056552 (2019).
- 62) Henry Pariaman, G M Luciana, M K Wisyaldin, and Muhammad Hisjam. "Anomaly Detection Using LSTM-Autoencoder to Predict Coal Pulverizer Condition on Coal-Fired Power Plant", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 8 (1), 89-97 (2021). <https://doi.org/10.5109/4372264>.
- 63) Rajesh Bhuyan, Arun Parida, and Pritinika Behera, "Using Entropy Weight and over All Evaluation Criteria Optimize the Parameters in EDM of Al-20 Wt.% Sipc Mmc", Available at SSRN 3735855 (2020).
- 64) Debabrata Dhupal, Subhashree Naik, and Sudhansu Ranjan Das, "Modelling and Optimization of Al-Sic Mmc through Edm Process Using Copper and Brass Electrodes", *Materials Today: Proceedings*, 5 (5) 11295-303 (2018).
- 65) Chao Lei, Junkuo Gao, Wenjing Ren, Yuanbo Xie, Somia Yassin Hussain Abdalkarim, Shunli Wang, Qingqing Ni, and Juming Yao, "Fabrication of MetalOrganic Frameworks@ Cellulose Aerogels Composite Materials for Removal of Heavy Metal Ions in Water", *Carbohydrate polymers*, 205 35-41 (2019).
- 66) Vivek Gupta and Arvind Jayant, "A Novel Hybrid MCDM Approach Followed by Fuzzy DEMATEL-ANP-TOPSIS to Evaluate Low Carbon Suppliers", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 8 (3), 544-55 (2021). <https://doi.org/10.5109/4491640>.
- 67) Xuyang Chu, Weihuang Zhuang, Wendong Xue, Xuejun Quan, Wei Zhou, and Ting Fu, "Electrolytic Removal of Recast Layers on Micro-EDM Microstructure Surfaces", *The International Journal of Advanced Manufacturing Technology*, 108 867-79 (2020).
- 68) Nan Wang, Xiao-Kun Ouyang, Li-Ye Yang, and Ahmed Mohamed Omer, "Fabrication of a Magnetic Cellulose Nanocrystal/Metal-Organic Framework Composite for Removal of Pb (Ii) from Water", *ACS Sustainable Chemistry & Engineering*, 5 (11) 10447-58 (2017).
- 69) Bo Yu, Qin Huang, Yongkun Liu, and Guohua Jiang, "Fabrication of Composite Biofibres Based on Chitosan and Fluorinated Graphene for Adsorption of Heavy Metal Ions in Water", *The Journal of The Textile Institute*, 110 (3) 426-34 (2019).
- 70) Chinmayee Kar, B Surekha, Hemalatha Jena, and Suvan Dev Choudhury, "Study of Influence of Process Parameters in Electric Discharge Machining of Aluminum-Red Mud Metal Matrix Composite", *Procedia Manufacturing*, 20 392-99 (2018).
- 71) Alokesh Pramanik, Mohammad Nazrul Islam, Brian Boswell, Animesh K Basak, Yu Dong, and Guy Littlefair, "Accuracy and Finish During Wire Electric Discharge Machining of Metal Matrix Composites for Different Reinforcement Size and Machining Conditions", *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 232 (6) 1068-78 (2018).
- 72) KR Aharwal, and CM Krishna, "Optimization of Material Removal Rate and Surface Roughness in Edm Machining of Metal Matrix Composite Using Genetic Algorithm", *Materials Today: Proceedings*, 5 (2) 5391-97 (2018).
- 73) Jaksan D Patel, and Kalpesh D Maniya, "A Review On: Wire Cut Electrical Discharge Machining Process for Metal Matrix Composite", *Procedia Manufacturing*, 20 253-58 (2018).
- 74) Avijeet Satpathy, S Tripathy, N Pallavi Senapati, and Mihir Kumar Brahma, "Optimization of Edm Process Parameters for Alsic-20% Sic Reinforced Metal Matrix Composite with Multi Response Using Topsis", *Materials Today: Proceedings*, 4 (2) 3043-52 (2017).
- 75) Ravinder Kumar, Ankita Kumar, and Inderdeep Singh, "Electric Discharge Drilling of Micro Holes in Cfrp Laminates", *Journal of Materials Processing Technology*, 259 150-58 (2018).
- 76) D Pritima, J Vairamuthu, P Gopi Krishnan, S Marichamy, B Stalin, and S Sheeba Rani, "Response Analysis on Synthesized Aluminium-Scandium Metal Matrix Composite Using Unconventional Machining Processes", *Materials Today: Proceedings*, 33 4431-35 (2020).
- 77) Narender Panwar, and Amit Chauhan, "Fabrication Methods of Particulate Reinforced Aluminium Metal Matrix Composite-a Review", *Materials Today: Proceedings*, 5 (2) 5933-39 (2018).
- 78) Jianguang Li, and Rashid Ali Laghari, "A Review on Machining and Optimization of Particle-Reinforced Metal Matrix Composites", *The International Journal of Advanced Manufacturing Technology*, 100 (9) 2929-43 (2019).
- 79) Bhaskar Chandra Kandpal, Jatinder Kumar, and Hari Singh, "Optimisation of Process Parameters of

Electrical Discharge Machining of Fabricated Aa 6061/10% Al₂O₃ Aluminium Based Metal Matrix Composite", *Materials Today: Proceedings*, 5 (2) 4413-20 (2018).

- 80) Şener Karabulut, Halil Karakoç, and Ramazan Çitak, "Effect of the B₄C Reinforcement Ratio on Surface Roughness of A16061 Based Metal Matrix Composite in Wire-Edm Machining", in 2017 8th International Conference on Mechanical and Aerospace Engineering (ICMAE) (IEEE, 2017), 812-15.
- 81) Manish Maurya, Nagendra Kumar Maurya, and Vivek Bajpai, "Effect of Sic Reinforced Particle Parameters in the Development of Aluminium Based Metal Matrix Composite", *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, 6 (3) 200-06 (2019).
- 82) Harish Kumar, Anuj Sharma, Yogesh Shrivastava, Shahroz Akhtar Khan, and Pawan Kumar Arora, "Optimization of Process Parameters of Pin on Disc Wear Set up for 3D Printed Specimens", *Journal of Engineering Research*, 2021.
<https://doi.org/10.36909/jer.emsme.13899>.
- 83) M. Prabhat Dev, Sidharth Jain, Harish Kumar, B. N. Tripathi, and S. A. Khan, "Various Tuning and Optimization Techniques Employed in PID Controller: A Review", *Proceedings of International Conference in Mechanical and Energy Technology*, 797–805, 2020.
https://doi.org/10.1007/978-981-15-2647-3_75.
- 84) Shivam Gupta, Sonali Gupta, Kundan Kumar Pandey, Kritik Subodh Dwivedi, Shahroz Akhtar Khan, and Pawan Kumar Arora, "Influential Effects of Process Parameters of Fused Deposition Modelling on Wear of a PLA Specimen: A Comprehensive Review", *Smart Innovation, Systems and Technologies*, Vol. 290, Sanjay Yadav et al. (Eds), *Proceedings of Second International Conference in Mechanical and Energy Technology (ICMET)*, Chapter 59, 2021.
DOI: 10.1007/978-981-19-0108-9.