

Opportunities to exploit stored energy in wastewater

Eljamal, Osama

Environmental Engineering in the Interdisciplinary Graduate School of Engineering Sciences (IGSES) at Kyushu University : Associate Professor

<https://doi.org/10.5109/5909051>

出版情報 : Proceedings of International Exchange and Innovation Conference on Engineering & Sciences (IEICES). 8, pp.23-26, 2022-10-20. Interdisciplinary Graduate School of Engineering Sciences, Kyushu University

バージョン :

権利関係 : Copyright © 2022 IEICES/Kyushu University. All rights reserved.

Keynote Speaker

Prof. Osama Eljamal

Associate Professor
Interdisciplinary Graduate School of
Engineering Sciences
Kyushu University, Japan



Short Biography

Osama Eljamal is an Associate Professor of Environmental Engineering in the Interdisciplinary Graduate School of Engineering Sciences (IGSES) at Kyushu University, Japan. He obtained his undergraduate degree in civil engineering from IUG, Palestine in 1997. He also received his Master and Ph.D. degrees in Environmental Engineering from the Graduate School of Engineering at Kyushu University in 2006 and 2009, respectively. He joined the department of earth resources engineering at Kyushu University as a JSPS postdoctoral fellow from April 2009 to October 2010. After that, he was appointed to the Graduate School of Bioresource and Bioenvironmental at Kyushu University in 2010 as an Assistant Professor. Afterward, he was promoted to Associate Professor in the Interdisciplinary Graduate School of Engineering Sciences (IGSES) at Kyushu University in 2014. He joined the Department of Chemical Engineering at University of Waterloo, Canada as a visiting Professor several times between June 2011 to September 2018. He also joined the Department of Engineering Science at University of Oxford, United Kingdom as a visiting Professor from January 2019 to October 2019.

Professor Osama research interests are covering environmental remediation, water purification, wastewater treatment, bioenergy production and environmental molding. Currently, he is focusing on using the advantages and benefits of nanotechnology to protect and clean the environment, especially for water treatment, renewable energy and resources recovery from waste. His research output includes over 160 peer-reviewed research publications. He has served as a supervisor for over 30 Ph.D. graduate students. He has also served as session chair, conference organizer, and a member of the research and education program committee for many scientific conferences and international research and education programs. Currently, he is the head of Water and Environmental Engineering Laboratory as well as the chairman of the annual International Exchange and Innovation Conference on Engineering & Sciences (IEICES). Also, he serves as a board member of the International Advisory Group for Kyushu University president.

Opportunities to exploit stored energy in wastewater

Abstract

The urban areas generate a huge amount of wastewater must be treated carefully before discharge into the surrounding environment. The main purpose of conventional Wastewater Treatment Plants (WWTPs) is the removal of pollutants from wastewater which needs high amounts of energy taken from the public energy distribution grids. On the other hand, the wastewater contains a significant amount of organic matter that can be considered as a potential source for renewable energy. Various technologies to recover energy throughout WWTPs are being under consideration by several researchers worldwide. Figure 1 shows the available methods can be used to recover energy from wastewater.




Fig.1. available methods can be used to recover energy from wastewater

Acknowledgments

This work was supported by JSPS KAKENHI Grant Number JP21K12311.

References

- [1] O. Eljamal, J. Okawauchi, K. Hiramatsu, M. Harada, Phosphorus sorption from aqueous solution using natural materials, *Environ. Earth Sci.* 68 (2013) 859–863. <https://doi.org/10.1007/s12665-012-1789-6>.
- [2] O. Eljamal, K. Sasaki, S. Tsuruyama, T. Hirajima, Kinetic model of arsenic sorption onto zero-valent iron (ZVI), *Water Qual. Expo. Heal.* 2 (2011) 125–132.
- [3] I. Maamoun, O. Eljamal, O. Falyouna, R. ELJAMAL, Y. Sugihara, Stimulating effect of magnesium hydroxide on aqueous characteristics of iron nanocomposites, *Water Sci. Technol.* 80 (2020) 1996–2002. <https://doi.org/10.2166/wst.2020.027>.
- [4] S. Takami, O. Eljamal, A.M.E. Khalil, R. Eljamal, N. Matsunaga, Development of continuous system based on nanoscale zero valent iron particles for phosphorus removal, *J. JSCE.* 7 (2019) 30–42. https://doi.org/10.2208/journalofjsce.7.1_30.
- [5] T.W.M. Amen, O. Eljamal, A.M.E. Khalil, N. Matsunaga, Wastewater degradation by iron/copper nanoparticles and the microorganism growth rate, *J. Environ. Sci.* 74 (2018) 19–31. <https://doi.org/https://doi.org/10.1016/j.jes.2018.01.028>.
- [6] O. Eljamal, K. Sasaki, T. Hirajima, Numerical simulation for reactive solute transport of arsenic in permeable reactive barrier column including zero-valent iron, *Appl. Math. Model.* 35 (2011) 5198–5207. <https://doi.org/https://doi.org/10.1016/j.apm.2011.04.040>.
- [7] O. Falyouna, I. Maamoun, K. Bensaida, A. Tahara, Y. Sugihara, O. Eljamal, Encapsulation of iron nanoparticles with magnesium hydroxide shell for remarkable removal of ciprofloxacin from contaminated water, *J. Colloid Interface Sci.* 605 (2022) 813–827. <https://doi.org/https://doi.org/10.1016/j.jcis.2021.07.154>.
- [8] R. Eljamal, I. Kahraman, O. Eljamal, I.P. Thompson, I. Maamoun, G. Yilmaz, Impact of nZVI on the formation of aerobic granules, bacterial growth and nutrient removal using aerobic sequencing batch reactor, *Environ. Technol. Innov.* 19 (2020) 100911. <https://doi.org/https://doi.org/10.1016/j.eti.2020.100911>.

- [9] T.W.M. Amen, O. Eljamal, A.M.E. Khalil, Y. Sugihara, N. Matsunaga, Methane yield enhancement by the addition of new novel of iron and copper-iron bimetallic nanoparticles, *Chem. Eng. Process. - Process Intensif.* 130 (2018) 253–261. <https://doi.org/https://doi.org/10.1016/j.cep.2018.06.020>.
- [10] E. Osama, O. Junya, H. Kazuaki, Removal of phosphorus from water using marble dust as sorbent material, *J. Environ. Prot. (Irvine, Calif.)*. 2012 (2012).
- [11] O. Eljamal, K. Sasaki, T. Hirajima, Sorption kinetic of arsenate as water contaminant on zero valent iron, (2013).
- [12] O. Eljamal, K. Jinno, T. Hosokawa, Modeling of solute transport and biological sulfate reduction using low cost electron donor, *Environ. Geol.* 56 (2009) 1605–1613.
- [13] O. Eljamal, K. Jinno, T. Hosokawa, Modeling of solute transport with bioremediation processes using sawdust as a matrix, *Water. Air. Soil Pollut.* 195 (2008) 115–127.
- [14] O. Eljamal, R. Eljamal, I. Maamoun, A.M.E. Khalil, T. Shubair, O. Falyouna, Y. Sugihara, Efficient treatment of ammonia-nitrogen contaminated waters by nano zero-valent iron/zeolite composite, *Chemosphere.* 287 (2022) 131990. <https://doi.org/https://doi.org/10.1016/j.chemosphere.2021.131990>.
- [15] K. Bensaida, R. Eljamal, kareman Eljamal, Y. Sugihara, O. Eljamal, The impact of iron bimetallic nanoparticles on bulk microbial growth in wastewater, *J. Water Process Eng.* 40 (2021) 101825. <https://doi.org/https://doi.org/10.1016/j.jwpe.2020.101825>.
- [16] I. Maamoun, O. Falyouna, R. Eljamal, K. Bensaida, O. Eljamal, Optimization modeling of nFe⁰/Cu-PRB design for Cr (VI) removal from groundwater, *Int J Env. Sci Dev.* 12 (2021) 131–138.
- [17] O. Eljamal, A.M.E. Khalil, N. Matsunaga, Experimental and modeling column study of phosphorus removal by permeable reactive materials, *Int. J. Environ. Agric. Res.* 3 (2017) 62–70.
- [18] O. Eljamal, K. Jinno, T. Hosokawa, Modeling of biologically mediated redox processes using sawdust as a matrix, *Proc. Hydraul. Eng.* 51 (2007) 19–24.
- [19] O. Falyouna, I. Maamoun, K. Bensaida, Y. Sugihara, O. Eljamal, Removal of Ciprofloxacin from Aqueous Solutions by Nanoscale Zerovalent Iron-Based Materials: A Mini Review, in: *Proc. Int. Exch. Innov. Conf. Eng. Sci., School of Engineering Sciences, Kyushu University, 2020*: pp. 179–185. <https://doi.org/10.5109/4102485>.
- [20] O. Eljamal, J. Okawauchi, K. Hiramatsu, Product rich in phosphorus produced from phosphorus-contaminated water, in: *Adv. Mater. Res., Trans Tech Publ, 2014*: pp. 261–265.
- [21] A.M. Khalil, Treatment and regeneration of nano-scale zero-valent iron spent in water remediation, (2017).
- [22] K. Bensaida, I. Maamoun, R. Eljamal, O. Falyouna, Y. Sugihara, O. Eljamal, New insight for electricity amplification in microbial fuel cells (MFCs) applying magnesium hydroxide coated iron nanoparticles, *Energy Convers. Manag.* 249 (2021) 114877. <https://doi.org/https://doi.org/10.1016/j.enconman.2021.114877>.
- [23] I. Maamoun, O. Falyouna, R. Eljamal, K. Bensaida, K. Tanaka, T. Tosco, Y. Sugihara, O. Eljamal, Multi-functional magnesium hydroxide coating for iron nanoparticles towards prolonged reactivity in Cr(VI) removal from aqueous solutions, *J. Environ. Chem. Eng.* 10 (2022) 107431. <https://doi.org/https://doi.org/10.1016/j.jece.2022.107431>.
- [24] O. Falyouna, K. Bensaida, I. Maamoun, U.P.M. Ashik, A. Tahara, K. Tanaka, N. Aoyagi, Y. Sugihara, O. Eljamal, Synthesis of hybrid magnesium hydroxide/magnesium oxide nanorods [Mg(OH)₂/MgO] for prompt and efficient adsorption of ciprofloxacin from aqueous solutions, *J. Clean. Prod.* 342 (2022) 130949. <https://doi.org/https://doi.org/10.1016/j.jclepro.2022.130949>.
- [25] O. Eljamal, K. Jinno, T. Hosokawa, Denitrification of secondary wastewater using sawdust, *Mem. Fac. Eng. Kyushu Univ.* 66 (2006) 115–128.
- [26] O. Eljamal, K. Jinno, T. Hosokawa, A mathematical model of biological clogging of soil-sawdust media, *J. Environ. Hydrol.* 16 (2008) 1–12.
- [27] I. Maamoun, K. Bensaida, R. Eljamal, O. Falyouna, K. Tanaka, T. Tosco, Y. Sugihara, O. Eljamal, Rapid and efficient chromium (VI) removal from aqueous solutions using nickel hydroxide nanoplates (nNiHs), *J. Mol. Liq.* 358 (2022) 119216. <https://doi.org/https://doi.org/10.1016/j.molliq.2022.119216>.
- [28] O. Eljamal, I. Maamoun, S. Alkhdhayri, R. Eljamal, O. Falyouna, K. Tanaka, N. Kozai, Y. Sugihara, Insights into boron removal from water using Mg-Al-LDH: Reaction parameters optimization & 3D-RSM modeling, *J. Water Process Eng.* 46 (2022) 102608. <https://doi.org/https://doi.org/10.1016/j.jwpe.2022.102608>.
- [29] O. Falyouna, M. Faizul Idham, I. Maamoun, K. Bensaida, U.P.M. Ashik, Y. Sugihara, O. Eljamal, Promotion of ciprofloxacin adsorption from contaminated solutions by oxalate modified nanoscale zerovalent iron particles, *J. Mol. Liq.* 359 (2022) 119323. <https://doi.org/https://doi.org/10.1016/j.molliq.2022.119323>.
- [30] R. Eljamal, I. Maamoun, K. Bensaida, G. Yilmaz, Y. Sugihara, O. Eljamal, A novel method to improve methane generation from waste sludge using iron nanoparticles coated with magnesium hydroxide, *Renew. Sustain. Energy Rev.* 158 (2022) 112192. <https://doi.org/https://doi.org/10.1016/j.rser.2022.112192>.
- [31] T.W.M. Amen, O. Eljamal, A.M.E. Khalil, N. Matsunaga, Evaluation of sulfate-containing sludge stabilization and the alleviation of methanogenesis inhibition at mesophilic temperature, *J. Water Process Eng.* 25 (2018) 212–221. <https://doi.org/https://doi.org/10.1016/j.jwpe.2018.08.004>.
- [32] A.M.E. Khalil, O. Eljamal, T.W.M. Amen, Y. Sugihara, N. Matsunaga, Scrutiny of interference effect of ions and

- organic matters on water treatment using supported nanoscale zero-valent iron, *Environ. Earth Sci.* 77 (2018) 1–13.
- [33] O. Falyouna, I. Maamoun, K. Bensaida, A. Tahara, Y. Sugihara, O. Eljamal, Chemical deposition of iron nanoparticles (Fe⁰) on titanium nanowires for efficient adsorption of ciprofloxacin from water, *Water Pract. Technol.* (2021).
- [34] I. Maamoun, O. Eljamal, I. Thompson, R. Eljamal, O. Falyouna, Y. Sugihara, Effect of Nano Zero Valent Iron Delivery Method into Porous Media on Phosphorus Removal from Groundwater, in: *Proc. Int. Exch. Innov. Conf. Eng. Sci.*, 2019: pp. 9–11.
- [35] I. Maamoun, O. Eljamal, N. Matsunaga, Enhancement of Nanoscale Zero-Valent Iron Stability in Aqueous Solution Via Metal Hydroxide Coating, *Proc. Int. Exch. Innov. Conf. Eng. Sci.* 4 (2018) 82–83.